


We review new Pet II

Plus Kim the £100 computer

Microcomputes user groups

School re-runs Russian Revolution

the complete



# Keen Computers take you into the future with the Apple II



Apple II 16K	985.00
Additional 16K Ram	100.00
Applesoft Rom	110.00
RS232 Card	110.00
Printer Card	110.00
Disk Drive and Controller	425.00
Disk Drive W/Ot Controller	375.00
Speech Lab	165.00
Apple Clock	165.00
Printers from	350.00

Software Packages are available for most business applications. A few are:-

Word Processor, Information Retrieval, Incomplete Records Accounting, Sales Ledger, Order Entry Invoicing, Management Information, and a variety of Statistical Packages, Games, and others. Keen Computers
5b The Poultry
Nottingham
Tel:0602 585254
Telex 57297

Managing Editor **Dennis Jarrett** 

Editor

Peter Laurie

Features Editor Robert Walczy

Computabits Editor Nick Hampshire

Staff Writer Kay Floyd

Production Editor Harold Mayes

Advertisement Manager

Erica Gruffydd

Advertisement Department Tom Moloney **Tina Roberts** 

Subscription Manager

**Annabel Hunt** 

Publisher

Wim Hoeksma

Company-Secretary Carole Fancourt

Managing Director Richard Hease

Editorial: 01-359 8451 Advertising: 01-359 8151

Production and

Subscriptions: 01-359 7481

Practical Computing is published by ECC as a subsidiary of WHICH COMPUTER? Ltd at its registered office, 30-31 Islington Green, London N1 and printed by Eden Fisher Ltd, Southend-on-Sea.

Distributed to newsagents by Moore Harness Ltd., 31 Corsica Street, London N5 and to specialist shops by Practical Computing Ltd.


Subscription rates: Single copy: 50p. Subscriptions: U.K., £6 per annum (including airmail postage), Europe (excluding U.K.), £12; Elsewhere in the world, £18

© Practical Computing 1979 ISSN 0141-5433. Every effort has been made to ensure accuracy of articles and program listing. Practical Computing cannot, however, accept any responsibility whatsoever for any errors.

# CONTENTS

SCENE IN CALIFORNIA			
Julian Allason on the flavour of California con	mputin	ng and the West Coast Faire	40
REVIEW I — Pet II  The first review of the new version of the pop	oular P	et	51
REVIEW II — Kim			
We look at Pet's small cousin		h	54
MICROCOMPUTER USER	GR	OUPS	
Where to find fellow enthusiasts — an up-to-	dațe lis		85
SCHOOL SIMULATES RUS	SLA	N REVOLUTION	
More on the Sweyne School prizewinning app	licatio	n of a computer to history teaching	44
LIFE - THE COMPLETE O	}AM	Œ	
A fast-running listing of the famous game for	the TI	RS-80	58
PASCAL			
Pros and cons of what may become the langua	age of	the future	62
DESIGNING A SMALL BUS	SINI	ESS APPLICATION	
Concluding our three-part series	*********	,	48
PET CORNER			
How to interface a Pet to a mainframe — Par	t II	,	80
SHORT STORY - FIGMEN	ITS		
Greed and death on the Western Front		iiii	56
MICROMEDITATIONS			
Nick Laurie on Sludgeware			46
MICROCOMPUTER BUYER	RS'	GUIDE	
Our invaluable guide to the microcomputers a	vailabl	le on the market	103
ALL THIS AND MORE			
FEEDBACK Your letters and our replies	33	TANDY FORUM Tips and ideas for the TRS-80	83
PRINTOUT News and views	37	COMPUTABITS	96
ILLUSTRATING BASIC	69	Down to the fundamentals of computing	00
Teach yourself programming, continued  QUESTIONNAIRE	75	GLOSSARYWhat all those funny words mean	111
Tell us about you	13		
CASSETTE SOFTWARE REVIEW We try new games on tape	77	DIARY What's happening next	57
APPLE PIE What is happening on the Apple scene	79	ADVERTISEMENT INDEX	113

SEPTEMBER ISSUE ON SALE AUGUST 15



# Then come to the number one micro-computer centre

If you're wondering if a micro-computer can help you, we are here to advise you. At Lion House-London's leading centre for micro-computers-you'll find:

\* Experts who'll explain the equipment in a way you can easily understand, showing how and where it applies to your work.

\* Demonstration areas where you can get immediate experience of using microcomputers yourself.

\* Probably the biggest range of software in the UK.

\* Programmes can be tailored for your particular commercial needs by our In-House Analysts and Programmers.

\* Total service - including the availability of full maintenance after you've bought an installation.

\* Leasing and H.P. facilities immediately

\* A computer book section with publications that give you new insight into the world of micro-computers.

How will micro-computers help you? In thousands of ways-only a few can be mentioned here...



For business and professional, the versatility of compact micro-computers means that all the benefits of big computers are made available to all at low cost. The businessman can now computerise his accountancy, his stock control, his records and much more-cutting his overheads and improving his efficiency.

For the home, micro-computers have innumerable uses and considerable value too-sometimes in unexpected ways.



Budgeting . . investments . . controlling heating or security . . . storing information on things like recipes designing complex and fascinating games ... education ..

Come and see. We invite you to visit us and investigate the possibilities and the potential. If you're too far away, phone or write and we'll send you more information.

You need a micro-computer. We can supply it.



SMALL COMPUTERS-TO MAKE YOUR BUSINESS BIGGER

Lion Computer Shops Ltd, Lion House, 227 Tottenham Court Road

London W1 (First Floor). Telephone: 01-637 1601.

Telex: 28394 Lion G. Open 9 to 6, Monday to Saturday (Thursday to 7).










# COMMart ... the specialists




All the small computers you need!

Micro computers for scientific research, control, educational and commercial applications. Comart have single card computers for control; development systems and interface boards for research; multi-user systems for education and word processing for commercial users.

The computer systems are modular and flexible – you choose only those facilities you need.

Contact us and discover how your application can benefit from cost-effective microcomputing.



- A Cromemco System 3/64 Computer
- B The North Star Horizon
- C Processor Technology's SOL

Contact us direct or call your nearest Comart dealer

The Byte Shop, Ilford, Essex. Tel: 01-554 2177
Cambridge Computer Store, Cambridge. Tel: (0223) 68155
Microcomputermart Ltd., Manchester. Tel: 061-832 2269
Crayworth Ltd., Camberley, Surrey. Tel: (0776) 34044
Digitus Ltd., London W.1. Tel: 01-636 0105
Holdene Ltd., Leeds. Tel: (0532) 459459
Isher-Woods Ltd., Luton, Beds. Tel: (0582) 424851
Newbear Computing Store, Newbury, Berks. (0635) 30505
Xitan Systems Ltd., Southampton. Tel: (0703) 38740



# comart specialists in microcomputers

Comart Ltd., P.O. Box 2, St. Neots, Huntingdon, Cambs, PE19 2AF. Tel: (0480) 215005 Telex: 32514

# micro software systems

# **DESK TOP COMPUTERS**

Find it difficult to make a choice? Utilise our experience to make the right decision. Micro Software Systems Supply:

RAIR BLACK BOX **EQUINOX 300** COMPUCORP 600 SERIES COMPACT 400 MODATA

COMMA V.03 and other LSI BASED SYSTEMS

A complete range of peripherals complements this selection.

Application Software available: Packaged or Bespoke.

Prices from £350 Quantity Discounts can be arranged.

Call or write and we will be happy to discuss your problems.

Micro Software Systems, Stanhope House, Stanford-le-Hope, Essex

Tel: Stanford-le-Hope (03756) 41991/2

## Memories Happy

21L02 450ns 78p 4116 300ns £7.45 2114 250ns £5.40 TRS-80 16K

S100

£195

16K With 4K 2114 450ns £4.95 21L02 250ns 95p 2708 450ns £7.25

Memory Upgrade Kit: £70 250ns Static RAM Kit: £81, 8K

Low Profile Pins: DIL Sockets Pence: 8 14 16 18 20 22 24 28 40 9 10 11 15 16 18 20 25 35

Our new shop is now open at the address below. We shall be stocking a wide range of items to interest all those of you who are building or plan to build your own microcomputer. Why not pay us a visit? We are open from Mon to Sat 10 to 6 and often much later

We stock a range of books covering fundamentals through to advanced topics (like games)

We are NASCOM dealers for the South Coast.

Do-it-yourself with our range of wire wrapping aids and materials from the O.K. corral, or Box-it-yourself with a Vero enclosure after Soldering-it-yourself with Antex.

Our stocks are rapidly increasing; please write or call for latest lists of available products. We welcome your suggestions for stock lines. What do you find difficult to obtain? (We know about buffers).


Please add 20p p&p to all orders less than £10 in value. Cheques or P.O.s payable to 'Happy Memories'. Access or Barclaycard orders may be telephoned 24hrs a day.

Prices quoted include VAT at 8% Please adjust for any change in rate.

19 Beyois Valley Road, Southampton, Hants. SO2 OJP Tel: (0703) 39267 

Circle No. 104

Circle No. 105



The Exidy Sorcerer.

DOK AT THESE FEATURES

16K £760

32K £859 add 8%

- \* WORD PROCESSING, COBAL, FORTRAN etc
- PLUG IN ROM CARTRIDGES
  - \* WORKS WITH NORMAL TV
    - \* S100 EXPANSION UNIT
      - \* CASSETTE INTERFACE
        - \* Z80 CPU
          - 32K RAM ON BOARD
            - A REAL BUSINESS MACHINE

phone your order quoting ACCESS or VISA number for technical information or advice phone 0736 66565

17 Market Place, Penzance, Cornwall. Circle No. 106

pad dual cassette I.O. with remote computer control at 300 and 1200 haud data rates. R\$232 serial I.O. for communication parallel port for direct Centronics printer attachment. Z80 processor, 4K ROM operating system 8K Microsoft BASIC in separate plug in Rom Pac Micartridge composite video of 64 chars 30 lines, 128 upper lower case ASCII character set and a 128 user defined graphic symbols, up to 32K on board RAM memory, operators manual, BASIC programming manual and cassette/

The Sorcerer Computer is a completely assembled and tested computer system ready to plug in and use. The standard configura-

tion includes 63 key typewriter style keyboard and 16 key

video cables, connection for \$100 bus expansion unit giving access to the spectrum of exciting and useful peripheral devices. such as Floppy disk drives, voice recognition synthesis battery back-up board in case of powerfailure, additional memory boards. E-PROM cards give you the facility to program and re-program your own ROM memories etc. etc. This is the most useable and llexible system that's now available to the home and business user

at such a low price

Supplied by - Factor One Computers

# THE EXPANDABLE GENERAL-PURPOSE MICROCOMPUTER



# THE RESEARCH MACHINES 380Z

# A UNIQUE TOOL FOR RESEARCH AND EDUCATION

Microcomputers are extremely good value. The outright purchase price of a 380Z installation with dual mini floppy disk drives, digital I/O and a real-time clock, is about the same as the annual maintenance cost of a typical laboratory minicomputer. It is worth thinking about!

The RESEARCH MACHINES 380Z is an excellent microcomputer for on-line data logging and control. In university departments in general, it is also a very attractive alternative to a central mainframe. Having your own 380Z means an end to fighting the central operating system, immediate feedback of program bugs, no more queueing and a virtually unlimited computing budget. You can program in interactive BASIC or run very large programs using our unique Text Editor with a 380Z FORTRAN Compiler. If you already have a minicomputer, you can use your 380Z with a floppy disk system for data capture.

What about Schools and Colleges? You can purchase a 380Z for your Computer Science or Computer Studies department at about the same cost as a terminal. A 380Z has a performance equal to many minicomputers and is ideal for teaching BASIC and Cesil. For A Level machine language instruction, the 380Z has the best software front panel of any computer. This enables a teacher to single-step through programs and observe the effects on registers and memory, using a single keystroke.

#### WHAT OTHER FEATURES SET THE 380Z APART?

The 380Z with its professional keyboard is robust, hardwearing equipment that will endure continual handling for years. It has an integral VDU interface—just plug a black and white television into the system in order to provide a display unit—you do not need to buy a separate terminal. The integral VDU interface gives you upper and lower case characters and low resolution graphics. Text and graphics can be mixed anywhere on the screen. The 380Z also has an integral cassette interface, software and hardware, which uses named cassette

files for both program and data storage. This means that it is easy to store more than one program per cassette.

Owners of a 380Z microcomputer can upgrade their system to include floppy (standard or mini) disk storage and take full advantage of a unique occurrence in the history of computing—the CP/MTM\* industry standard disk operating system. The 380Z uses an 8080 family microprocessor—the Z80—and this has enabled us to use CP/M. This means that the 380Z user has access to a growing body of CP/M base-software, supplied from many independent sources.

380Z mini floppy disk systems are available with the drives mounted in the computer case itself, presenting a compact and tidy installation. The FDS-2 standard floppy disk system uses double-sided disk drives, providing I Megabyte of on-line storage.

Versions of BASIC are available with the 380Z which automatically provide controlled cassette data files, allow programs to be loaded from paper tape, mark sense card readers or from a mainframe. A disk BASIC is also available with serial and random access to disk files. Most BASICs are available in erasable ROM which will allow for periodic updating.

If you already have a teletype, the 380Z can use this for hard copy or for paper tape input. Alternatively, you can purchase a low cost 380Z compatible printer for under £300, or choose from a range of higher performance printers.
\*CP/MTM Registered trademark Digital Research.

380Z/I6K System with Keyboard £965.00 380Z/56K complete with DUAL FULL FLOPPY DISK SYSTEM FDS-2 £3,266.00

380Z Computer Systems are distributed by RESEARCH MACHINES, P.O. Box 75, Chapel Street, Oxford. Telephone: OXFORD (0865) 49792. Please send for the 380Z information Leaflet. Prices do not include VAT @ 8% or Carriage

# Professional ASCII Keyboards



- \* Intended for professional micro-processor applications.
- This one Keyboard will meet most present and future requirements.
- \* Full 128-character ASCII 8-bit code.
- \* Tri-mode MOS encoding.
- Applications notes for auto repeat, numeric pad, serial output,
- Upper and lower case characters generated by keyboard with latching shift-lock.
- Selectable polarity.
- \* Size 305 x 140 x 32mm. (12% x 5% x 1%in)
- **★ MOS/DTL/TTL** compatible outputs.
- ★ New guaranteed OEM grade components.
- ★ Needs +5 and -12V supply.
- Board has space for small low cost DC/DC converter so that entire unit operates off single 5V rail.
- \* Alpha lock.
- \* Extra loose keys available.
- \* Supplied complete with full technical data.
- \* Rugged mil. spec. G-10 PCB with plated through holes.
- \* 2-key roll-over.
- DC level and pulse strobe signal for easy interface to any 8-bit input port microprocessor system, video display or terminal board.
- \* Strobe pulse width 1 ms.
- User selection of positive or negative logic data and strobe output.

-	Model 756 ASCII Keyboard, Fully assembled	640.50
1	Two or more	£49.50 £48.00
	Model 756 MF " " " "	2-10.00
2	with metal mounting frame	£54.50
	Edge Connector, gold plated. Type 756/con	£ 1.95
ı	Numeric keypad. Type 710 Plastic enclosure, black. Type 701	€ 7.50
-	DC to DC converter, for -12VType DC512	£10.75
1	U.K. orders add 8% VAT on order total.	£ 5.00
1	Generous O.E.M. & distributor discounts available	
1	Stockists required in some areas,	

CITADEL PRODUCTS LTD.
50 High St., Edgware, Middx. HA8 7EP, England.



• Circle No. 108

# **SUPERBOARD II**

4K - £263\*, 8K - £299\*

(Modulator included)
FIBRE GLASS CASE £24.95

# **TRS-80 KEYBOARD**

4K LEVEL II - £390\*, 16K - £490\*

(Modulator included)
POWER SUPPLY £9.90\*

# ATARI VIDEO COMPUTER

VCS – £139°, CARTRIDGES £12.95° NEW – CODE BREAKER, BRAIN GAMES HUNT & SCORE

# SOFTY EPROM DEVELOPMENT

BURNER SYSTEM (Kit) – £79.50\*

\*PRICES EXCLUDE 8% VAT - FULL DETAILS ON REQUEST

#### **VIDEOTIME PRODUCTS**

56 Queens Rd, Basingstoke Hants RG21 1REJ

Tel: (0256) 56417. Telex: 858747

Circle No. 109

# Your Own Complete

# PERSONAL MICRO COMPUTER for only £305.00 (VAT £24 extra 8%)

## THESE ARE THE FEATURES

- Standard Keyboard (ASCII Encoded)
- Ready Built 12" VDU Monitor (uncased)
- Complete Kit of Parts to construct a powerful Microcomputer
- Full Documentation
- On Board PROM Programmer
- Tiny Basic Interpreter
- Programmable in Machine Code or Basic
- Powerful Motorola Software Available
- Additional options available as standard without obsoleting any previous purchases

Such as: More Memory both ROM and RAM, Hard Copy Printer, Floppy Dics, I/O User Ports and Software for the above, i.e. Disc Operating System and Disc Interactive Extended Basic.

ORDER NOW!!

We take plastic or real money!!

# CROFTON lectronics Limited

35 Grosvenor Road, Twickenham Middlesex • Tel: 01-891 1923

Microcomputers from the world's largest full-line manufacturer



# The C2-4P Mini Floppy

20K RAM

Basic + Assembler Personal, Games, Small **Business & Educational Disks** 90K Mini Floppy Storage Printer Interface OS 65D V·30 Operating System International Distributors:

American Data-Home and Office Computer,

1030-15th Street, N.W., Suite 300, Washington, D.C., 20005 Tel: (202) 466-6612 Telex 64405 See your nearest auth-

orised dealer for full price list and catalogue, of Challenger I, II, III, series.

Abacus Computers Limited 62 New Cavendish Street London W1Tel: 01-580 8841

The Byte Shop Ltd 426-428 Cranbrook Road, Gants Hill, Ilford, Essex Tel: 01-518 1414

Calderbrook **Technical Services** 1 Higher Calderbrook Littleborough Lancs Tel: (0706) 79332

COMP Computer Components 14 Station Road New Barnet Herts EN51QW Tel: 01-441 2922

Linn Products 235 Drakemire Drive Castlemilk Glasgow G45 95Z Scotland Tel: 041-634 3860

Mutek Quarry Hill, Box Corsham Wiltshire SN14 9HT Tel: 0225-743289

Thames Personal **Computers** 13 Wilmot Way Camberley Surrey Tel: 0276-27860

U Microcomputers PO Box 24 Northwich Cheshire CW8 1RS Tel: 0606-75627

## **ALMARC PRESENTS:**

## MORE FROM VECTOR GRAPHIC

Now Vector Graphic give you more for your money with the 48K dynamic ram board and the System B

## THE VECTOR GRAPHIC MZ

- \* 4MHZ Z80A CPU
- \* 48K ram
- \* 630K Bytes disk storage
- Serial port and two parallel ports
- Prom/ram Board with monitor
- \* MDOS Operating system
- \* Z80 Assembler
- Basic Interpreter

Price £2300.00 plus VAT



## THE VECTOR GRAPHIC SYSTEM B

- \* Complete Vector MZ system plus:-
- \* Vector Mindless terminal
- \* Flashwriter 2 video board (24 × 80)
- Software driver on prom
- MZOS North Star compatible DOS
- \* CP/M configured by Almarc

Price £2850.00 plus VAT

Plus a large range of CP/M compatible software including Fortran, Cobol, Macro assemblers etc.

Contact: ALMARC DATA SYSTEMS LTD.

29 Chesterfield Drive, Burton Joyce, Nottingham.

Telephone 0602 248565

• Circle No. 112

# Comput

S-100 Bus

LTT ELECTRONIC of Godbout come of by bulk pire as in K. Only ales overheads can we at ounts to trade prices.

For example:

Econora ,

bytes st. memory bears:

Econorar V, 4M iz 14 Ass.

bytes static me nov 10 to the Econoram / II, 414Hz 24

bytes state miling / coa 5 Econoram ( Miliz bytes state miling) 25 £275 £359

All prices include postage and insur (overseas and £1 ) = Justi de 89

Further 5% Discount for each with order

Also Education/CEM/decounts on application.

Please send S A.B. full Little MAIL DROER ONLY

> LTE ELECTRO 8 Waldegrave Road, London S.E.19

Telephone: 01-828 1785

Circle No. 113

Which British system can offer the following:

COLOUR.

Aerial Input, Alphanumerics

and Graphics

CEEFAX.

**BBC Television Teletext** 

service

ORACLE.

**IBA Television Teletext** 

service

BASIC.

ROM-Resident

MONITOR.

Interpreter Motorola 6800 Machine

Code

\* VIEWDATA.

Instant Information service

## TECS:

**TECHNALOGICS EXPANDABLE** COMPUTER SYSTEM.

Prices start at around



£360. Rack-mounting and Tabletop versions

(illustrated)—The Logical Development everyone has been waiting for.

See us on stand 11 at The Microcomputer Show.

Please send large S.A.E. for details to:

TECHNALOGICS (DEPT. PC) 8 Egerton Street, Liverpool L8 7LY

# **Pet Expansion**



Complete with 4K disk operating system in ROM, plugs into Expandapet memory. Adds 15 new commands to Pet's Basic to give full disk extended Basic Loads 8K in 2.6 seconds. Automatic reorganisation of free space. Utility Disk

£833+ V.A.T.

Expandapet memory

Powered by Pet's own powersupply and mounted internally in 5-10 minutes without special tools.

16K.....**£261** + V.A.T.

24K.....**£320**+ V.A.T.

32K......**£374** + V.A.T.

All units are fully built and tested.

# Apple II



Apple II was the original with full colour high resolution microcomputer Basic, and it is still the best. With a very wide range of expansion available, including disk drive, interface cards, voice recognition card, light pen and many others.

Apple II has been well tried and approved by the public (over 200,000 sold) because of its thoroughly professional design and high quality engineering. You cannot get better value for money. Please send us a large s.a.e. for further details.

With 16K user RAM only

£820 + V.A.T.

# Super Board II



This 6502 based microcomputer comes with a full 8K Microsoft basic in ROM. Full keyboard. 4K static user RAM (on board expandable to 8K). Kansas City standard interface for use with an ordinary cassette recorder. Machine code monitor and I/O utilities in ROM. Direct Video access with 1K dedicated RAM (besides 4K user RAM) and full graphics set.

Fully built and tested only needs a 5V 3amp power supply and T.V. Monitor or R.F. modulator to be up and running.

£263.84+V.A.T.

# Apple II & TRS80 Memory Expansion



# Save Over £100

TRS 80 and Apple II memory expansion kits. Fully guaranteed and with full specification 4116 16K RAMs.


Kits come with full instructions and new jumper sets where necessary. Fitting takes 5-10 minutes, or bring along your Apple or TRS 80 and we will fit it for you for £5.

16K upgrade kit **£85** + V.A.T.



4 MORGAN STREET LONDON E3 5AB TELEPHONE: 01-981 3993 TELEX: 261426 ATN. LOTUS SOUND

# KIM 1 New Low Price



# Marshall's

# for Microprocessors and associated components

We distribute the fabulous KIM System – the ready to use microprocessor system – a new concept in microcomputers. Not a kit but supplied fully tested, wired and guaranteed. Expandable memory that grows with your system – not just an evaluation kit. Starting with KIM 1 at £108.00 VAT incl. you get immediate capability which can be expanded to a complete system capable of addressing up to 65K bytes of memory.

We also stock PET and a comprehensive range of ROMS, RAMS, PROMS, EPROMS, 74LS series, 74C series, microprocessor support components, the National SC/MP Microprocessor and the MEK 6800 DII kit. In addition to these we stock an extensive range of discrete semiconductors, passive components and DIL switches, etc.

Send for details to: MARSHALL'S ELECTRONICS Kingsgate House, Kingsgate Place, London NW6 4TA Tel: 01-624 0805 Retail Sales London: 40 Cricklewood Broadway, NW2 3ET. Tel: 01-452 0161/2. Telex: 21492 London: 325 Edgware Road, W2. Tel: 01-723 4242. Glasgow: 85 West Regent Street, G2 2QD. Tel: 041-332 4133. Bristol: 1 Straits Parade, Fishponds Road, BS16 2LX. Tel: 0272 654201.

NEW 1979 CATALOGUE NOW AVAILABLE 50p post paid or 40p to callers.

Circle No. 116

We are North London dealers for the best micros on the market.

# MICROSOLVE

Microcomputer sales and software.

If you need advice on which Microcomputer to buy WE CAN HELP YOU. We are specialists in writing packages and tailor-made software.

MICROSTAR 45, below, from £4,950 64k RAM, 1 2M or 2 4M char. disc storage. MULTI-USER, MULTI-TASK, database reporting system. A complete system for £6,000–£7,000.

APPLE II, right, (ITT 2020) from £950. A complete business system including printer and software £3,500.



### SOFTWARE



Stock control £100
Purchase ledger £275
Invoicing/Debtors ledger £275
Payroll (up to 200 employees—I.R. approved) £175
Incomplete records £250
Medical Billing/case history £300
Equipment rental £250
Financial modelling £275
School commerce and Physics teaching package £150 each
Chequebook £20

#### PRINTERS:

A large selection available. The new LOW COST PRINTER M now in stock: 120cps, 80 columns, serial/parallel interface,  $9 \times 7$  matrix, £695.

MICROSTAR Stock control/£500 Sales ledger Word processing £300 Payroll £250 Other software on request

Come and see the computer and discuss your requirements. We promise a personal service H.P. or leasing available

MICROSOLVE COMPUTER SERVICES LIMITED, 2nd floor, 125-129 High Street, Edgware, Middx.

Tel 01-951 0218

	2050/5	ENERG	
	DDES/2	ENERS	
	100v	10mA	.05
1N4005		1A	.08
		1A	.15
			.05
1N4733	5.1v		
1N753A	6.2v	500 mW Zer	
1N758A	10v	**	.25
1N759A	12v	"	.25
1N5243	13v	, **	.25
1N5244B	14v		.25
1N5245B	15v	.,	.25
	KETS/I	BRIDGES	
	nch	20 404	.35
			.40
			.40
			.95
			.95
			.95
			.95
			1.25
			1.25
			.25
			.95
			1.50
TRANS	SISTOR	S, LEDS, etc	
	(2N222	2 Plastic 10)	.15
2N2222A	(2.7222	2 / 100110 / 10/	.19
2N2907A	PNP		.19
2N3906			.10
		lastic Unmarked)	.10
		54 604	.60
			1,95
LED Green,			
	Red,	Clear, Yello	w .15
D.L.747	7 seg 5	Clear, Yello '8" High com-ano	de 1.95
D.L.747 MAN72	7 seg 5/	Clear, Yello /8" High com-ano om-anode (Red)	de 1.95 1.25
D.L.747 MAN72 MAN3610	7 seg 5/ 7 seg co 7 seg co	Clear, Yello '8" High com-ano om-anode (Red) om-anode (Orange	1.25 1.25
D.L.747 MAN72 MAN3610 MAN82A	7 seg 5/ 7 seg co 7 seg co 7 seg co	Clear, Yello (8" High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow	de 1.95 1.25 1 1.25 1 1.25
D.L.747 MAN72 MAN3610	7 seg 5/ 7 seg co 7 seg co 7 seg co 7 seg co	Clear, Yello '8" High com-ano om-anode (Red) om-anode (Orange	1.25 1.25 1.25 1.25 1.50
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359	7 seg 5/7 seg cc 7 seg cc	Clear, Yello (8" High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red)	1.25 1.25 1.25 1.25 1.50
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359	7 seg 5, 7 seg cc 7 seg cc 7 seg cc 7 seg cc 9000 S	Clear, Yello (8" High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red)	de 1.95 1.25 1) 1.25 1) 1.25 1,50 1.25
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359	7 seg 5, 7 seg cc 7 seg cc 7 seg cc 7 seg cc 9000 S	Clear, Yello by High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red) ERIES QTY.	de 1.95 1.25 1) 1.25 1) 1.25 1.50 1.25
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359	7 seg 5, 7 seg cc 7 seg cc 7 seg cc 7 seg cc 9000 S	Clear, Yello (8" High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red)	de 1.95 1.25 1) 1.25 1) 1.25 1,50 1.25
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359 9301 9309 9316 1	7 seg 5, 7 seg cc 9000 S	Clear, Yello (8a' High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red) om-cathode (Red) ERIES QTY. 9322 9601 9602	de 1.95 1.25 1.25 1.25 1.25 1.50 1.25 1.50 1.25 .65 .20 .45
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S,	7 seg 5, 7 seg cc 85 35 10	Clear, Yello (8' High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red) om-cathode (Red) om-cathode (Red) om-cathode (Red)  ERIES QTY. 9322 9601 9602  CPU'S, E-PF QTY.	de 1.95 1.25 1.25 1.25 1.25 1.50 1.25 1.50 1.45  ROMS
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S,	7 seg 5, 7 seg cc 85   85   10	Clear, Yello (May High com-ano	de 1.95 1.25 1.25 1.25 1.25 1.50 1.25 1.50 1.25 20 .45  ROMS 4.95
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S, 8T13 8T23	7 seg 5, 7 seg cc 85 35 10 RAMS, 1.50 1.50	Clear, Yello (8a' High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode	de 1.95 1.25 1.25 1.25 1.25 1.25 1.50 1.25 1.50 1.25 20 45  ROMS 4.95 9.50
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S, 8T13 8T23 8T24	7 seg 5/7 seg cc 7 seg cc 10 se	Clear, Yello (8" High com-ano manode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode (Red) om-cathode (Red) pm-cathode (Red) pm-cathode (Red) cm-cathode (Red) pm-cathode (Red) cm-cathode (Red) pm-cathode (Red) cm-cathode (Red) pm-cathode (Red) cm-cathode (Red) pm-cathode (Re	de 1.95 1.25 1.25 1.25 1.50 1.25 1.50 1.25 20 45  ROMS 4.95 9.50 6.25
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S, 8T13 8T23	7 seg 5, 7 seg cc 85 35 10 RAMS, 1.50 1.50	Clear, Yello (8a' High com-ano om-anode (Red) om-anode (Orange om-anode (Yellow om-cathode (Red) om-cathode	de 1.95 1.25 1.25 1.25 1.25 1.25 1.50 1.25 1.50 1.25 20 45  ROMS 4.95 9.50
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S, 8T13 8T23 8T24 8T97	7 seg 5. 7 seg cc 85 35 10	Clear, Yello (8" High comano (8" High comano (9" High comano (	de 1.95 1.25 1.25 1.50 1.25 1.50 1.25 20 .45  4.95 9.50 6.25 10.50
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S, 8T13 8T23 8T24 8T97 74\$188 1488	7 seg 5. 7 seg cc 85 35 10 85 85 85 1.0 86 85 1.50 1.50 1.50 1.50 1.20 1.25 1.25	Clear, Yello (8' High comano (8' High comano (9' High comano (9' High comano (1' High comano (	de 1,95 1,25 1,25 1,25 1,50 1,25 1,50 1,25 4,95 9,50 6,25 10,50 34,00 59,00 23,95
D.L.747 MAN72 MAN3610 MAN82A MAN74 FND359  9301 9309 9316 1  MICRO'S, 8T13 8T23 8T24 8T97 74\$188 1488	7 seg 5. 7 seg cc 85 35 10 85 85 15 10 10 10 10 10 10 10 10 10 10 10 10 10	Clear, Yello Commano (Managara) (	de 1,95 1,25 1) 1,25 1) 1,25 1,50 1,25 1,50 1,25 20 45 8OMS 4,95 9,50 6,25 10,50 34,00 59,00
	1N914 1N4005 1N4005 1N4007 1N4148 1N4733 1N753A 1N758A 1N759A 1N5243 1N5244B 1N5245B SOC 8-pin 14-pin 16-pin 18-pin 20-pin 22-pin 24-pin 24-pin 24-pin 25-Amp Bri 25-Amp Bri 25-Amp Bri 27-222 2N2222A 2N2907A 2N3906 2N3904 2N3055 T1P125	1N914 100v 1N4005 600v 1N4007 1000v 1N4148 75v 1N4733 5.1v 1N753A 6.2v 1N758A 10v 1N759A 12v 1N5243 13v 1N5244B 14v 1N5245B 15v  SOCKETS/I  8-pin pcb 14-pin pcb 16-pin pcb 16-pin pcb 20-pin pcb 20-pin pcb 22-pin pcb 22-pin pcb 24-pin pcb 24-pin pcb 24-pin pcb 24-pin pcb 32-pin pcb 40-pin pcb 40-pin pcb 40-pin pcb TRANSISTOR 2N2222 (2N222 2N2207A PNP 2N3906 PNP (P 2N3904 NPN (P 2N3904 NPN (P 2N39055 NPN (P) 2N3055 NPN (P) 2N9055 NPN (P)	1N4005   600v

			_		4023	.20
	40-pin	pcb .5		1.25	4024	.75
	Molex pins	.01 To-3	Sockets	.25	4025	.20
	2 Amp Brid	dge 10	00-prv	.95	4026	1.95
	25 Amp Br	idge 20	00-prv	1.50	4027	.35
				<u> </u>	4028	.75
Υ.	TRANS	ISTORS,	LEDS, etc.		4029	1.15
	2N2222	(2N2222 PI	astic .10)	.15	4030	.30
	2N2222A			.19	4033	1.50
	2N2907A	PNP		.19		2.45
	2N3906		Unmarked)	.10	4034	
	2N3904		c Unmarked)	.10	4035	.75
	2N3054	NPN		.45	4037	1.80
	2N3055	NPN 15A		.60	4040	.75
-	T1P125	PNP Darlin		1.95	4041	.69
-	LED Green,		Clear, Yellow		4042	.65
_	D.L.747 MAN72	7 seg 5/8 7	ligh com-anod	1.25	4043	.50
-	MAN3610		node (Orange)	1.25	4044	.65
-	MAN82A		node (Yellow)	1.25	4046	1.25
-	MAN74		athode (Red)	1.50		
_	FND359		athode (Red)	1.25	4048	.95
-		, 509			4049	.45
	Ç	0000 SER	IES		4050	.45
Y.	,	QTY			4052	.75
	9301 .8	35	9322	.65	4053	.75
		35	9601	.20	4066	.55
	9316 1.1	10	9602	.45	4069/74C04	
	141050/0	D 4 4 4 C OF	HI'C E DD	2040	4071	.25
ΓY.	MICRO'S,	HAMS, CH	U S, E-PHI	DIVIS -	4081	.30
ΙΥ.		1.50	2107B-4	4.95	4082	.30
-		1.50	2114	9.50		
_		2.00	2513	6,25	4507	.95
7		1.00	2708	10.50	4511	.95
		3.00	2716 D.S.	34.00	4512	1.10
		1.25	2716 (5v)	59.00	4515	2.95
		1.25	2758 (5v)	23.95	4519	.85
		4.50	3242	10.50	4522	1.10
	AM 9050	4.00	4116	13.95	4526	.95
-	1414 5 21 4	3.00	6800 6850	7.95	4528	
_		3.50	8080	7.50		1.10
_	MM 5387	3.50	8212	2.75	4529	.95
	MM 5369	2.95	8214	4.95		14.50
	TR 1602B	3.95	8216	3.50	MC 14419	4.85
	UPD 414	4.95	8224	3.25	74C151	1.50
		2.50	6228	6.00		
	Z 80 1	7.50	8251	7.50	CABLE ADDE	ESS:
		0.50	8253	18.50		
	2102	1.45	8255	8.50	TELEX # 69	7827
	2102L	1.75	TMS 4044	9.95		

QTY.		RS, REGULAT		etc.	
MCT2	.95	LM323K	5.95	LM380 (8-14 Pir	1,19
8038	3.95	LM324	1.25	LM709 (8-14 Pin	.35
LM201	.75	LM339	.75	LM711	.45
LM301	.45	7805 (340T5)	.95	LM723	.40
LM308	.65	LM340T12	.95	LM725	2.50
LM309H	.65	LM340T15	.95	LM739	1.50
LM309K (340K-5	1.50	LM340T18	.95	LM741 (8-14)	.35
LM310	.85	LM340T24	.95	LM747	1,10
LM311D	.75	LM340K12	1.25	LM1307	1.25
LM318	1.75	LM340K15	1.25	LM1458	.65
LM320H6	.79	LM340K18	1.25	LM3900	.50
LM320H15	.79	LM340K24	1.25	LM75451	.65
LM320H24	.79	LM373	2.95	NE 555	.45
7905 (LM320K5)	1.65	LM377	3.95	NE556	.85
LM320K12	1.65	78L05	.75	NE565	.95
LM320K24	1.65	78L12	.75	NE566	1.25
LM320T5	1.65	78L15	.75	NE567	.95
LM320T12	1.65	78M05	.75		
LM320T15	1.65	17 17			
					**

QTY,		I QTY.	TT	L -		QTY.	
7400	.10	7482	.75	74221	1.00	74 LS02	
7401	.15	7483	.75	74367	.95	74 LS04	
7402	.15	7485	,55	75108A	.35	74LS05	
7403	.15	7486	.25	75491	.50	74LS08	
7404	.10	7489	1.05	75492	.50	74LS09	
7405	.25	7490	.45	74H00	.15	74LS10	
7406	.25	7491	.70	74H01	.20	74LS11	
7406	.55	7492	.45	74H04	.20	74LS20	
7467	.15	7493	.35	74H05	.20	74LS21	
7409	.15	7494	.75	74H08	.35	74LS22	
7410	.15	7495	.60	74H 10	.35	74LS32	
		7496	.80	74H10	.25	74LS32	
7411	.25			74H15	.45	74LS38	
7412	.25	74100	1.15			74LS38 74LS40	_
7413	.25	74107	.25	74H20 74H21	.25	74LS40	
7414	.75	74121	.35		-25		
7416	.25	74122	.55	74H22	.40	74 LS51	
7417	.40	74123	.35	74H30	.20	74LS74	_
7420	.15	74125	.45	74H40	.25	74LS76	_
7426	.25	74126	.35	74H50	.25	74LS86	
7427	.25	74132	.75	74H51	.25	74L\$90	
7430	.15	74141	.90	74H52	.15	74LS93	
7432	.20	74150	.85	74 H 53	.25	74LS107	
7437	.20	74151	.65	74H55	.20	74LS123	1
7438	.20	74153	.75	74H72	.35	74LS151	
7440	.20	74154	.95	74H74	.35	74 LS153	
7441	1.15	74156	.70	74H101	.75	74LS157	
7442	.45	74157	.65	74H103	.55	74LS160	
7443	.45	74161	.55	74H106	.95	74LS164	1
7444	.45	74163	.85	74L00	.25	74LS193	-1
7445	.65	74164	.60	74 L 02	.20	74LS195	
7446	.70	74165	1.10	74L03	.25	74LS244	1
7447	.70	74166	1,25	74L04	.30	74L\$367	
7448	.50	74175	.80	74L10	.20	74LS368	
7450	.25	74176	.85	74 L 20	.35	74500	
7451	.25	74180	.55	74 L 30	.45	74502	
7453	.20	74181	2.25	74L47	1.95	74503	_
7454	.25	74182	.75	74 L 51	.45	74504	
7460	.40	74190	1.25	. 74L55	.65	74505	
7470	.45	74191	1.25	74L72	.45	74508	
7472	.40	74192	.75	74L73	.40	74510	
7473	.25	74193	.85	74174	.45	74511	
7474	.30	74194	.95	74175	.85	74520	_
7474	.35	74195	.95	74L93	.55	74540	_
				74L93		74550	
7476	.40	74196	.95		.85		-
7480	.55	74197	.95	74LS00	.30	74551	
7481	.75	74198	1.45	74LS01	.30	74\$64	_
						74574	
SD						745112	h-1 999
,,,						745114	

RESS: 10

C MOS

4000 4001

4002

4004 4006

4007 4008 4009

4010

4011

4012

4013

4014 4015

4016 4017

4018

4019

4020

4021 4022 4023 .15 20

3.95

.95 .20 .75

.35

35

20

.20

.40 .75 .75

35

75

75 35

.85

.75 .75

20 75

QTY.

HOURS: 9 A.M. - 6 P.M. MON. thru SUN.

# CIRCUITS

San Diego, California 92111 U.S.A. 7889 Clairemont Mesa Blvd.

NO MINIMUM

COMMERCIAL AND MANUFACTURING ACCOUNTS INVITED ALL PRICES IN U.S. DOLLARS. PLEASE ADD POSTAGE TO COVER METHOD OF SHIPPING. ORDERS OVER \$100 (U.S.) WILL BE SHIPPED AIR NO CHARGE.

PAYMENT SUBMITTED WITH ORDER SHOULD BE IN U.S. DOLLARS. ALL IC'S PRIME/GUARANTEED ALL ORDERS SHIPPED SAME DAY RECEIVED.

CREDIT CARDS ACCEPTED:

Phone (714) 278-4394 BarclayCard / Access / American Express / BankAmericard / Visa / MasterCharge SPECIAL DISCOUNTS

745133

745140

745153

745157

74S158

745194

74\$257

.40

.55

30

35 75

.30

1.05

2.75

2 1.05

Total Order Deduct \$35.\$99 10% 15% \$100-\$300 \$301-\$1000 20%

BUILD THE

12,000 ALREADY SOLD



NASCOM I COMPUTER \* British Design \* UK Best Selling Kits

FULL AFTER SALES SERVICE & GUARANTEE

We are the Sole Approved London Stockist and National Distributor

FREE MODULATOR and B-BUG FEATURES

★ Supplied in kit form for self-assembly.
★ Full documentation supplied ★ Fully screened double-sided plated through hole printed circuit hoard.

woard


★ Full 48 key keyboard included

★ 2K × 8 Ram

★ 1K × 8 monitor program in

Eprim

★ Powerful Mostek Z80 CPU ★ 16 × 48 character display interface to std un-modified T.V. ★ T.V. display memory mapped for high speed access ★ On board expansion to 2K × 8 Eprom



32K £200 ★ I/O board with decoders and all hardware except ICS will accept up to 3 PIOs, 1 CTV and 1 UART £35

★ Keyboard cabinet ....£3.50 ★ Programming manual ..£4.00 Keyboard cabinet



★ On board expansion for additional 16 I/O lines ★ Memory may be expanded to full 60K

SOFTWARE

† IK × 8 monitor program
providing

† 8 operating commands,
supporting Mem examine/modify,
tabulate, copy, break, single step
execute tape, load, tape dump

Reflective monitor addressing
for flexible monitor expansion
through user programs

† Monitor sub-routines include—
delay ASCII coding, binary to hex
convers/pn, clr screen, scroll up,
string print, cursor shift and many
others

NEW T-4 operating system in (2) 2708 EPROMS upwards compatible from T2 and B-BUG

Super Tiny Basic (with editor and machine utility routined) £35.00 Zeap assembler editor £32.00

★ VAT 8% ALL ITEMS EXCEPT 800KS ★ DEMONSTRATIONS CONTINUOUS DAILY ★ WE WELCOME EXPORT—EDUCATIONAL AND INDUSTRIAL ENQUIRIES ★ FREE BROCHURE—SEND SAE 9 ★ 6 € STAMP 12 p



4096-16

4020 .67

4021

4022

4049

·67 4050 ·65 4051

4023 15 4052

.28

.31

·51

-51



All mail to: Henry's Radio 404 Edgware Rd London W2



Circle No. 119

£4.00

# \* WE HAVE MEMORIES \*

(300ns) 4K × 1 DRAM

4116-3 4118 74188AN 2708 Z-80 CPU Z-80 PIO	(250ns) (450ns) 4 MHz	16K × 1DRAM 1K × 8 SRAM 256 bit PROM 1K × 8 EPROM	£9.00 £19.50 £2.00 £9.50 £11.50 £9.50
CMOS p 4000 15 4001 15 4002 15 4007 15 4011 15 4012 15 4013 26 4015 76 4016 28 4017 57 4018 65	CMOS p 4024 48 4025 15 4027 31 4028 54 4029 70 4040 65 4042 53 4043 57 4044 57 4046 82 4047 95	CMOS p  4053 51  4060 94  4066 33  4068 15  4069 15 P&P 30p  4070 15 All prices  4071 15 include VA  4072 15 Access Ca  4073 15  4075 15  4076 73	

STRUTT ELECTRICAL & MECHANICAL ENGINEERING LTD. **Telex 45263** 

4077

4078

4081

4082

15 .15

15

3C, Barley Market Street, Tavistock, Devon, PL19 05F. Tel: Tavistock 0822 5439.

# **YSTEMS CONSULT THE EXPERTS**

# Announcing **COMPUCOLOR II**

# Plus

**EQUINOX 300 CROMEMCO** PROCESSOR TECH. SOL. NORTH STAR HORIZON. COMMODORE PET. MICROSTAR 45.

We supply a complete range of peripherals to suit the range listed, including Texas, Elbit, Teletype, Diablo, Adds, Cifer, etc. (O.E.M. terms available). Send S.A.E. for our Booklist.

Accounting suites \* Payroll \* Mailing list \* Hotel package \* Pert \* Perspective drawing \* Simplex linear programming \* Planets (Management Game) PLUS A COMPLETE BESPOKE PROG. SERVICE.

We are currently running a series of one day seminars. Ring us for details.

Micromedia Systems, 14 Chepstow Road, Newport, GWENT. NPT 8EA. Tel: (0633) 841691/50528/63310.

# The exciting new TRITON

Personal Computer exclusively from:



# **EXPANSION MOTHERBOARD Kit 8K STATIC RAM CARD Kit. 8K EPROM BOARD Kit** £97

Full details available in our brand new 1979 computer products catalogue, so order your copy right now! Don't forget VAT is extra at 8° o. User club £4 per annum.

I am interested in the Triton	To: Transam Components Ltd 12 Chapel Street, NW1.
	Please send me the following:-
Name	1. A copy of your latest Summer '79 catalogue. I enclose 40p + SAE
Address (please print)	(11%"X8%")  2. A copy of your Triton manual. I enclose £5 + 70p p&p
	A complete set of parts for the Triton computer L4.1 L5.1 L6.1 (please delete options not required — see prices opposite)
	4. A Triton PCB. I enclose £50 + VAT +
BARCLAYCARD, ACCESS, VISA & MASTER CHARGE	£1 p&p  5. A Triton RAM Card Kit. I enclose £97 + VAT + p&p
ARE WELCOME. SEND YOUR CARD NUMBER WITH ORDER	6. A Triton EPROM Card Kit. I enclose £31 without the 2708's I enclose £97 with the 2708's I enclose a total of £

## Complete kit of parts available only £286 (+ VAT)

SELECTABLE FIR MWARE OPTIONS
SUSTEM \$286 + VAT (p&p£4) L4.1 Triton system £286 + VAT (p&p£4) includes 1K monitor, 2K Tiny Basic, resides on main PCB.

Triton system £294 + VAT (p&p£4) L5.1

L5.1 Triton system £294 + VAI (p&p£4) includes 1.5K monitor, extended Tiny Basic. Resides on main PCB.
L6.1 Triton system £399 + VAT (p&p£6) includes 1.5K monitor, 7K scientific Basic with F.P. to six places mounted on motherboard. Please note that with this option you have the facility to add 77 more cards to bring Triton up to its full 64K.

STAND ALONE FIRMWARE PACKS IN EPROM L4.1 £30 + VAT (3K on main board) L5.1 £40 + VAT (4K on main board) L5.2 £40 + VAT (As L5.1 but with 18MHz cry-

L6.1 £90 + VAT (1.5K on main board, 7K on

EPROM PCB)
L6.2 £90 + VAT (As L6.1 but with 18MHz crystal)
CONVERSION OPTIONS — we like your old

Convert L4.1 to L5.1 £25 + VAT (return 3

EPROMS)
Convert L4.1 to L6.1 £69 + VAT (return 3 EPROMS)

Convert L5.1 to L6.1 £62 + VAT (return 4 EPROMS)

charges reflect programming and erasing

DOCUMENTATION

Triton manual £5 + 70p p&p (included in kit)
L4.1 listing £4 + SAE
L5.1 user documentation £1 + SAE L5.1 user documentation £1 + SAE
L6.1 user documentation £1.50 + SAE
Motherboard construction details — free but
send an SAE. RAM card and ROM card construction — same applies.
TRITON SOFTWARE
See Computing Today and our own general library — list available, send SAE.
"All parts available separately or in packs.
Budget your Triton system. It's easy to buy!!
DON'T FORGET!.

DON'T FORGET!

DON'T FORGET!.

Triton has in standard L4.1 option:
Basic interpreter. 64 graphic characters.
Buffered outputs to 64k.
Power supply and cabinet.
8K memory option on main PCB.
56 station fully ASC11 encoded keyboard.

Memory mapping. Modem controlled tape VO (or communications interface).

118 page manual. Standard TV interface.

Sorry, TV set and cassette not included.

TRANSAM COMPONENTS LTD 12 CHAPEL STREET, LONDON, NW1 TEL: 402 8137

Next to Edgware Road Tube Station (Met. Line) Triton Computer is the Trade Mark of TRANSAM COMPONENTS LTD.

# **FQUINOX 300**

A powerful multi-user multi-tasking multi-language

16-bit microcomputer time-sharing system

supporting

- BASIC
- · LISP
- · PASCAL
- Floppy discs
- Hard discs

including a powerful Text Formatter, Assembly Language Development System and disc-based Sort utilities.

Priced from under £5,000

Write or phone for further information.

#### EQUINOX COMPUTER SYSTEMS LTD

"Kleeman House" 16 Anning Street. New Inn Yard, London EC2A 3HB. Tel: 01-739 2387/9. 01-729 4460.

# **HARD AND SOFTWARE**

South West Tech. and Commodore Pet systems available with tailored software

Plug-in Suppressor which protects micro systems from mains interference.

Courses on micros and BASIC

Beyts Logic Ltd. Windmill Road, Sunbury, Middx. U.K. Telephone (09327) 86262 Telex 928185



Circle No. 124

Circle No. 123

#### Expand your Pet to its full capability with these professional peripherals Dual floppy disk unit

A COMMERCIAL GRADE DISK SYSTEM FOR THE PET

- Up to 800K Bytes on Line Mass Storage
   High Speed D.O.S. in ROM
   Effectively doubles PET operating system commands
- Complete documentation allows use of full
- Handles up to four disk drives
- Includes Commercial Printer Support Adds 16 commands to PET basic
- Automatic self reorganisation of free space on disk after each save or erase command
- Free space is never fragmented

PRICE £840-00

#### Expandem memory expansion board General purpose expansion system for PET and other 6502 Computer Systems (e.g. KIM, SIM, AIM).

- 24K to 32K Low Dissipation RAM
   Mounting slots for 4
- All necessary cables and brackets
- Disk Controller Parallel I/O
- Sockets for Eprom
- Flexible Serial I/O
  \$100 I/O Driver

24K Board £320-00

All Apple II and Exidy Sorcerer ranges stocked. Software

24K £449-00



PET 2001-4 4K Bytes of Memor

PET 2001-8 8K Bytes of Memory £550-00 PET 2001-32N 32 Bytes Memory £795.00

PET 2ND Cassette Unit £55.00 PET Sound Box Plugs direct into 2nd Cassette Port complète with Demo Software £12.98

PET Dust Covers To protect your PET—(Four Colours) Rust, Blue, Beige, Green £8.33

PET TV Interface Plugs direct into user port Superb Specification Unidirectional IEEE to RS232 interface £85'00 Bi-directional IEEE to RS232 interface £160.00 Cifer Cub visual display terminals with keyboard £380 00

C12 blank data cassettes £3.98 per 10 51in. Mini-floppy diskettes £27.78 per 10

£460-00

Estate Agency: Very cheap, very effective method of showing properties to customers. Automatic deletion. Printed copies for prospective purchasers (Now available on disk). £25.00 Mail List: Printout all your mailshots, names and addresses; printout on self-adhesive labels;

disk only Payroll: Complete suite, abundant storage on disk. End-of-year summary; coin analysis; two payslips; excellent value; disk only £50-00

R.H. MICROPOLY: Monopoly on an 8K Pet, would you believe? Absolutely superb.

R.H. Mastermind: Surely the best Mastermind ever, 3 Games levels.

R.H. Shape Matching: Match up two different shapes to score. You against the other guy. You will have to be sharp for this one. £5.00 will have to be sharp for this one.

We supply all Commodore, Petsoft and Compusette programs. We should be glad to quote for dedicated software applications.

Access and Barclaycard accepted for Telephone and Postal Orders

All prices include post and packing (insured post extra).


Dealer enquiries invited for all our stock items.

U.K.-wide service by our specialist technical staff. Maintenance contracts available after our one-year guarantee at 71% of capital purchase

All prices exclusive of VAT

All new equipment sold by us carries a 12 months' guarantee

Computers for Business Home 22 Newland Street **Kettering Northants** Telephone (0536) 83922/ 520910 Telex 341297



# isher-woods offer a professional service, tailor made to fit your personal requirements

With the help of Commodore Systems and the PET® Computer isher-woods can offer both the technically minded and the business man ready made or tailored solutions to most of your particular problems. The Commodore PET® comes in 4 different memory sizes and is priced from as little as

under £500 (ex. VAT) for the 4K version. We

can supply 8, 16, and 32K versions from stock, fully tested and guaranteed. Floppies and printers are

on order.

If you have a PET® or are considering buying one then we can look after it for you. We give a <u>fixed price</u> labour charge of £20 + parts at list price + VAT, irrespective of the fault; just deliver to our door and we'll put it right.

If you just want the parts then we can supply them from our "CHIP SHOP". Mainten-

ance contracts are obviously available for those who prefer "on site" cover.







sher-woods

Computer Systems Group
110/112 Leagrave Road. Luton Tel: (0582) 424851/39570
Sellers of PET® and other fine computer systems.

# Orr and Graham Knott are now of

HARDWARE	
PET	
8K, Standard	£556
16N. Larger keyboard	£675
32N, Larger keyboard	£795
Cassette deck	£55
Pet Printers and Floppy as	available.
PETBIT PERIPHERALS	6
Dual Floppy Disk Drive	
Diskmon operating system,	
on each dirve, randon and	
access	£844

£30

Diskettes (10s) Expandamem internal memory expansion for Pet 24K £320 (16K and 32K also available)

I EEE-488 to RS232 unidirectional interface for Pet, variable baud rate I EEE-488 to RS232 bi-directional

£186 PASE 9600 Universal Interface, Parallel to Serial, Serial to Parallel, switch selectable £2

AIM 161 16 way A/D converter, for use with PET, Apple, Aim, Nascom

STACK PERIPHERALS

Stack Joystick Unit complete with software and instructions for use

Stack 625 Video Adaptor— Complete with all Pet connections

for details of our catalogue or write to

Stack Page Printer Interface copies screen onto 20m.a. complete with software

APPLE II 16K £985 32K£1185 48K £1305

ITT 2020 16K £950 32K £1150 48K £1278 for both the above

Printer Card £110 £110 £110 Communications Card High Speed Serial Card Disk Drive with D.O.S. Extra Disk Drive £375 Diskettes (10s) SORCEROR 16K £760 32K £859 **AIM 65** £249 45

**NASCOM** £165 **KIM** Kim I £129.95 £69.95 Kim 3B Kim 4

**MANUALS** New Pet User Manual 6500 Programing Manual Hardware Manual £5 £5 £5 IEEE-488 Interface Manual £2.50

Teletype 43 pinfeed RS232 €900 friction £925 Anadex DP8000

Centronics 779 pinfeed, parallel Centronics 779 friction £825 Lear Siegler 200 from 1685 Perkins Elmer Pussycat CRT Copier

£839

SOFTWARE (all prices on applic.) Stack, Petsoft and CBM Software Petact business systems

Petibit software (all disk based) Fortran compiler PLM compiler Assembler-Editor Autolink

**CONSUMABLES** 

Anadex DP8000 paper (2000 sheet box)

Teletype 43 pinfeed paper (2000 sheet box) £15 8.5 inch friction roll (12 roll box) £15 Cassettes C15-cassettes (10s) £4.40

Diskettes (5.25inch) 10's (please state your machine) £30

Connectors
Pet user port/IEEE-488 Port—each £1.10p Pet 2nd cassette Port each 85p Demagnetiser, curved head £4.00

All prices are +VAT at 8% and

include carriage. Please make cheques payable to Stack Computer Services Ltd.

PHONE US ON

Stack Computer Services Ltd.

1 Westward View, Waterloo, Liverpool

SERVICES LTD.

Circle No. 127

# INNOVATIVE RS-80 SOFTW

Business

**Programming Aids** 

Personal

Custom

Games

Utilities

**6 Years Microprocessor Experience!** 

BINDERS Our Software List is being updated so frequently now that we are supplying it pre-punched for a ring binder. We are also supplying, without profit, a handsome ring binder which will house the list and also has room for program instructions, notes etc. SAE for list alone, 85 p plus 30p postage for list and binder.



A.J.HARDING (MOLIMERX)

28 COLLINGTON AVENUE, BEXHILL-ON-SEA, E.SUSSEX.

TEL: (0424) 220391

BARCLAYCARD VISA

Circle No. 128

E



Because we've got the

biggest and widest range of micro-computers, there's more for you to bite on at a Byte shop.

So you're
not only sure of
finding exactly
what you want: you
can take the opportunity to
experiment before you buy.

And because we're backed by the huge financial resources of a major

Branches at: LONDON (WEST END): 48 Tottenham Court Road tel (01) 636 0647 investment group, we'll be here tomorrow as we are today. All over the UK.

So whether you want a micro-computer for your home, your business, for industry, for education — or if you'd just like to find out which model you get on best with — you'll find a



NOTTINGHAM: 92a Upper Parliament Street tel (0602) 40576 visit to a Byte Shop a new and invaluable experience.

You can
call at a Byte
Shop any time
from Monday to
Saturday.

BUTESHOPL

The Byte Shop 426/428 Cranbrook Road, Gants Hill, Ilford, Essex Telephone: (01) 554 2177 Telex 897311

MANCHESTER: 7-8 Com Exchange Building, Fennel Street — tel (061) 834 0220

Circle No. 129

1.9

rolechnic computer consultants MULLIONS
YARWELL
PETERBOROUGH

Hardware by

# EQUINOX SWTPC TEXAS DIABLO

Software by SOURCE (UK)

ACCOUNTS : PARTS : MAIL : SBASIC [ FOR SWTPC SYSTEMS ]

One Day Courses each Month

- Introduction to Micros.
- Business Applications.

# **PROTECHNIC**

0780 - 782746 / 782913

• Circle No. 130



Payroll, Pete and Friends
Professional PET Software



To help you get the most out of your Commodore PET, Computatore has developed a range of software packages to cope with the demands of both Industry and Education.

PAYROLL: Runs on the 8K PET and produces preprinted payslips, totals and coin analysis. PETE: Turns your PET into an intelligent RS-232 terminal for use with a mainframe.

PETROFF: A text formatter to produce neatly typed reports.
ALSO: Assembler, Disassembler, Renumber, Keyboard.

Contact your PET dealer or Computastore for a demonstration.

# Computastore Software that means business

Computastore Ltd, 16 John Dalton Street, Manchester M2 6HG. Tel: 061 224 9545

# Unmistakable. APPLE II

#### Try a comparison test.

Look at the features of Apple II. It still has 8 I/O ports, high and low resolution graphics, a mini assembler, A/D paddles, fantastic Basic, Disks and the best documentation in the business.

## Intelligent interface cards.

They're neat. The high speed serial card, printer card and communication card all have elegant documentation. There is also easy-to-use software that mean taking B.C.D. from instrumentation, connecting your favourite printer or talking to a time-sharing computer, is childs play. Apple makes things easy.

## Plus:

- \* Say hello to Apple and let Apple talk back. Explore voice recognition, computer voice recognition and computer voice production. You can now have large vocabularies.
- \* Perhaps you'd like to be reminded that it is a special day or would like to chase overdue accounts. Apple clock card is simply the best. It is the most advanced on any personal computer.
- Draw graphics with the light pen.
- \* Make chips for your own software with the Eprom burner. Apple naturally has spare sockets for this.
- Make interfaces with the prototyping boards.
- \* Use Apple's incredible 'programmers aid' hardware option. More thought and care from Apple for you to use.

# Personal Computers Limited

Personal Computers Limited 194-200 Bishopsgate, London EC2M 4NR. Tel. 01-283 3391

# Apple Software Bank

Free membership to all Apple owners POST TO: Personal Computers Ltd., 194-200 Bishopsgate London EC2M 4NR.

NAME			
	15. A		

ADDRES\$\_\_\_\_

21

Programs for the PET, supplied on high quality cassettes. We are pleased to announce our new catalogue, containing over 50 programs, all of them available for the PET, and some for the Exidy Sorcerer and Apple 2. Send SAE for full catalogue. Programs are despatched immediately, and all prices include postage, packing and VAT (except where stated). GAMES

ZAP THE KLINGONS (S) Fast moving space game with excellent DROPOUT (S) Get the ball through the maze without hitting the sides, good graphics.

DOMINOES (S) Our version of the game, unfortunately it has an

DOMINOES (5) Our version of the game, unfortunately it has an uncanny knack of winning. See if you can beat it.

CROSSWORDS 1–3 A real crossword puzzle on your computer.

Excellent graphics, and three programs on one cassette.

£6-00

OIL RUN (5) Fire torpedo's at the enemy tankers, dodge the mines. £4-50

ARROW (5) An intriguing and fast moving game with excellent graphics and sound effects.

£5-00

and sound effects £5-00 INEBRIATED BLACKJACK A very different game of blackjack, one which will keep you amused for a long time. Super graphics. £6.00 which will keep you amused for a long time. Super graphics. £6.00 RICOCHET (S) Aim the ball around the screen, and watch it ricochet, a real arcade game with good graphics and sound. £5.00 X-Wing ATTACK (S) Dogfights in space, with all the drama and sound of S\*\*rV\*\*\*.

of S\*\*rW\*\*\*.

STARTREK Our version of this famous game good graphics.

PETALS AROUND THE ROSE A real mystery game with a hidden formula. Amaze your friends with your intelligence (once you learn the £4-5

SCRAMBLE Write your own funny stories with the company.

£4.00
BATTLESHIPS Destroy your opponents, and out manoeuvre him.
£4.00
NICKY NACKY NOO Every library has a number of guessing games,
£3.50 OSC LANDER Land your lunar lander on the moon surface, excellent

graphics. £6:00
Other games in preparation include Horse Race, Explore,

Other games in preparation include Horse Race, Explore, Bagels x 2, Nim etc.

MUSIKAL & JIGSAWS (S) Musikal is a continuously moving kaleidescope, with rythmic atonal music. Jigsaw reassembles letters on the screen withsound.

CALENDAR & DATE CALCULATOR Displays 1979 calendar (can be updated to 1980), and finds any date.

JOTTO A five letter usable word guessing game.

CRYPTO Helps to break down coded messages.

KEYBOARD RECORD (S) Turns your pet into a musical instrument. Stores up to 255 notes, and will play them back at will, from the memory. (S)

TEACH YOURSELF MORSE (S) The computer generates morse letters

TEACH YOURSELF MORSE (S) The computer generates morse letters and you have to match them, Will also generate morse from typed in

COMPUTER ART We have a small, but growing section of pictures printed on our Teletype 43. Programs are available for: Nude Lady, Mlss Santa, Love, Poster and Calendar, Prices from £2:50 to £4:00. Send

for catalogue.

Educational & Scientific Programs

METRIC TABLES Converts Temperature, Weight Area, Volume, to and from metric.

CURFIT Fits 6 different types of curves to your data.

TRIANGLE Solves triangles.

DISTANCE CALCULATOR Calculates distances between two points

from latitutde and longitude.
FACTOR FINDER Breaks down integers into prime factors. MARKS Grades students exam results, stores data on tape for update and

future reference
All the above's & e programs are £4 unless stated.
BUSINESS PROGRAMS

BUSINESS PROGRAMS

We specialise in writing business programs for the Pet complete with twin floppy disks and large memories. Please contact us for complete hardware and software packages based on the Pet. Programs available and in preparation include Accountancy, Stock control, VAT, Mail lists etc. The programs below, will all run on an 8K Pet.

MORTGAGE Calculates monthly repayments etc.

£4-00

PORTFOLIO Keeps a file of stocks and shares on tage calculates buying

MORTGAGE Calculates monthly repayments etc.
PORTFOLIO Keeps a file of stocks and shares on tape, calculates buying,
£6:00

selling, evaluation etc. £6:00
GENPACKS 1-4 A package of four programs on individual cassettes, with full documentation, designed for the small businessman. Together they calculate the VAT, and store results on files, a customer list, cashflow, debtor/creditor list, and other statistical information. £55 for 4

programs, or £15 each.
PROGRAMMING AIDS

LINE RENUMBER A new basic/hex subroutine for re-numbering a program in increments of 10. £6.00 HEXCONV Converts dec to hex and vice versa. Examines single bytes in

Hex, decimal, ASCII, and binary. Conversion chart supplied with program. £10.00

gram.

F10'00
TRACE Shows program working line by line in slow motion. The lines are displayed on the screen in reverse field.

GSI SOUND BOX The suffix (S) after a program name denotes that the program has sound effects bullt into it, and these can be utilised to the full with the GSI Sound Box. This well designed speaker/amplifier cluss into the user port, it is battery operated (not supplied) and costs plugs into the user port, it is battery operated (not supplied) and costs £15-50 direct from us (post 50p), or your nearest Gemsoft dealer.

TRADE ENQUIRIES WELCOME.

COMPLETE BUSINESS SYSTEMS AND PACKAGES DESIGNED TO ORDER. SOFTWARE AND HARDWARE SALES.
DUPLICATION OF COMPUTER PROGRAMS IN LARGE QUANTITIES. MICRO SOFTWARE CONSULTANCY SERVICE.
See us at our stand at the 1979 Micro-Computer Exhibition at The Bloomsbury Centre Hotel, July 5-7.
GEMSOFT:- "Alverstone Lodge", Wych Hill Lane, Woking,

Surrey (04862) 60268



THE TRIED AND TESTED MICROCOMPLITER SYSTEM THAT EXPANDS TO MFFT YOUR NEEDS

> \*RCA 1802 8-bit microprocessor, with 256 byte RAM

expandable to 64K bytes

\*RCA 1861 video IC to display program on TV screen via the RF Modulator Single Board with Professional hex keyboard - fully decoded to eliminate the waste of memory for keyboard decoding circuits Load, run and memory protect switches 16 Registers Interrupt, DMA and ALU Stable crystal clock Built in power regulator

5 slot plug-in expansion bus

(less connectors)

To: Newtronics

The personal computer division of HL Audio Ltd 138 Kingsland Road, London E2 8BY 01-739 1582

Please send me the items ticked below. (Choose either components or wired and tested units)

INC. VAT

ELF II KIT COMPLETE WITH FULL WIRING INSTRUCTIONS AND OPERATING ELF II KIT COMPLETE WITH FULL WIRING INSTRUCTIONS AND OFENATION MANUAL

LF II KIT WIRED AND TESTED

LF II LELUXE CABINET

24.85

POWER SUPPLY (6.3V) for ELF II

EXPAND YOUR ELF II with the following hardware, a comprehensive range that is being continually increased through research and development.

GIANT BOARD KIT – includes a system monitor/editor that works on all 64K bytes of possible memory; a cassette I/O routine for recording programs on an ordinary cassette; two 8 bit parallel I/O ports with handshaking for connecting the ELF II to a printer and ASC II keyboard or any 8 bit parallel interface. The serial RS 232 and 20ma TTY I/O's allow connection to printers, terminals or any serial I/O device

GIANT BOARD WIRED AND TESTED

4K STATIC RAM BOARD KIT – Add up to 16K on board. ELF II will accept up to 64K and

4K STATIC RAM BOARD KIT – Add up to 16K on board. ELF II will accept up to 64K and is addressable to any page to 64K. Requires ELF II expansion power supply 4K STATIC RAM BOARD WIRED AND TESTED EXPANSION POWER SUPPLY – required when adding 4K RAM Boards ASC II KEYBOARD KIT – Complete with connector to pug directly into the ELF II Gislant Board and is powered by the ELF II Expansion Power Supply. The ASC II Keyboard follows the standard typewriter configuration and generates the entire 128 character ASC II Upper/lower case set with 96 printable characters, with onboard regulator, parity logic selection and 4 handshake signals ASC II KEYBOARD WIRED AND TESTED 76.22 ASC II DELUXE CABINET 76.24 ASC PRODULATOR to use with TV KLUGE PROTOTYPE BOARD – accepts up to 36 IC's in 40, 24, 18, 16 pin formats with space available for an onboard regulator 86 PIN GOLD PLATED CONNECTORS (One required for each add on Board) ELF II LIGHT PEN TO WRITE OR DRAW ON TV SCREEN 7.02 AVAILABLE SHORTLY TO EXTEND THE SCOPE OF YOUR ELF II: VIDEO GRAPHICS BOARD 7.02 THE SOFTWARE that makes ELF II an ideal machine with which to learn computer techniques rapidly

THE SOFTWARE that makes ELF II an ideal machine with which to learn comput techniques rapidly ELF II TINY BASIC CASSETTE TAPE – Makes programming even easier. Commands include: Save, Load, Let, II/Then, Print, Goto, Gosub, Return, End, Rem, Clear, List, Run, Plot, Peek and Poke, TINY BASIC ALSO INCLUDES: 16 bit integer arithmetic  $\pm x + ()$  and 26 variables A-Z and also comes fully documented with an alphanumeric generator for direct display on your TV ELF-BUG Monitor Cassette eliminates the need to single step through a program to find the contents, with the ability to run and edit from any point in the memory SHORT COURSE IN PROGRAMMING by Tom Pittman. Written specifically for the ELF II as a step-by-step course which fully exploits the potential of ELF II SHORT COURSE IN TINY BASIC by Tom Pittman teaches how to program in Tiny Basic

4.00 Tiny Basic RCA 1802 Users Manual AVAILABLE SHORTLY: TEXT EDITOR ON CASSETTE, ASSEMBLER ON CASSETTE, DISASSEMBLER ON CASSETTE

enclose cheque/PO No. for £

(Add £2 post and packing for orders over £20) or charge Barclaycard No. Access Card No. Name

Address

Dealer Enquiries Welcome
Telephone Orders Accepted 01-739 1582

14.58

# Do you want to buy a MicroComputer?

Digitus stocks a wide selection of micros and provides expert advice, sizing and design.

Test some robust, proven computers:

- Apple 11
- Cromemco
- DG MicroNova
- North Star Horizon
- Processor Technology SOL.
- Exidy Sorcerer

Choose from a range of peripherals: Shugart, North Star, Sanyo, Sony, Lear Siegler, Cifer, Centronics, Teletype.

Discuss and select a system to fit your present and future needs.

Call, write or visit: Digitus Ltd Dumbarton House 68 Oxford Street London W1 Tel: 01-636 0105

PS Also provided:

micro skill, software, books and training

# Does your MicroComputer need software?

Digitus supplies application programs, systems, and tailormade software systems.

We specialise in business and administration programs for Z80/8080 and MicroNova computers including:

- Wordprocessing
- Mailing
- Sales Ledger
- Purchase Ledger
- Nominal Ledger
- Stock Control

Also supplied: systems software for Z80/8080 including CP/M, Extended Basic, Fortran and Interactive Cobol.

Digitus Ltd Dumbarton House 68 Oxford Street London W1 Tel: 01-636 0105

# Do you need help to design and process your MicroSystems?

Through its MicroSkill Register of over 200 professionals, Digitus provides experienced programmers, designers and engineers to develop systems on most micros including

- Z80/8080
- LSI 11
- 6502 6800
- MicroNova

Some of the Register people have their own machines. Others work on customer or Digitus equipment.

Whether you require a small program written or a large system designed and engineered, Digitus MicroSkill can provide support.

Call, write or visit: Digitus Ltd **Dumbarton House** 68 Oxford Street London W1 Tel: 01-636 0105

Applications to join the Register are welcomed. Please send C.V and two professional references

# Do you want a MicroSolution for your business?

Some people want to buy equipment and software and bolt it together for themselves.

Others want to buy a solution, a complete system to meet their needs economically and reliably.

Digitus provides MicroSolutions for business, administration and professional practices.

We analyse your requirements, specify systems, choose suitable equipment and software, tailor it to fit your people and organisation, hold hands during transition, train operators and managers, arrange regular maintenance and support.

In short, provide a total MicroSolution.

Call, write or visit: Digitus Ltd **Dumbarton House** 68 Oxford Street London W1 Tel: 01-636 0105

BUY AN



SYSTEM

WITH FULL SUPPORTING SOFTWARE

from

Scotland's leading dealer

Demonstrations from:

**Peter MacNaughton** Annfield Glenalmond, Perth Tel: (073 888) 267

# **BIRMINGHAM'S OWN** PET SHOP



FLOPPY DISK **PRINTERS** 

PETACT PETSOFT

All models in stock at "Discount Prices" KIM-I. NASCOM I. BETSI KIMSI

HP terms available from £100 deposit, balance payable over 12-18-24 months.

Access - Barclaycard, 'phone your order. Despatched same day service

Securicor - BRS - BR - PO - your choice. **BUY WITH CONFIDENCE** 

Sales - service - satisfaction

# CAMDEN ELECTRONICS

First Floor, 462 Coventry Road, Small Heath, Birmingham B10 0UG Showrooms open Mon-Sat. 9am-6pm

021-773 8240

Circle No. 13

• Circle No. 138

Announcing the arrival of

2001-4K

2001-8K

2001-16N

2001-32N

# Chiltern Microcomputers Limited

Serving the needs of the serious user

Stockists of

1TT 2020 (Apple)

Microstar 45 with multi-tasking facility

Printers and VDU's

An extensive library of commercial application packages is available such as:

- \* Sales Ledger
- \* Stock Control
- \* VAT Recording

- \* Incomplete Records Accounting
- \* Word Processing
- \* Mailing Lists

Packages can be modified to your requirements or we can write systems to your specification



Contact: Chiltern Microcomputers Ltd.

7, Amersham Hill, High Wycombe, Bucks HP13 6NQ.

Tel: High Wycombe (STD 0494) 20416





Room PC 313 Kingston Road, Ilford, Essex, IGI 1PJ, England 01-553 1001

# A COMPREHENSIVE SELECTION OF MICROCOMPUTER BOOKS AND MAGAZINES FOR THE HOBBYIST, EDUCATIONALIST, PROFESSIONAL AND RETAILER.

FOR THE HOE	D 1131, EL	OCA HONAI	LIST, PROFESSIONAL AND RETAILER.	
Introduction to Microcomputers:			Microprocessor Interfacing Techniques	£8.75
Vol 0: Beginners Book		f5 95	Z80 Microcomputer Handbook	£7.50
Vol 1: Basic Concepts			TV Typewriter Cookbook	£7.50
Vol 2: Some Real Microprocessors (without binder)			T.T.L. Cookbook	£7.50
Vol 2: Some Real Microprocessors (with binder)			CMOS Cookbook	£7.95
Vol 3: Some Real Support Devices (without binder)			IC OP-AMP Cookbook	£9.50
Vol 3: Some Real Support Devices (with binder)			RTL Cookbook	£4.25
Updating subscription (6 issues) for Vol 2			IC Timer Cookbook	
Updating subscription (6 issues) for Vol 3			The Cheap Video Cookbook	£7.50
Updating subscriptions for Vol 2 & 3			The Cheap video Cookbook	£4.30
		£30.00	Land at a December 1 and B. Committee Committe	
1 Updating issue (specify for Vol 2 or 3)		£4.00		£4.95
1 Binder (Specify for Vol 2 or 3)		£5.75		£4.75
			Your Home Computer	£5.95
2000 B			How to Profit from Your Personal Computer	£6.50
6800 Programming for Logic Design		£6.30		
8080 Programming for Logic Design		£6.30		£3.95
Z80 Programming for Logic Design		£6.30		£3.95
			Understanding Microcomputers and Small Computer Systems	£6.50
DAGIGG				
BASIC Computer Games			Instant BASIC	£7.50
What To Do After You Hit Return		£8.95		£6.50
8080 Galaxy Game		£6.95	Advanced BASIC	£6.00
			My Computer Likes Me When I Speak in BASIC	£2.75
Computer Rage (A Board Game)		£6.95	Introduction to PASCAL	£3.95
Artist and Computer		£3.95		
			Accounts Payable and Accounts Receivable	£10.95
Games, Tricks and Puzzles for a Hand Calculator		£2.49	Payroll with Cost Accounting	£10.95
			General Ledger	£10.95
Z80 Instruction Handbook		£2.95	Basic Software Library:	
8080 Programmers Pocket Guide		£1.95		£17.50
8080 Hex Code Card		£1.95		£17.50
8080 Octal Code Card			Vol 3: Advanced Business Programs	£26.95
			Vol 4: General Purpose Programs	£7.95
			Vol 5: Experimenters Programs	£7.95
Dr Dobbs Journal Voi 1		610.00	Vol 6: Miniature Business System	£32.50
Best of BYTE		£ 10.00	Vol 7: Chess/Medbil/Wdproc Programs	£26.95
Scelbi BYTE Primer		£9.95	Voi 7. Chess/Medbii/ Waproc r Tograms	120.55
Best of Creative Computing Vol 1		£6.95	Some Common BASIC Programs	£6.30
Best of Creative Computing Vol 2 Best of MICRO-6502 Journal		£6.95	Computer Programs that Work (in BASIC) First Book Of KIM	£2.55
Best of Micho-6502 Journal		£5.50	FIRST BOOK OF KIIVI	£7.00
			8080 Standard Monitor	£9.95
2020 A /2025 Assembly Language Programming		£6.45	8080 Standard Monitor	
8080A/8085 Assembly Language Programming 6800 Assembly Language Programming		£6.45		£9.95
8080 Software Gourmet Guide and Cookbook			8080 Standard Assembler	£9.95
6800 Software Gourmet Guide and Cookbook		£6.95	Special Package: 8080 Assembler, Editor, Monitor	£20.00
6800 Software Gourmet Guide and Cookbook		£6.95	Bar Code Loader for 6800, 8080, Z80 and 6502	£1.75
			Tiny Assembler for 6800 Systems	£5.75
Managine Cubes intings	1.11	0		
Magazine Subscriptions:	UK	Overseas	Managina Bash Januari	
	Price	Price	Magazine Back Issues:	
Subscriptions start within 3 weeks			Micro-6502 Journal	£1.50
MICRO-6502 Journal (12 issues)	£14.50	£15.00	Personal Computing	£1.75
Personal Computing (12 issues)	£16.00	£17.00	Interface Age	£2.25
Interface Age (12 issues)	£20.00	£21.00	ROM	£1.75
Dr Dobbs Journal (10 issues)	£13.00	£13.50	Dr Dobbs Journal	£1.75
Computer Music Journal (4 issues)	£10.50	£11.00	Computer Music Journal	£3.75
Recreational Computing (6 issues)	£8.00	£8.50	People's Computers (recent issues called Recreational Computing)	£1.75
BYTE (12 issues)	£21.00	£21.00	BYTE	£2.25
Creative Computing (12 issues)	£16.00	£16.50	Creative Computing	£1.75
			Calculators and Computers	£1.75
Kilobaud (12 issues)	£20.00	£21.00	Kilobaud (reprints only)	T.B.A.
			73	£2.25
Microprocessors from Chips to Systems		£7.95	Magazine Storage Box (Holds 12)	£1.25

# THIS LIST CANCELS ALL PREVIOUS PRICE LISTS: EFFECTIVE APRIL 1979 DUF TO FLUCTUATIONS OF THE DOLLAR, PRICES SUBJECT TO CHANGE WITHOUT NOTICE

HOW	10	OKL	EK

Please note our prices include postage and packing, but not insurance, if wanted add 12p for every £10 of books ordered. Make cheques, PO's etc. payable to:—
L.P. Enterprises.
CREDIT CARDS accepted
BARCLAYCARD VISA/ACCESS
DINERS CLUB/AMERICAN EXPRESS
N.B. Diners Club orders cannot be accepted by telephone.
Phone: 01-553 1001 for Credit Card orders (24-hr answering service)

All publications are published in U.S.A. and shipped air-freight by L.P. Enterprises. In unusual cases, processing may exceed 30 days.

Prices subject to change without notice.

#### TRADE ENQUIRIES WELCOME

# STRATHAND FOR NASCOM-1 IN SCOTLAND

# NASCOM 1: In stock Nascom 1 buffer boards 8, 16 32K RAM boards. Zeap on tape.

(Please note it is not our policy to advertise Nascom products which are not currently available.)

Also available from STRATHAND

8K Basic on tape £35. Compatable with T2 T4 or B-Bug.

## HIGH QUALITY PROFESSIONAL MONITOR KIT 9in or 12in; INCREDIBLE RESOLUTION; phone or write for details

Books and Software ideal for schools and Colleges now available.



Callers welcome **STRATHAND** 



44 St. Andrew's Square, Glasgow G1 5PL GLASGOW (041) 552 6731 Telephone order welcome with Access and Barclaycard.

O Circle No. 141

# PET **PERIPHERALS**

**Pet Peripherals** 

Internal memory expansion 24K £320 (full instructions included) External memory expansion (available from 8K to 32K) from £169 8K Plug in cards for above £85 Anadex DP-8000 printer (including I/EEE interface for Pet) £679 Pet 2001 8K £550 Pet 2nd cassette deck £55

We also stock a comprehensive range of software for Commodore Pet.

Send for our comprehensive hardware and software catalogue.

Add 8% VAT to all items.

Kim-1 available ex-stock

**Computer Division** D.A.M.S. (Office Equipment) Ltd., 30/36 Dale Street, Liverpool L2 5SF

Circle No. 142

£99.95

# SMALL SYSTEMS ENGINEERING LTD.

(Incorporating R. BAILEY ASSOCIATES)

62 New Cavendish Street, London W1M 7LD, Tel: 01-637 0777, Telex: 8813085 Abacus

# SUPPLIER OF PET MEMORY BOARDS AND INTERFACES THROUGHOUT EUROPE

Sole official U.K. Agent for PME memory boards

We provide approved technical back-up, up-grade and service facilities for these boards in the  $\boldsymbol{U}.\boldsymbol{K}.$ 

Internally mounting memory boards available in 2 configurations;

—24K . . . £328 —32K . . . £432
IEEE-488/RS232C SERIAL INTERFACE

-Full IEEE address decoding, RS232C or 20mA loop output,

Switch selectable Baud Rate, Crystal controlled Baud Rate timing,
 Boxed units complete with connectors, full operating instructions

and sample programs supplied Lower Case Printing

—Serial Interface B, input and output . . . . £186 —Serial Interface A, output only . . . . £106 IEEE-488/CENTRONICS TYPE PARALLEL INTERFACE

Low cost unit without IEEE address decoding

Also suitable for Anadex DP-8000 Printer . . . £45
ANALOG INPUT/OUTPUT\*

-IEEE-488, 16 Channel, 8 Bit A-D. . . . £300 -IEEE-488, 8 Channel, 8 Bit D-A . . . £400

**CUSTOM INTERFACE DESIGN** 

Interfaces designed for special applications, Interfaces supplied so far include Analogue Input/Output, XY plotter, stepper motor control PET INTELLIGENT TERMINAL SOFTWARE PACKAGE

A software package which, in conjunction with an Interface B enables the PET to operate as an intelligent terminal. The software implements full IBM or DEC protocols . . . . £100

TV/VIDEO MONITOR INTERFACES

-Video and UHF output (plugs into aerial socket of domestic TV)

IEEE-488 TELEX PUNCH AND INTERFACE

. . Price to be announced

\*All enquiries on analog I/O ring 01-387 7388

#### NOW AVAILABLE COMPUCOLOR II MODEL 3

-13in. 8-colour CRT. 8080 Microprocessor.

-16K extended disk BASIC in ROM.

71-Key detached keyboard.

-Special graphics package with 128 × 128 point plotting.

Built-in mini-floppy disk drive.

-50 pin bus

-RS-232 I/O port for serial printers, etc. . .£1,390

#### P & T 488 S-100 IEEE-488 INTERFACE

-Interfaces S-100 computers to the IEEE-488 instrumentation bus.

-Functions as a 488 controller, talker or listener. -Three software packages available:

North Star DOS/BASIC interface CP/M interface. Custom systems interface . . . . . £325.

TERMS: All prices EX. VAT. All orders C.W.O. Cheques should be made payable to SMALL SYSTEMS ENGINEERING LTD. Orders should include £2.50 P&P per unit. All goods supplied under 90 days warranty.

# TRS-80 Special

Dual density, double sided 8in. discs (2 megabytes)

Dyle House Business Basic & Disc Operating System.

DRI. 140cps full-width printer.

\*Plus a very special option.

"Multi Cluster Intelligent Disc Controller".

As many units as you wish linked into a single communications network.

Free Business Software
Accountancy/Payroll/Stock
control/Manufacturing/ Fully Integrated Sales
Control/Invoice & Purchase Orders.

System prices starting at £4,000, coming soon—

Dyle House System 2000

Dyle House Limited Brook Crescent, London E4. 01-529-2436.

DO YOU LIVE WITHIN MOVE NEARER! 50M OF NW LONDON DO YOU WANT TO PAY THE NATIONAL DEBT NEEDS THE LOWEST PRICE? PEOPLE LIKE YOU ARE YOU ONLY FREE AFTER NORMAL HOURS WE ARE OPEN NORMAL HOURS ves 4 YOU ARE EN-ROUTE TO JUST FOR STARTERS L&J COMPUTERS £419 + vat £499 + vat £599 + vat PET 2001-4 WE ARE OPEN ALL HOURS PET 2001-8 PET 2001-16 OUR PRICES ARE THE LOWEST IN THE U.K. PET 2001-31 £589+ vat PRINTERS + FLOPPIES +SOFTWARE +INTERFACES WE ACCEPT EXTRA SPECIAL OFFER THIS ACCESS: BARCLAYCARD CARD BACKED CHEQUES PET 2001-8 + CENTRONIC 779 PRINTER FOREIGN CURRENCY INTERFACE ALL FOR £1290 + vat DON'T DELAY-YOU WORK OUT THE SAVING I TO-DAY L&J COMPUTERS: 01-204 7525 3 CRUNDALE AVENUE KINGSBURY, LONDON NW9 9PJ

START

ARE YOU ABOUT TO

Circle No. 146

MAKE A NOTE OF OUR NUMBER

• Circle No. 144

# Commercial Software Packages for Small Computers

Do you need software to run your business?

VIDEO SOFTWARE'S PACKAGES COVER THE FULL RANGE OF COMMERCIAL APPLICATIONS AND HAVE BEEN SPECIFICALLY DESIGNED TO:

- \* Be machine independent
- \* Stand alone or form part of an integrated system
- Be adaptable to suit a wide range of Businesses including the following:

WHOLESALE/CASH & CARRY
CONTRACT BUILDERS/PLUMBERS
IMPORT/EXPORT TRADE
EMPLOYMENT AGENCY
GARMENT TRADE

WINE TRADE
MOTOR TRADE
ACCOUNTANTS

Our packages are available on the following computers:

DIGICO M16E \*DACOLL DBS16 \*C.A.I.LS14

For further details contact:

SPVIDEO SOFTWARE LIBERTED

Mrs D. G. Smith Video Softwere Stone Lane Kinver Stourbridge West Midlands.

Tel: Kinver (038483) 2462 or Stourport (02993) 77498.

• Circle No. 145

# **DE BOER**

# MODULAR MICROCOMPUTER SYSTEM KITS

Our kits are based on the National Samiconductor SC/MP microprocessor. They offer a unique stage-by-stage building and learning system which develops from a simple digital display unit, through a HEX address and display stage, to a complete minicomputer with ASCII keyboard and video display output. Additional facilities are in preparation, including Software. Many of the kits can be used to supplement other systems.

Basic SC/MP board RAM I/O board CPU board £42.90 Bus board £3.00 Memory Extension 4K RAM £38-50 HEX I/O £62.55 Power Supply unit £19-50 £92.95 Cassette interface ASCII Keyboard £16.50 £46.50 Control EPROMS £37.00 £69-00 Video Display Terminal

For further information please send SAE Please make cheques payable to de Boer Elektronika. All prices include VAT; please add 50p for P & P.

ORDER FROM: de Boer Elektronika, 2 Lynn Road Grimston, Kings Lynn, Norfolk, PE32 1AD. Telephone: 04856–553



de boer elektronika

Kleine Berg 39-41 Eindhoven Nederland, lei: 040-448229

1 FRANCIS AVENUE, ST ALBANS AL3 6BL ENGLAND PHONE 0727 52801 TELEX 925859


1 FRANCIS AVENUE, ST ALBANS AL3 6BL ENGLAND PHONE 0727 52801 TELEX 925859

SELECTED MICROCOMPUTER BOOKS		SELECTED MICROCOMPUTER BOOKS			
SELECTED MICHOCOMPOTENT BOOKS					
		8080			HARDWARE
OSBORNE Adem. £ 1976 300pp 0 931988 04 7	5.90	8080 Programming For Logic Design Recommended for electronics engineers	MIMS Forrest 1975 192pp 0 672 21180 7	£4.40	Optoelectronics Theory and practice of LED, LCD, Laser & Fibre Optics including aids for the blind
LEVENTHAL Lance 1978 400pp 0 931988 10 1	5.90	8080/8080A Assembly Lenguage Programming Recommended for programmers	LANCASTER Don 1978 256pp 0 672 21524 1	4.40	Cheap Video Cóokbook Packed with good ideas at a low price
BARDEN William 1978 256pp	6.50	How to Program Microcomputers Compared 9080 % 6800 vs 6502 with actual coding	MORRIS N M 1976 179pp 0 333 18536 6	4750	Semiconductor Devices Comprehensive textbook
0 672 21459 8 LARSEN et al	7.00	for various tasks 8080/8085 Software Désign	LANCASTER Don 1976 336pp 0 672 21035 5	7.00	TTL Cookbook
1979 304pp 0 672 21541 1			LANCASTER Don 1977 412pp 0 672 21398 2	7.70	CMOS Cookbook What CMOS is, how to use it, mini catalogue of CMOS devices, techniques, applications
	5.90	Z80 Programming For Logic Design	Fairchild Corp 1978 224pp 0 87909 668 3	10.90	Semiconductor Processing
1978 372pp 0 931988 11 X		Popular reference book for engineers	GLASER/SUBAK-SHARPE 1977	12.00	Integrated Circuit Engineering Design, Fabrication and Applications
BARDEN William 7.30 1978 304pp 0 672 21500 4		Z80 Microcomputer Handbook Recommended for those new to the Z80, covers hardware, software and useful subroutines	0 201 07427 3		SYSTEMS DESIGN
		6800	OGDIN Carol Anne 1978 224pp 0 13 580985 1	6,60	Microcomputer Design Oriented to the 8080
POE Elmer 1978 .176pp 0 672 21512 8	5.90	Using The 580º Microprocessor Handy reference book	LESEA/ZAKS 1978 420pp 0 89588 003 2	7.50	C207 Microprocessor Interfacing Techniques A popular source of ideas and circuits for interfacing peripherals
OSBORNE Adam 1977 300pp 0 931988 05 5	5.90	6800 Programming For Logic Design For electronics engineers	HUNTER R P 1978 412pp 0 13 054302 3	11.70	Automated Process Control Systems Concepts and Hardware
	5.90	6800 Assembly Language Programming Very popular book for educational use	KLINGMAN Edwin 1977 480pp 0 13 581413 8	16.50	Microprocessor Systems Design Lucid textbook which uses ten different micro- processors to illustrate design concepts
0 931988 12 8		6502	OSBORNE et #1 1978 1,373pp 0 931988 15 2 0 931988 16 0	14:00 3.50	Volume 2: Some Real Microprocessors Unbeatable value for money with details and contrasted opinions on over 20 microprocessors: The catcht Binder for above looseleaf Volume
1978 234pp 0 201 01995 7	6.80	Programming A Microcomputer: 9502 or, Microprogramming MOS' KIM-1	OSBORNE et al 1978 652pp 0 931988 18 7 0 931988 19 5	11.00	Volume 3: Some Real Support Devices Looseleaf data and opinions on memory, I/O and communications chips in looseleaf form Binder for above Volume
ZÁKS Rodnay 1978 250pp 0 89588 009 1	7.50	C202 Programming The \$502	OSBORNE et al 1978/1979 subscription	19.00 19.00 32.00	Looseleaf updates (6 issues) for Volume 2 Looseleaf updates (6 issues) for Volume 3 Joint updates (12 issues) for both Volumes

Circle No. 148

NEW VLC 8 × 4 Configuration only £4675.

# Three reasons why you should buy our computer.



1. It is manufactured in England to an exceptionally high standard—so we can give 12 months material and labour warranty.

2. Its performance is outstanding, transfer rate between disc drive and computer is guaranteed not less than I sector per 0.166 seconds. Analogue to digital conversion cards available. Also including a facility for additional V.D.U's.

**3.** Total Software Business Package at approximately £1,200.

Vlasak Electronics Limited,
Thames Building, Dedmere Road,
Marlow, Bucks, Tel: Marlow
(06284) 74789. Telex 847008.
Dealers enquines welcomed.
We are also a main dealer for Apple 2 and PET.

64K Computer VLC 8 × 4 (£1990), 1.2 Megabyte Disk Drive (£1890), 1 VDU inclusive of connecting card (£795), Total £4675. 1 Bi-directional Matrix
Printer from £855. connected or 1 Daisy Wheel Printer from £2450 connected. Each additional Disk Drive £1100. Each additional VDU £795.

# DATRON

of SHEFFIELD

Microcomputers - Peripherals - Software - Books

#### ITT 2020 (Apple II) romemco (x commodore WHY PAY MORE? The well-established PET with integral Complete Business System including keyboard and screen. software and printer 'Construction never less then excellent" (Practical Computing Feb. '79) 4K - £460 from £3500 or 8K - £550 System 2 - Dual Disc - 64K - £2294 16K - £950 16K - £675 System 3 - Dual Disc - 32K - £3444 32K - £1114 32K - £795 System 3 - Dual Disc - 64K - £3786 48K - £1278 Plus all popular games and Z - 2D Hard Disc + Dual Floppies - £15 plus Discs and Printers VAT 64K - £6250 - £6 Address book plus VDU's, Printers, Software:-- £12 **Current Account** Sales Ledger, Purchase Ledger, Software: Stock Control - £12 General Ledger, Payroll and Stock Control Database, Word Processing, 16K Basic, Pavroll - £25from £295. Invoicing Fortran, Cobol at £65.00 - £20 **Basic Tutorial** - f15 Cromemco-Appointed Dealer ∑ 3 ITT Appointed Dealer ∑ 3 Send s.a.e. for full list. plus Centronics, Lear Siegler and Teletype Peripherals + National Maintenance by CFM Ltd. Our Most Books £5.45 £2.25 Computer Quiz Book popular titles:-**Illustrating Basic** Serialized by Practical Computing Test your knowledge Introduction to Personal and f7.20 Fun with Computers and Basic £5.45 £5.75 Instant Basic **Business Computing** Intro. to Computers and Basic The fun way to learn A comprehensive and simple introduction £5.40 The Best of Byte £8.49 £7.95 Basic Basic Microprocessors-Chips to Systems From first 12 issues Basic text for Technically Minded One of the most widely sold £4.80 The Best of Creative Comp. £6.95 **Advanced Basic** Introduction to Microcomputers Vol. 1 or Vol. 2 Vol 0 — The Beginners Book £5.95 What is says £10.95 General Ledger Vol 1 — Application Techniques £5.95 How to Program Micros £7.15 Accounts Payable/Receivable £10.95 £6.35 Assembly Language for 8080, 6800 & 6502 Microcomputer Primer Complete testing source listing **Z80** Prog. for Logic Design £5.95 How they work for beginners File layouts, formats all in Basic Microprocessor-Interfacing For programmers and logic designers ITT 2020 Handbook Set £10.00 **Techniques** £7.95 £6.45 PET Handbook Set £6.00 Some Common Basic Programs Introduces basic concepts Read before you buy £6.95 76 programs, finance, maths etc. £1.00 Cromemco Catalogue **Z80 Microcomputer Hand Book Basic Computer Games** £5.50 from Single card to System 3 Essential information on Z80 Why not? Complete listing and Send s.a.e. for full list sample run, plus description Send s.a.e. for lists or M<sub>1</sub> **→**Inter-City visit our easily A1 (M) accessible showroom M62 for demos Cheque Enclosed MAIL. 'PHONE or TELEX YOUR ORDER - 24 HOUR SERVICE Please send me ..... Charge £.....to Card No:-Hardware prices plus p. & p. Add 12p insurance on books if required. Name (as on card) .....

Circle No. 150

Telephone: 0742 363337.

Telex: 547151

ADD 8% VAT to all items except books. Prices correct at going to press.

INTERFORM LTD.

DATEON

850 - 852 Ecclesall Road, Sheffield S11 8TP


Cardholder's address ...

# SORCERER

# A real business computer designed by \* 1.920 CHARACTER business people



 WORKS WITH **NORMAL TV** 



\* PLUG IN **PROGRAMME CARTRIDGES** 

> **OUTPUTS TO** PRINTER



**EXPANDS TO 48 K** 

**DISPLAY** 

WORD PROCESSING

The Sorcerer Computer is a completely assembled Ceor With 1980. FACTOR ONE COMPUTERS LID. 1.1.1 Nartes Pare les or 683 & 683 Reptance or 683 and tested computer system ready to plug in and use. The standard configuration includes 63 key typewriter style keyboard and 16 key numeric pa

system, 8K Microsoft BASIC in separate plug in Rom PucTM cartridge, composite video of 64 chais. 30 lines, 128 upper lower case ASCII character six and a 128 user defined graphic symbols up to 32K on board RAM memory, operators manual, BASIC programming manual and cassette video cables, connection for S100 bus expansion unquing access to the spectrum of exciting and useful

\* MANY EXPANSION FACILITIES

peripheral devices, such as Floppy disk drives, voice recognition synthesis hattery back up board in case of power failure, additional memory boards, E PROM

## NOW CONTACT YOUR LOCAL DEALER

**PRICES** 650 Sorcerer Sorcerer 760 859 Sorcerer **Dual Disc Drive** 1.200 500 Single Disc Drive Expansion Unit 210 Line Printer 850.00 Video Display 240.00 Development Pack 70,00 Word Processing Pack 70.00 Technical Manual 8.95 Tall Orse Bending Memory Expansion 16K 110.00

Factor One Computers Ltd. 11 17 Market Place. Tel: (0736) 66336 or 66565 LANCASHIRE 051 236 0707 MICROOIGITAL 25 Brunswick St., Liverpool L2 BJ

WEST YORKSHIRE 053 65094 BASK COMPUTING Oakville, Oakworth Rd., Keighly

SHEFFIELD 0742 668767 E.S. MICROCOMPUTERS 7 Berkley Precint, Ecclesill Rd., S11 8PN

NORTH WALES 0248-52042 TRYFAN A  $\vee$  SERVICES 3 Swifts Bidgs . High St . Bangor, Gwylledd

AVON 0272-292375 ELECTROPRINT 5 Kingsdown Parade, Bristol BS6 5UD

NORTH HANTS 0536-83922 H.B. COMPUTERS LTD. 22 Newland St., Kettering

BERKSHIRE 0635-30505 NEWBEAR COMPUTING STORE 40 Bartholomew St., Newbury RG14 5L i

KENT 01:300 0380 INFORMEX 61 Harland Avenue, Skilcup, DA15 7NY

SURREY 0276 34044 MICROBITS 34b London Rd , Blackwater, Camberley

0276-62506 T & V J MICROCOMPUTERS 165 London Rd. Camberley

# The Hobbyist

HOBBYIST. There is no way round it — that's an embarrassing word to write. It describes your editor, most of the people who work on this magazine and its sister, WHICH COMPUTER? and, I'm sure, the vast majority of the people who read it. Accurate as it is, it is not the word you would choose. Yet try to think of a better. It's difficult.

Why is it such a bad word? Because it has the air of fumbling inefficiency, or self-indulgence in an occupation which is essentially closed, of interest to its performer and no-one else.

In a sense that is true. People who think about computers tend to live in a private world which is different from everybody else's. The things we fret about are often inexplicable to our nearest and dearest, and even when we manage to explain them it's often impossible to explain why it was interesting in the first place.

Yet there is a great difference between the preoccupations of the computer hobbyist and, say, those of the stamp collector.

It is not news that the world is being revolutionised by microelectronics. It is easy to say that, hard to visualise the vast and probably painful changes which will have to be made as industrial civilisation sloughs off the dead shells of obsolete industries.

What is new, and doesn't seem to be appreciated, is that the change is being made from beneath. For the first time it is not being imposed from the top.

Governments and huge companies have not issued diktats that the microprocessor shall henceforth alter everything. Just the reverse. They are carried along on a tide of invention which is bubbling-up round their feet, coming from the heads of thousands of "hobbyists" who are inventing new chips, new languages, new ways of using microcomputers because they are in love with it all. They — well, we — find it all so exciting we couldn't stop even if we wanted to do so.

# Only the beginning

Sometimes things all seem to change so quickly you haven't even time to read the paper before the world is different. And I am sure we have seen only the beginning of it yet. The western world is like a ski jumper who has just pushed off at the top of the mountain.

He's crouching, beginning to gain speed. The wind starts to whip at his goggles, he fidgets to get his balance. Before him the great hill drops away in a sickening fall. People at the bottom are just dots.

The thing is he's never made the jump before. "He" is the state, the body politic, Hobbes' Leviathan. The minipeople riding on his shoulders are us — the hobbyists, the fanatics, the lovers of the emerging mind in the machine.

We are taking a huge responsibility on ourselves. Will the poor old body-politic make the jump? Will he get his skis tangled up in his bus? Will we, like over-ambitious fleas, crash with him? And when he reaches the bottom, what will be his reception? The people there may not be friendly. They may be Chinese. They may be throw-backs to a barbarian age. They may be silicon, having freed themselves from the tyranny of human mastery, in whose veins no milk of human kindness flows.

Enough of sci-fi country. To change the analogy, microelectronics is opening up a new Wild West. Huge, rich territories are there for the grasping. We, the hobbyists flooding into the new land, are so thin on the ground that we find ourselves doing whatever has to be done.

A 21-year-old sells his pocket calculator to finance a \$100 million business (Apple). A telephone fitter becomes a director of a booming computer business (Research Machines). As a successful manufacturer said to me: "If you have talent and you are not too greedy, you have to succeed." The tide has not flowed so strongly for 150 years. The last time was the opening up of

engineering. Then 20-year-olds found themselves driving railway lines through farms which had scarcely changed for 1,000 years, building bridges, ordering towns, designing vast ships—the people stood open-mouthed around them, amazed by the audacity of their youngsters who had taken a new technology and made it their own.

We, the hobbyists, are the settlers in this new land. We have amazing opportunities, we have a thing to do we love, which we would do even if there were no rewards.

## Great responsibilities

But we also have great responsibilities. We make decisions freely today because the land is open and uncrowded but we are laying the foundations of the world of the 21st century. Just as in the West great cities grew up around ranch-houses as cattle bosses founded dynasties which today control huge banking, oil, manufacturing empires; so we are now starting things, setting standards which will spread like cystallisation across the world. We have to think very carefully what we are doing.

The DoI said recently that the rejuvenation of Britain's industry through microelectronics was likely to be severely crippled by the lack of engineers trained in using these new devices. It was estimated that there were only 4,000 to 5,000 engineers in the country who really understood the microprocessor.

There must be easily as many people again who read this magazine, who perhaps think of themselves as being only hobbyists but understand the micro very well. You, gentle reader, may be a nationally-important intellectual resource. Think of that

In fact, we thought about that, and concluded that we didn't know nearly enough about the reader, gentle or otherwise. So, to discover more, there is a questionnaire in this issue. Please fill it in and return it. It will, we hope, produce information of great value to everyone interested in microcomputing.



# GRAMA (WINTER) LTD This is how your business appears on the screen

A complete Business Program Package free with the purchase of a 32-40K computer system. At stand 46 Microprocessor Show only.

Approx 60 entries \* updates require only 1-2 hours weekly and your entire business is under control.

#### \* PROGRAMS ARE INTEGRATED

1=ENTER NEW NAMES/ADDRESSES

2=\* ENTER/PRINT INVOICES

3=\* ENTER PURCHASES

4=\* ENTER A/C RECEIVABLES

**5=ENTER A/C PAYABLES** 

6=ENTER/UPDATE STOCKS REC'D

7=ENTER ORDERS REC'D

8=EXAMINE/UPDATE BANK BALANCE

9=EXAMINE SALES LEDGER

10=EXAMINE PURCHASE LEDGER

11 = EXAMINE ORDER BOOK

12=EXAMINE PRODUCT SALES

WHICH ONE (ENTER 1 TO 24)

#### SELECT FUNCTION BY NUMBER

13=PRINT CUSTOMER STATEMENTS

14=PRINT SUPPLIER STATEMENTS

15=PRINT AGENTS STATEMENTS

**16=PRINT VAT STATEMENTS** 

17=PRINT WEEK/MONTH SALES

18=PRINT WEEK/MONTH PURCHASES 19=PRINT YEAR AUDIT

20=PRINT PROFIT/LOSS ACCOUNT

21=UPDATE ENDMONTH FILES

22=PRINT CASHFLOW ANALYSIS

23=ENTER PAYROLL

24=RETURN TO BASIC

#### EACH PROGRAM GOES IN DEPTH TO FURTHER EXPRESS YOUR REQUIREMENTS.

FOR EXAMPLE (9) ALLOWS: a. list all sales; b. monitor sales by stock code; c. invoice search; d. amend ledger files; e. total all sales.

## THINK OF THE POSSIBILITIES, AND ADD TO THOSE HERE IF YOU WISH

Frice for above: Version 1 (excluding programs 19, 20, 22, 23) — £275 plus VAT; Version 2 (including programs 19, 20, 22, 23) — £375 plus VAT; Version 3 (including sorts and incomplete account handling) — £475 plus VAT, or full listing plus manual to be typed-in on most computer systems £150. Barclaycard enquiries welcome. Hardware systems tailored to your requirements (SWTP and PET) from £600 to £5,000 approx. Above package is intended to work with processor, twin-floppy and printer

#### LIST OF FUNCTIONS AND FILES IN THIS PACKAGE

'Program 1 BUS displays above options Program 2 TRANSAC1 creates invoice file containing all sales information Program 3 TRANSAC2 creates accounts received file Program 4 TRANSAC3 prints sales invoices and credits Program 5 TRANSAC4 enters invoice details to monthly ledger Program 6 TRANSAC5 enters invoice details to 2nd ledger for payment Program 7 TRANSAC6 links current invoice files to old file for third copy purposes Program 8 TRANSAC7 updates payment ledger with monies received and rejects discrepancies Program 9 TRANSAC8 prints final total outstanding and enters to liquidity Program 10 PURCHAC1 enters purchases made and creates ledger file Program 11 PURCHAC2 enters monies to be paid out, with a check against discrepancies Program 12 PURCHAC3 updates purchase ledger file with new entries Program 13 PURCHAC4 evaluates old creditors balances and updates to include purchases Program 14 PURCHAC5 updates creditors balance to include payments made out evaluates and prints new ledger balances and gives final liquidity balance examines, adds, amends, prints lists of address files (up to 999) examines, adds, amends, prints lists, gives valuations of stocks on hand Program 15 PURCHAC6 Program 15 PUNCHACO
Program 16 ADDRESS
Program 17 STOCK
Program 18 ORDER
Program 19 TRANSPRT
Program 19 TRANSPRT
Program 20 PURCHPRT
Program 30 PURCHPRT
Program 40 PURCHPRT
Program 50 PURCHPRT
Program 6 ADDRESS

examines, adds, amends, prints lists of ledger entries and stocks sold
Program 18 ORDER
Program 19 PURCHPRT
Program 20 PURCHPRT
Progra prints customer statements with aged debtor analysis for 1 or all clients Program 22 CUSTPRT prints agent statements for 1 or all, with 4 commission rates presented Program 23 AGENTPRT Program 24 SUPPRT prints suppliers statements updates all files for month end, to clear files to another disc examines, adds, amends, totals bank transactions Program 25 ENDMTH Program 26 BANK Program 27 AUDIT (in work) prints years audit
Program 28 PROFIT (in work) prints years profit/loss account
Program 29 CASHFLOW (in work) prints years calendar of cashflow to include standing orders etc (in work) evaluates weekly payroll and taxation applied to record files Program 30 PAYROLL

Please telephone for appointment – Tony Winter on 01-636 8210

# GRAMA (WINTER) LTD 21B Dryden Chambers, 119 Oxford St., London W1.

(G.W. COMPUTERS LTD)

Copyright

IF I write a computer program containing a section whose general format, although not exact typography, resembles that published in a copyright book, am I free subsequently to sell or publish my entire program in my own copyright?

For example, the TIS Pet Workbooks contain a small program to generate a highresolution bar histogram of a random number.

I am writing a program to analyse a set of data, and print-out some of its values in various formats, including a modified highresolution bar histogram of some of the data

My bar histogram sub-section contains the same principles but is modified from the TIS format.

> Dennis Lyons, Nuneaton, Warwickshire

• This is a difficult and vexed area of law. Strictly speaking anything anyone writes is automatically copyright in British law. In the States, you must put © with the date and your name to obtain protection. Protection extends to altered versions which are still fundamentally the same material. So, for instance, if you chose a play, altered the names of the characters, changed the locations of the action, and rewrote parts of the dialogue, you would still be infringing the author's copyright.

On the other hand, it would be unreasonable, for instance, to claim copyright for the phrase 'on the other hand' and to try to pre-

vent anyone else using it.

Your case seems to fall between the two limits. The safest course is to seek the author's permission to use his material. If he cannot be traced, it would be sensible, and polite, to acknowledge what you have borrowed, so long as it forms only a small part of your work. Eventually the law of copyright, so far as it deals with computer programs, data and even hardware, may have to be reformed. The European Economic Community is concerning itself with questions of intellectual property; so far nothing useful has emerged.

## Pet programs

WE HAVE typed-in and debugged two programs for the Pet from Practical Computer, and offer the following notes to other readers:

1. SLALOM (Practical Computing, volume 2, issue 5; May, 1979, page 88):

• The legend indicating the notation used for cursor control keys should be noted although it is printed in small type.

• The notation [&] in line 640 means shifted

- The lines involving reverse field (510, 525, 540) should contain the print statement PRINT "[RVS] [SPACE]; where [RVS] denotes the reverse field key and [SPACE] denotes the space key.
- The variable IO must be distinguished from the constant 10 on lines 700 and 1000. It would have been better to avoid names like
- The moving character can be changed from an asterisk to a ball by changing line 1410 to replace 42 by 81
- Each time the program is run, the first game must have a new course.
- 2. DRAWING PROGRAM (Practical Computing, volume 2, issue 5; May, 1979, page

Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback—it is your chance to keep in touch.

• The printout fails to distinguish cursor control keys, which are crucial. We use the following notation:

[UP] . . .cursor up [DOWN] . . .cursor down [RVS] . . . reverse field

[OFF] . . . reset reverse [LEFT] . . . cursor left [RIGHT] . . . cursor right and with any of these

[CLR]...clear screen [HOME]...home curson SPACE . . . space bar [UP+5]...cursor up pressed 5 times.

100 CD\$ = "{OFF} [DOWN+24]" 150 CA\$ = "{OFF} [RIGHT+39]" 200 PRINT "{CLR} [SPACE+10] [RV\$] ARTISTS

200 PRINI "(CLR) (SPACE\*10) [RVS] ARTISTS
PROGRAM [OFF]"
250 PRINT "[DOWN\*2] ...
300 PRINT "[DOWN] ...
350 PRINT "[DOWN] ...
400 PRINT "[DOWN] ...
450 PRINT "[SPACE\*6],[RVS] MAKE SURE IT'S CON-NECTED [off]"

NECLED [OII]
500 INPUT "[DOWN\*2]...
600 PRINT "[DOWN\*2]...
1200 IF 1% = 50 THEN PRINT "[LEFT]"; C\$fi "[UP] [LEFT] [RVS] [SPACE] [OFF]";....

1250 IF 1% = 18 THEN PRINT "[LEFT]"; C\$fl "[DOWN]

[LEFT] [RVS] [SPACE] [OFF]";

1300 IF 1% = 41 THEN PRINT "[LEFT]"; C\$A "[RVS] [SPACE] [OFF]"; ...

1350 IF 1% = 42 THEN PRINT"[LEFT]"; C\$ff"[LEFT•2]

[RVS] [SPACE] [OFF]"; ...

- Beware on line 750 to distinguish letter O from zero 750 IF 5%<1 OR 5%>5 THEN
- For a Pet without the printer, omit if you wish — lines 400, 450, 1400.

David, Katy, John and Ian Pyle, York.

## Kim motor control

THIS LETTER refers to the article 'Using Kim-1 to aid motor control' in the April issue of Practical Computing.

The article is on a subject essential to anyone who wants a micro to do something, but where it falls down is in the electronics; not owning a Kim I cannot vouch for the program but assume it has been tested

To start in figure 1, which shows a dar-lington transistor pair, this current cannot possibly switch a current amplifier which in the case of TI will have a gain of between 40 and 100 if R2 is a value which at the current of TI will have at least one volt across its emitter to collector; and T2, if used as a switch - it must be used in this way if it is not to get hot - must be used with a designed gain of 10. This gives a combined gain of 400 to 1,000.

With what current do you start? Well, a transistor which is turned on has an emitterbase voltage (Vbe) of 0.6 to 0.7 volts - and the output of the 7400 will not normally be above 3.5 volts under load, so using the 3.9K shown you will be starting with 0.56mA. So the most that circuit (as drawn) can switch is just over 1/2 amp but possibly as low as 1/4 amp.

It can work at 2 amps if the 3.9K becomes  $390\Omega$  and R2 is 22 at 6V (+V) or 120 at 25V (+V). R2 must vary with +V for if the suggested 10 were used with the upper limit of 25 volts, then the TI current is not restricted (2.33A) and there will be more than enough V times I to fry.

The current gain of T2 is not a problem, as this affects only the maximum current limit. It is R2 which sets the safe operation of TI.

Figure 2 needs the outside pair of contacts (as drawn) joined to the top positive supply rail while the middle pair must have their connection to the positive rail removed.

In figure 5 the LED is shown upside down and 4011 second input must not be allowed to be left unconnected but should usually be tied to the first input.

I hope these comments help.

Walter Wallenborn, 6502 Users' Club, 21 Argyll Ave., Luton. Beds.

## Big game

I AM a first-year student of electronics engineering at Queen's University, Belfast. As part of the first-year course, all engineering students are given a course in Fortran, and are set several exercises and a project to test their knowledge of the language. Usually those exercises are carried out on the university's main computer, an ICL 1906S, by submitting a program on a coding sheet, which is then punched on to cards and submitted as a batch to the computer.

Unfortunately, a few weeks before our exercises were due, the computer centre was bombed. No serious structural damage was caused but there was considerable smoke and water damage, and it was several weeks before the machine was operable again. A week after it returned to service, the staff went on strike.

The result was that all the engineering projects had to be typed into the engineering maths department computer, a CTL Modular 1 system, and this caused considerable chaos-200 people trying to use 15 VDUs is not

Although many people gave up and decided to wait for the dispute to be settled, most of us persevered, and a group of electronics students, myself included, took the opportunity to learn more about the computer installation.

The main computer, the 1906S, is used primarily in batch mode, and cards may be submitted at various points throughout the university. Users are divided into groups by year and faculty, and each group is allocated a number of priority units.

Units are deducted according to the urgency of the job submitted - ranging from urgent to overnight. Direct on-line use of the 6S is possible, using an IMLAC graphics terminal, but this is charged at double-urgent rate and is not used often for ordinary jobs.

Linked to the 6S is an ICL 1904A. It is used almost exclusively on-line and will permit communication and file copying with the 6S. The 4A has an advanced command and editing system, which is very powerful, but can be awkward to use for the novice.

The third main system is entirely separate from the other two. It is a CTL Modular 1 and

(continued on page 35)

The microcomputer for those who need more than the minimum. The right processor for business. scientific and educational use. Proven applications include Games

• Educational • Word Processing • Invoicing • Stock Controll

 Sales Ledger • Purchase Ledger • Mailing • Scientific.

Languages

Powerful Basic including sequential and random access disc files • formatted output • strings • line editor • machine languageCALL • many other facilities. Optional

additional software (under CP/M operating system) includes BASIC

compiler, FORTRAN and COBOL

Horizon Z80A computer with 2 double-density disc drives and 24K RAM £1,823 (exclusive of VAT and carriage).

# The Horizon computer includes:-

**Specification** 

Zilog Z80A MPU • S-100 bus (12 slots) • Solid well-built case • Up to four Shugart mini-floppy disc drives. 180KB each • Serial port for CRT or Teletype • Real-time clock on motherboard •



Optional additional serial port and parallel port • Powerful operating system and monitor

 Access to wide range of S-100 special application boards.



Equinox Computer Systems Ltd. "Kleeman House" 16 Anning Street, New Inn Yard. London EC2A 3HB. Tel: 01-739 2387/9. 01-729 4460.

# For North Star Horizon systems and software contact the people with experience:

#### LONDON

Equinox Computer Systems Ltd., 16 Anning Street, New Inn Yard, London EC2A 3HB. (Tel: 01-739 2387/9-01-729 4460)

HUNTS
Paxton Computers, 26 High Street,
Great Paxton, Huntingdon,
Cambs. PE19 4RF. (Tel: 0480213785).

HANTS Claisse-Allen Computing, 5 Upper High Street, Winchester. (Tel: 0962-69368).

#### BERKSHIRE

DISKEL Ltd., 120 High Street, Slough, Berks. (Tel: 75-22855).

#### LANCS & NORTH WALES

Cortex Computer Centre, 25/35 Edge Lane, Liverpool. (Tel: 051-263 5783).

## DORSET AND SOMERSET

Formerly Micro Systems Ltd., (Formerly Micro Systems Specialists), Market Place, Sturminster Newton, Dorset DT10 1BB (Tel: 0258-72946)

#### YORKS

Weyfringe Ltd, Marske, Redcar, Cleveland TS11 6HQ. Tel: (06493-70121).

SCOTLAND Scotia Software Services Ltd., 29, Chester Street, Edinburgh EH3 7EN. (Tel: 031-441 6031).

Wisbech Computer Services Ltd., 10 Market Street, Wisbech Cambs. (Tel: 0945-64146).

J.A.D. Integrated Services (Plymouth) Ltd., 21 Market Avenue, City Centre, Plymouth, Devon. (Tel: 0752-62616).

Jacobs Computer Systems Ltd., Jacobs Computer Systems Etc., 36 Bengeworth Road, Harrow, Middx. HA1 3SE. (Tel: 01-908 1134). Micro Facilities, 127 High Street Hampton Hill, Middx. TW12 1NJ. (Tel: 01-979 4546).

Micro Media Systems, 12 Clarence Place, Newport, Gwent. (Tel: 0633-50528).

#### LINCS

Loveden Computer Services, 167 Bartowby High Road, Grantham, Lincs. (Tel: 0476-72000).

Microtek Computer Services, 50 Chislehurst Road. Orpington Kent. (Tel: 66-26803). Tor Business Systems, 83 Timberbank, Vigo Village, Meopham, Kent. (Tel: 0732-822956).

PROFCOMP Ltd., 107 George Lane, South Woodford, E18 IAN (Tel: 01-989 8177).

## COMPUTER SYSTEMS LTD.

"Kleeman House" 16 Anning Street, New Inn Yard, London EC2A 3HB. Tel: 01-739 2387/9. 01-729 4460.

(continued from page 33)

is primarily a teaching system. It allows easy entry of programs in Fortran or Basic, and each user is allocated a certain amount of filespace, on which he can set passwords to prevent unauthorised use.

With the help of the more experienced students and the staff, who were happy to spend some time explaining the function of the various commands, we were able to run various programs.

Once we discovered how to operate the machine, we did the obvious, and began playing games. We wrote a few games programs ourselves and found many more in various files, including about six variations of Star Trek. We would have liked to try some of the games written for the Pet and Apple II, but while the big machines have the advantage of large amounts of file-store, they lack the Peek and Poke commands of the small micro's.

They also communicate with the VDUs at 110 baud, though a few 300 baud lines are available. This slow speed makes the drawing of boards or maps very slow, so most of the games rely on numerical output. If you or any of your readers would be interested we can supply copies of these games, provided we have the permission of the owners — if we can find them.

One game which we would, however, love to try is Adventure, mentioned in your magazine recently. I understand that it was written in Fortran for a PDP-10.

If this game would run on the 1906S, or 1904A, we would like to obtain a listing, on paper tape, and if you could suggest any possible source we would be grateful.

Any other ideas for games suitable for running on large machines would be very useful also, since most of the games published are designed for micros.

Stephen McKinty, Bangor, Co. Down

#### Resistance

WHEN ARE you going to learn some basic electronics? In the May issue of your otherwise good magazine, I discovered two fundamental errors. Firstly, in the review on the MK14 you suggested that only two sockets were needed for this kit.

That is no example to set - sockets should be used for all integrated circuits on the MK14. If a fault occurs in, say, the microprocessor and it needs replacing, then removal is almost impossible, whereas with sockets it is a one-minute job.

The second mistake was in your article, Music Micro Please, where you show a digital-to-analogue converter. The resistors shown were  $25K\Omega$ ,  $50K\Omega$ ,  $100K\Omega$ ,  $200K\Omega$ , 400K $\Omega$ , 800K $\Omega$ , 1.6M $\Omega$ , 8.2M $\Omega$ , and 8K $\Omega$ . Using the E24 series, only three of those resistors are available. For the others, resistors must be used in series.

I list a table of equivalents:

 $\begin{array}{l} 8K\,\Omega\!=\!6.8K\,\Omega\!+\!1.2K\,\Omega\\ 25K\,\Omega\!=\!24K\,\Omega\!+\!1K\,\Omega\\ 50K\,\Omega\!=\!47K\,\Omega\!+\!3K\,\Omega \end{array}$ 

100K $\Omega = 100$ K $\Omega$ 

 $200 \text{K}\Omega = 200 \text{K}\Omega$   $400 \text{K}\Omega = 390 \text{K}\Omega + 10 \text{K}\Omega$ 

 $800K\Omega = 680K\Omega + 120K\Omega$   $1.6M\Omega = 1.5M\Omega + 100K\Omega$ 

 $8.2M\Omega = 8.2M\Omega$ 

The second column represents those resistors which should be bought.

On a brighter note, however, in my area I now of three computer enthusiasts,

including myself, who are interested in forming a computer/electronics club, and I am wondering if you could put me in touch with any other interested enthusiasts? (In the Sunbury-on-Thames/Ashford areas only please.)

S. N. Taylor 8 Priory Close
Sunbury-on-Thames TW16 5AB

Your name is in the User Group Guide in this issue.

## Handbook search

I AM a regular reader of 'Practical Computing' and find much to interest me. I noted with interest your review in the May 1979 edition concerning the The BASIC Handbook by David A. Lien.

You say in your conclusion that a UK distributor is being signed but despite many telephone calls I have not found one.

I have not yet bought a home computer but I have ordered a Compukit UK101. Reading your article on the Superboard, on which the UK101 is based, I am now thinking twice about it. I understand that the UK101 incorporates several improvements on the Superboard and I wondered if you were likely to be reviewing it at some time in the future.

I would also like to know: how to estimate how much memory a particular program will need; is there any rule of thumb? Why don't you always quote how much memory your published programs will need? Is a computer capable of storing several pages of written word — like pages of a book — on to tape and then retrieving them.

> W. M. Dewdney, Filton, Bristol.

• The distributor of The Basic Handbook is Rostronics - see the advertisement in this issue. We may review the UK101 but nothing is imminent.

There is no rule of thumb which will allow one to estimate how much memory a particular program will need. We do not quote how much memory a program will need because different machines use different methods for turning high-level language into machine code and they vary in efficiency.

Finally, a computer is certainly capable of storing text and far more than a few pages. If you want to use your machine for this purpose you will need a considerably more sophisticated system than the UK101, and a word processor package to run on it. You might like to consider Electric Pencil running on a TRS 80 but there are many others.

## Writing software

I AM a 16-year-old student at public school studying for four 'A' levels. I am very interested in computers and I hope to have an 'O' level in computer studies before long.

My interest at the moment, however, is focused mainly on the microcomputer and, more specifically, on the writing of software for them.

I have many ideas for new programs which are, to my knowledge at any rate, original and I would like to write them.

The problem essentially lies in the fact that I have very little opportunity to do so. We have a TRS-80 in the physics department and a Digital PDP-8/f Mini in the maths department, both of which leave much to be desired for the serious programming enthusiast. There is no

opportunity for any program over 16K and, believe it or not, no possibility for hard copies for programes over 4K.

I would like some advice on how to get to use larger machines or join a club which would involve me more deeply in program writing.

David Brown. Stanley House, Wellington College,

Crowthorne, Berkshire.

• We receive many letters from young people, who desperately want to get their hands on a computer. The best advice we can give is to look for a nearby user group in the guide in this issue.

## Sight unseen

I AM interested in buying an ASCII-encoded keyboard and, as a pensioner on a tight budget, your advertisements show three possible contenders:

Happy Memories, p. 20, April issue, £48.50 including VAT, 59 keys; Alphameric, p. 27, April, £83 including VAT, 60 keys; Comp Computer Components, p. 114, April, £53.89, including VAT.

No 1 seems the best buy but having some experience of the Pet atrocity which passes as a keyboard, I am loathe to purchase without seeing. Unfortunately, living here means about £20-£30 to reach anyone with such an item in stock which fits my budget.

Does any member of your staff have knowledge of the tactile feel of these boards? If not, perhaps it could be aired in your pages for readers' views on the matter. There must be others in similar circumstances who would also like users' comments on these items.

C. E. Williams Cockermouth, Cumbria

• Can anyone help with advice? What we know best is the tactile feel of typewriters. To advise on such a personal question is somewhat difficult.

#### Check digits

MANY THANKS for a superb magazine, which I find fascinating and informative.

May I refer to your book review in May of Rodnay Zaks' Check Digits?

Recently I read Zaks' Introduction to Personal and Business Computing as a result of a previous mention of it by you. Like your reviewer in May, I found the same irritating errors, in particular the one about check digits and I reached the same conclusion as you did.

I have assumed that Zaks means first digit from the right times one, second × N, 3rd ×  $N^2$ , 4th  $\times$   $N^3$ , 5th  $\times$   $N^4$  and 6th  $\times$   $N^5$ . I then assumed a value for N of 6 and found that for 881921 did produce a check digit of 5.

So I wrote a small program to test the theory for a number of transpositions of 881921, with the following results:

This seems to show that I have made one or two errors; we have misunderstood and/or wrongly assumed something from Zaks' error-strewn text; Zaks has made a deliberate error for some reason; or he has it wrong.

Can you help please?

D. E. Mack Old Harlow Essev.

# WHY BUY A MICRO-COMPUTER FROM

# PETALEGT SERVICING LTD.

# **BECAUSE**

- 1) Established company trading since 1971
- 2) Electronic servicing is our speciality
- We have in house programmers/systems analysts
- 4) We have our own service engineers
- 5) We will demonstrate the PET at your premises
- We can customise the PET to your requirements

- 7) We can arrange finance
- 8) We offer, after the three-month warranty, a service contract for £69.50
- You benefit from our experience of having sold over 150 micro-computers to industrial, educational and business, personal users.
- We specialise in programs and interfaces for weighing applications for average weight control and counting etc.

8K £550·00 + VAT. 16K £675·00 + VAT. 32K £795·00 + VAT.

All 'PETS' sold with a Basic Tutorial Tape

New Large Keyboard 'PETs' Now in Stock



In our showroom we sell Books, Programs etc.

# Also available:

24K Memory Expansion Boards (disk-compatible) only £320 + VAT

PET-compatible dual floppy disk unit with advanced operating system only £840 + VAT

Large Extension Keyboard for the PET £89.50 + VAT

Telephone for complete system prices.

Wide Range of Printers Available.

If you require any more information or demonstration regarding the PET 2001/8 or any associated equipment, programs, etc., please contact Mr. P. J. A. Watts or Mr. D. W. Randall at:

PETALECT ELECTRONIC SERVICES LTD

33/35 Portugal Road, Woking, Surrey. Tel. Woking 69032/68497 Shop at: PETALECT Chertsey Road, Woking, Surrey. Tel. Woking 20727/23637

## Agency appointments for Sord range

included in the *Practical Computing* Buyers' Guide for several months, but for those who haven't yet seen the machines, our picture gives some idea of what they look like.

The Sord is a desk-top computer in two ranges, the M100 and the M200 series. The former units are the entry-level machines and can cost less than £1,000 for a complete small business system. The M200 series, aimed at the end user, costs around £4,000.

The M223 Mark II is the top of the range and, like the other machines, is Z-80 based. It has a built-in 350KB minifloppy diskette system, expandable to a maximum of 1 4MB, using double-density double tracks.

The unit has a large-screen CRT and optional controller, full ASCII keyboard with 10 keypad special-purpose keys and RS232 communications ports.

Software includes Cobol, Extended Basic, Fortran, a high-level operating system

### Rockwell source

PORTABLE MICROSYSTEMS of Brackley, Northamptonshire, has the Rockwell AIM-65 microcomputer we tested in the July issue in three versions.

AIM-65, the popular bare board version, is the one we reviewed. It is aimed at the hobbyist, student or systems manufacturer who wants to develop AIM-65 into a higher level system. Prices start at £249.50.

AIM 650 includes case, power supply, 4K RAM and 8K ROM Basic, from £485.

PDS 65 is a portable development system, suited to programmers or hardware designers who need to modify and debug systems. The good documentation of this product enables the user to home-in on the target system and allows any necessary changes to be carried-out immediately.

More information from Portable Microsystems, (0280) 702017.

and several application packages, including sales and purchase ledger, communications and all CAP Microproducts packages.

A full range of peripherals is available for the system, including colour monitor, printers, XY plotters and card and paper tape readers. Three \$100 slots are available for expansion.

Applications include a management system for a taxi business, an on-line system for studying animal behaviour, automatic data measurement and selection for crystal oscil-

lators, a data analysis system for studies of the effects of vibration on the human body and video tape compiling.

Sord Computer Systems has representatives all over the world, and the U.K. distributor is Dectrade of Nottingham (0602) 861774. Two agents have already been appointed — Midas Computer Services and Computer Broking Services.

Sord is the first Japanese microcomputer firm to enter the U.S. and is one of the few who have taken an interest in Europe.

The Sord MI00.



## Price cuts of items in Elf II series

HL AUDIO has cut the price of most items in the Elf II range "as a result of continuing demand".

The machine is a self-contained personal computer imported by HL Audio from Newtronics in the U.S. It is based on the little-known and little-used RCA Cosmac 1802 processor.

The heart of the system is the ELF II board. With video interface it costs £79.99 plus VAT. That includes 256 bytes of RAM (expandable to 64K) and a hex keyboard. The price quoted is in kit form but you can have it fully-wired and tested.

Each kit has simple and complete instructions for assembly and testing, as well as a good *Short Course in Programming* written specifically for the ELF II.

The full range of hardware includes the Giant Board at £37.80 in kit form. It has a system monitor/editor, cassette I/O routine, two 8-bit parallel I/O ports and a serial I/O interface; 4KB expansion memory costs £75.60. A full ASCII keyboard costs £54.63 in kit form and a video graphics board will be available.

Software includes Tiny Basic on cassette for £14.58.

## Useful power module

SERIES 7100 power line module from Potter can accommodate input voltages and frequencies of electronic equipment anywhere in the world.

This means that it will be very simple to use. U.S. equipment here for equipment importers, the 7100 eliminates multiple input power designs, a variety of chassis cut-outs, expanded inventories and costly retrofit programs.

The 7100 combines an AC power receptacle, a fuse holder/ejector and a line selector. A single push-in circuit board provides positive, rapid and repeatable selection of any six voltages — 100, 115/120, 220 and 230/240 VAC.

The module is housed in a durable, fireproof, shock-resistant plastic body and has built-in safety features. Its power cord must be disconnected before the fuse or voltage selector can be changed.

The power line module is in three styles. An unfiltered version, model 0001, for general applications, costs £4 56; and there are two filtered versions. The 0002 is for data processing requirements (£8 52) and Type 0003 for medical and dental applications.

All are available from Tekdata Electronics, Burslem. Tel: (0782) 813631.

## Anadex agreement

AN AGREEMENT between Anadex and Kode Services provides full servicing facilities in U.K. and Ireland for the Anadex DP-8000 80-column printer. The Kode Services contract gives two scheduled calls per year, plus any emergency cover at a total annual cost of £84.

Kode runs a nationwide team of more than 100 engineers but recognising that many customers for the printer will be personal computer users, for whom vists by service engineers are not practicable, Kode Services will also be offering a workshop repair service— units may be returned by the customer for a full service.

## New single board offering from Texas

announced its new single-board computer, the TM990/189M. It has been designed as a learning aid for hands-on experience plus instruction in microcomputer fundamentals and Texas expects it to find its market mainly in that field.

It is based on the TM9900 16-bit microprocessor and has a comprehensive users' guide which takes you through really elementary steps and then on to difficult applications.

The textbook is a selfcontained learning guide which can be used by colleges or universities as a primary course book for a 16-bit microcomputer class. The board is punched for insertion into a three-ring binder.

The board is self-contained

#### Software Cottage

Midlands-based software "cottage" has opened new premises at Smithfield House, Digbeth, Birmingham. Tel: 021-622 1754.

The company deals with microcomputer software, including packages such as payroll, sales and purchase ledger, estate agents' packages and industrial control. It has installed systems for art galleries and dentists, among its many customers, and will soon be featured in depth in *Practical Computing*.

with 1K of RAM expandable on board to 2K; and 4K ROM, expandable to 6K. The 4K ROM contains the monitor unibug and symbolic assembler. There is a cassette interface for mass storage which can be used with any cassette recorder.

The device has a built-in 45-key alphanumeric keyboard, identical to the top of a TI-58 or 59 programmable calculator. It produces a 10-digit, seven-segment display which has a 32-character buffer. There is provision on the board to add an external standard EIA terminal or TTY interface.

The TM990/189M features | Instruments suppliers.

a series of addressable LEDs, coupled with a piezo-electric speaker for audio signals. When the computer is powered-up, a group of four LEDs flash, the speaker beeps and the display signals "CPU READY". The character display is not all it could be but you get used to it quickly and learn to recognise the letters.

In quantities of one to nine, Texas is selling the microcomputer for £256, including the textbook. A suitable power supply is available as an option.

The machine is already widely-available and can be obtained from most Texas Instruments suppliers.

#### Another Plessey memory

PLESSEY MICROSYSTEMS has introduced another memory device for the Pet, an add-in memory called INPET to provide an extra 32K.

It is a single board which attached to the Pet processor board and connects to the memory expansion port. No modification is needed to the Pet and it takes only a few minutes to fit. It has a built-in power supply and all connectors for £319.

Plessey has also reduced the price of the 32K PETITE add-on memory by 30 percent, to £369. This standalone mains-operated memory unit plugs directly into the Pet memory expansion port and can be used as a portable peripheral.

## polyFORTH package reduces development time

FORTH of California has introduced a new package which cuts software development time for mini and microcomputers.

Called polyFORTH, it is based on the established miniand microFORTH packages, but combines all their best features.

It is a fully-interactive operating system and multilevel language and Forth claims it will cut software development time by 50-90 percent, and reduce memory requirements by 30-80 percent.

The package "offers a faster dictionary search algorithm,

all 16-bit arithmetic, more secure multiprogrammer, simplified vocabulary handling, a new simpler target compiler and an improved text editor", says Stephen Hicks, vicepresident of marketing.

A complete single-user system can be configured using 6K of memory — 4K to run the software and an extra 2K for the assembler and text editor. The economy of memory is made possible by the structure of the system.

To the nucleus of essential operations can be added outer-level functions such as the compiler and terminal handler and a buffer handler

which supports RAM as mass storage.

Options for the basic package include database management and applications software, as well as delivery of the 6K system in PROM.

The language is available for TI9900, 8080 and Intel 8086 microcomputers. It will soon be available for the 8086, LSI 11, PDP 11, Series 1 and Honeywell Level 6 minicomputers.

RCA is one of the main distributors in the U.K. Write or telephone Sunbury-on-Thames, Middlesex (or your local RCA distributor) on 093 27 85511.

#### Add-on graphics for Nascom-1

AN ADD-ON graphics facility for the Nascom-1 is supplied by Bits and PCs of Wakefield. It has six integrated circuits, including the alphanumeric character generator removed from the Nascom main board and a pre-programmed 2708 EPROM supplied in the kit, which costs £32.75.

The graphics board connects to the Nascom board via a 24-way ribbon cable and DIP

plug; it fits into the socket vacated by the character generator IC. You also need one wire to the -5V supply.

Three wire straps have been provided on the Nascom board to utilise the eighth bit of the video RAM. It is also usually necessary to do the modification to IC 18 monostable mentioned in the Nascom Club's first newsletter, details of which can be found in the

instruction booklet with the board.

Sixty-four new graphics characters are produced, with a further 64 corresponding (black on white) reverse-field characters available. The standard alphahumeric characters retain their hexadecimal values of 00 to 7F, the new characters taking values of 80 to FF hex.

The kit needs no RAM

space and may be used on a Nascom with or without expansion. Two application programs are included as examples of the many ways the graphics can be used.

We hope to review the board in a future issue. Meanwhile, you can contact Bits and PCs at 8 Church View, Crigglestone, Wakefield. Tel: (0924) 251007.

## 'Comprehensive business system' re-launch of Pet

COMMODORE is to re-launch the Pet as a "comprehensive business computer system". It has also introduced an endorsement scheme for peripherals and software, and "mainframe quality" business software has just come to the market from Applied Computer Techniques, called PETACT.

The re-launch, as Pet 2, is due to the latest modifications of the system — bigger keyboard, more memory, disc and printer. The "complete business system", which sells for less than £2,500, comprises a 32K CPU with integral VDU, floppy disc unit and printer. Commodore is trying to depart from the image of the "toy computer" which was generated by the old-style 8K model.

To ensure that the user has a guide to the suitability of the numerous third party peripherals and software, Commodore has begun an official endorsement scheme, whereby it will issue an "offi-

PRIZES to the winners of the Practical Computing Christmas competition have been presented to the winners of the education and domestic categories.

Top picture shows Janet Hill, far left, receiving the Nascom-I from Kerr Borland, right, on behalf of Stratford-upon-Avon Grammar School. The pupils, under the guidance of Mrs. Hill, won the competition with a proposal to computerise a survey of local facilities for the disabled they had undertaken voluntarily.

The second picture shows Mike O'Reagan, left, of Research Machines presenting the keys and manual of a 380-Z to John Ward, head of computer studies at Sweyne School, and Richard Ennals, right, who instigated the competition entry. Peter Laurie, our new editor, is seen in the centre.

cially approved by Commodore" sticker to dealers and products which it believes will enhance the system.

An official catalogue of all the approved products will be issued soon but Commodore will not be involved directly in marketing any of them.

The new range of business software from ACT has been developed in conjunction with Petsoft, now a division of ACT.

The first two suites are sales accounting and purchase accounting — each package

handles 200 accounts and 800 transactions in RAM simultaneously.

Sales accounting provides facilities for maintenance of the sales ledger, preparation of a list of outstanding balances and printing of statements. Purchase accounting packages handle purchase ledger, preparation of a list of outstanding balances and printing of remittance advices.

Both packages run on the 32K version only, with a printer, and they are in cassette version or on disc. The

cassette version is £225, with the disc version at £350. Together, the packages will cost £325.

Soon to be released will be invoicing, payroll, stock control, nominal ledger and management information suites. They average around £500 each; the most expensive will be approximately £800.

The software will be available widely throughout the country, and the price includes documentation and an automatic one-day training course for anyone who buys it.





## Sampling the delights of Silicon Valley

Petsoft founder Julian Allason spent a week among the wonders of West Coast computing. Here is his diary.

#### Monday

AFTER a morning frying beside the swimming pool on the roof of the Beverly Wilshire hotel — "Paging Mr Travolta: Mr Travoita to the telephone please" - I decide it is time for work. In this case work meant lunch with the Daily Express man on the West Coast. Waiting for him in the Polo Lounge of the Beverly Hills Hotel - Gregory Peck and Bianca Jagger at neighbouring tables - we are astonished to be greeted by an exotic voung man with bouffant blonde hair and silk shirt slit to the waist to reveal equal amounts of golden torse and jewellery. After some moments of confusion, it emerges that this is my hard-bitten Fleet Street friend. Apparently prolonged exposure to the Californian sun invariably produces this effect.

Things are moving fast in Silicon Valley. The Express man reports extensive cross-fertilisation between the disciplines of microcomputer and video. Microprocessors are being used to generate digital television, while the new range of video discs is seen as a useful medium for

mass data storage.

The discs closely resemble ordinary LP records, most using a laser instead of a stylus to scan the grooves. An initial problem was that the discs were, in effect, read-only memory. Work is under way at

RCA and Philips to overcome this, the news-hound claims.

He departs for an urgent assignment to which he is summoned on his \$2,500 pocket telephone.

#### Tuesday

MICRO SOFTWARE companies on both sides of the Atlantic seem to appear and vanish with alarming rapidity. In the last few months an outfit called Programma has established a name for itself. I decide to pay it a call.

After a hair-raising journey down Wilshire Boulevard, I find my way to the basement of a large hotel. It is a cavernous place, crammed with micros of every description. While waiting, I amuse myself with a Sphere, the first complete micro to be marketed nationally in the U.S., and also the first to go bust.

Mel Norrell, Programma founding father, introduces himself before a guided tour of his premises and software. The latter proves considerably more impressive than the former.

Programma has managed to develop a version of the FORTH language for Pet and Apple. That is an achievement in itself but the language is marvellous, since it is user-defined and very fast. In effect you use FORTH to write your very own language.

Norrell reckons Micro-FORTH at least

halves software development time compared to assembly language programming. I am so impressed that a hard bargaining session ensues, the result of which is that 6502 FORTH is now available from leading U.K. computer stores or direct from Petsoft. The price is £30, including VAT.

Programma also has an impressive new text editor, Apple Pie, which is different from the usual line-based editors, designed originally for Teletypes. There is a Pet version, too, called Petpie. U.K. price is £25.

While Norrell isn't looking, I sneak into the development office, and what are they working on but Pascal?

#### Wednesday

TO THE HOME of Michael Richter, inventor of the Metagames. This proves less easy than I had imagined since, although Los Angeles is laid out on a grid system, once on the freeway network, it is difficult to get off again. There are up to six lanes in each direction, with overtaking allowed on any of them.

Eventually, we arrive to meet Richter, a gentle giant who works on a secret project programming anti-anti-missile missiles — I think.

The arrival of micros has generated tremendous interest among the millions of American science fiction freaks. Many buy micros to explore the increasingly complex fantasy simulations of Middle Earth or King Arthur's Court.

The turning-point was Richter's description of the Hunt game in the May issue of Recreational Computing. In Hunt, you define the game. Richter said that he had set out originally to investigate the possibility of developing a computer game which had no conventional analogue. The result of many months' work was Hunt, the underlying concept of which is a table-driven game.

As he put it: "At the simplest level, the game is played with a set of data tables in a style not dissimilar from a variety of board and computer games. On the next level, that of a meta-game — as in metaphysics or metamathematics — there is no conventional equivalent. The player is defining the rules of the game as well as playing it.


"The context is that of a search for a defined object, typically Atlantis, a lost planet, or the Holy Grail. The objective, the names and natures of the searchers, their antagonists and the properties of the space in which the hunt is conducted, are

all defined in the table."

This offers an almost infinite variety of

Petsoft founder Julian Allason outside the new solar-powered Commodore factory in Santa Clara.





Pets, Apple IIs and TRS 80s linked in the Cluster/One distributed processing system.

games of varying degrees of complexity, yet which demand no knowledge of any computer language.

Richter showed us one of the early Hunt games, Firstworld, which included elements from Quest, Middle Earth and Oz. Being relatively simple, it took about half an hour to play without a map. With knowledge of the terrain, five or 10 minutes would be sufficient.

Development of a third level of play is nearing completion. It would make possible a meta-game for War. With luck it should be available soon.

#### Thursday

THE Californians like an early start. When I called Ron Jefferies, publisher of Cursor, he invited himself to breakfast at the Santa Barbara Biltmore, where I was

Jefferies told me how it had started. "Since it was to be about computer programs for the Pet, I thought, let us make the magazine itself a program, or rather, several programs."

Cursor arrives by post each month in the form of a C-30 cassette containing five excellent programs and a printed set of Cursor Notes which provide instructions for using the routines; new product announcements; book reviews; and tively.

One of the most pleasant features of Cursor is its front cover program with a different animated display each month. You press a key and the table of contents is displayed.

Since its inception, Cursor has sparked a number of imitators. With the exception of Ralph McElroy's CLOAD magazine for TRS-80 users, which slightly pre-dates Cursor, none of those I saw appeared to be to the same standard.

Cursor is available in the U.K. at £35 for a year's subscription, from 5 Vicarage Road, Edgbaston, Birmingham B15 3ES.

#### Friday

WALKING down a quiet tree-lined street in Palo Alto, part of sunny Silicon Valley, three girls in bikinis roller-skate past as I turn into the windowless headquarters of Nestar Systems.

I am shown into the office of the president, Dr Harry Saal. You can tell it is a working office; there is barely room to move among the piles of continuous stationery and gutted peripherals.

"So you have come to see my baby", says Saal, a genial bearded figure. Baby is Cluster/One, a distributed computer system based on personal microcomputers.

suggestions on how to use Pet more effec- | Distributed processing is the new buzzword among large computer users, so I am intrigued to see its application to


> Cluster/One represents a significant breakthrough, Saal explains, since it provides many of the features of large timesharing systems, but with the important advantage that the "terminals" are personal computer systems, each with its own CPU and memory.

> Saal leads me into the showroom where four Pets, an Apple and a Tandy TRS-80 are daisy-chained to the central disc storage unit by ribbon cable. Up to 30 microcomputers can be linked in this way, he says.

> In a time-sharing system, each user has only a portion of the central computer available for executing his program, so delays are likely if several users are running programs simultaneously. With Cluster/One, each user has the full resources of his individual computer available all the time.

> The connection scheme makes it possible for any station to use, modify and maintain hundreds of Basic programs on the central disc system. The dual 8in. flexible diskette drives use the IBM 3740

(continued on page 43)



(continued from page 41)

format, soft-sectored with 256 bytes per sector. The system I saw had a total formatted capacity of 630Kbytes and cost \$4,500 plus the cost of the individual microcomputers, and approximately \$100 per micro for firmware cards and ribbon connectors.

For an extra \$500 one could have the dual double-sided version which gave a total formatted capacity of 1,261,568 bytes. Enough, I calculated, for the entire Petsoft library of 150 programs without changing discs.

As a test, I typed-in instructions to load two different 8K programs on to the Apple and the TRS-80. The central system whirred and clicked — no flashing lights, alas — and in less than 11 seconds both programs had loaded and been verified. Test dumping took about one and a half times as long.

#### Simplicity

Addressing was simplicity itself: eg @LOAD "KINDGOM", @SAVE "MATHSRUN", 2 etc. In addition, there are LOSE and DIR commands. The latter can display all the programs on a diskette or a particular subset. House-keeping ensures that only programs in the correct Basic subset are loaded into the microcomputer calling them. On the system I used, there were Startrek programs written in Pet, Apple and TRS-80 Basics.

Access to a large central program library or database and large mass storage usable by each station makes such a system ideal for business use. Most of the installations, however, have been to schools and colleges who find it an ideal way of teaching on different micro systems. Subsequently, I met two dealers who were using Cluster/One for showroom demonstration.

I gather there are plans for European distribution soon. I have some further information if anyone would like to write to me at PO Box 9, Newbury, Berkshire.

Allason then covered the West Coast Computer Faire.

#### Boffins galore

THE West Coast Faire is not the biggest computer show but it may well be the best. For one thing, the San Francisco venue is no distance from Silicon Valley. At one point there seemed to be more boffins than buyers. Crowds of micro men milled about, engaged in gossip and discreet industrial espionage. Hairtearing and garment-rending were the order of the day for harassed production managers. Last year it was the memory famine. This time there was a shortage of disc drives.

Star of the show was Atair, launching two new microcomputers. Non-stop lectures from an extraordinary Punch and Judy stage kept the crowds thronging round. The colour graphics looked good although several potential customers voiced the opinion that 50 dollars was a high price for a game of Life or Breakout (on ROM cartridge).

"By September, Atari will have the \$550 computer in every store which carries its video games and that could hurt us," one established manufacturer told me

No Ataris are destined for the U.K. before Autumn, 1980, software chief Peter Rosenthal says. Difficulty converting to Britain's PAL TV system is the reason given; production problems seem a more likely explanation.

#### New offerings

The cause of considerable embarrassment was a jumble sale run by the Tandy Computer Centre Division. The company has ceased selling other manufacturers' micros in its specialist computer stores — service problems were hinted — and will be concentrating on its own Radio Shack line.

On the main Tandy stand, the new \$219 printer was busily demonstrating itself to admiring crowds. Unfortunately, no-one was prepared to divulge the cost of the aluminium-coated paper it was spewing forth and no technical information was available.

Compu/Think launched its new double-density disc drive for the Pet—available in the U.K. now—but received sidelong glances from Commodore, demonstrating its double-density disc on a neighbouring stand.

Meanwhile, staff in the Apple booth maintained a resolutely low profile, claiming to have no new product announcements. This must be an industry record.

One of the bonuses of the West Coast Faire is that the cost of exhibiting is relatively low. That guarantees the presence of a range of very small companies and publications. One which caught my eye was Automated Simulations, a one-man software house offering a single program, a good fantasy simulation in versions for Pet and Apple II.

For some inexplicable reason the president and vice-presidents of Spinterm printer distributors, Input/Output, attended wearing top hat and tails, thereby causing confusion and distress to the Mad Hatters of Mad Hatter Software.

Sargon, the new rival to Peter Jennings' best-selling Microchess, put in its first appearance on cassette. Sargon thrashed all comers in the San Jose Microcomputers Chess Tournament, including Microchess versions 1 and 1.5, but has apparently not played the current 2.0 version in competition yet.

#### Music everywhere


Music was everywhere. After two days of Greensleeves performed non-stop by an Apple, David Gordon, president of Programma, finally took wirecutters to the next-door stand.

Meanwhile, Adam Osborne, rapidly becoming the grand old man of micros, gave his statutory lecture on Whither Computing? while Vince Coen of LP Enterprises added a few more magazines to his British distribution list.

Most interesting new development on the hard-copy front was the 225 cps Comprint, a quiet, compact electrostatic printer which uses a  $9 \times 12$  matrix; that is three times better than the usual  $7 \times 5$  character format. Best of all, it retails for \$560 in the U.S., inclusive of parallel interface.

Then there was the man with a badge with the legend IBM Personal Computers. Sadly, I never did talk to him. \*\* A condensed version of this report appeared in sister publication, Computer Report.

Dr Henry Saal, president of Nestar Systems, with the central processor of his Cluster/One distributed processor.





## g the student

EXISTING history games for the computer rely on the interaction between the individual and the computer but the games at Sweyne School are designed to involve a whole class of mixed-ability students, and so have to use somewhat different techniques. They are not designed solely for older and/or abler students, so they cannot depend on an advanced knowledge of computers.

Applications of the computer for secondary school history teaching have been described in a recent Historical Association pamphlet

In a previous article, I described the ideas behind the use of the computer in historical simulation games at Sweyne School, Rayleigh. I described the range of games and outlined the ways in which the computer could help. This article gives more details of the way the computer works.

edited by Joseph Hunt and commissioned by the National Development Programme in Computer Assisted Learning — Computers in Secondary School History Teaching. In the suggestions for simulations they have still been restricted in their range. The authors say they cannot involve the student emotionally through the use of the computer but adhere to intellectual involvement in a game played with a computer keyboard.

Our aim is to involve the student both emotionally and intellectually by using the computer to provide a simulation based on members of the class playing different historical roles.

#### by Richard Ennals

Our approach relies partly on theoretical and partly on technical innovation. The theoretical innovation is the application of basic decision theory to historical situations, such as the Russian Revolution, enacted in the classroom. The decisions facing key individuals are analysed, separated chronologically, and simplified into an overall structure — a tree diagram or critical path analysis corresponding to the choices made and outcomes of actions taken.


A parallel critical path analysis follows the progress of the overall simulation by stages. If this is done appropriately, the same critical path model may serve as a guide. Or, translations may be added, perhaps as PRINT statements, to a common core of logical symbols.

The computer is not being used to make decisions in the simulation. It is there to increase the ability of the players to decide, make decisions, or perhaps to comprehend or explain decisions of historical characters. A problem in historical teaching is to give the student enough information to enable him or her to make decisions. Normally, this is difficult but the computer can be used to call-up further information when required by the participants which is available only at certain stages of the simulation and once certain alternative courses of action have been followed.

Incidentally, the determining of what alternatives are followed can be done retrospectively by an observer or as laid down from a choice of alternatives provided by the computer. This can be

#### FLOWCHART FOR RUSSIAN REVOLUTION DECISION THEORY PROGRAM

The program is designed for interactive use and works as a tree diagram. The tree diagram is terminated by the awarding of points depending on the position of the player on the tree



- o Random choice
- Terminator
- A How do you intend to gain power?
- B By legal means.
- C By illegal means.
- D Complete failure to gain support.
- E Moderate success in early campaign
- F Great popular success in early campaign
- G How do you intend to continue your campaign for power?
- H Rely on the will of the people in elections
- improved use of legal means. Continued use of legal means.
- ik support from other groups
- rect appeal for public support.
- ek support from other groups.
- N Continue organising popular campaign
- O Rely on spontaneous popular support.

printed; or, more suitably, it can be displayed for class use on a large-view screen.

So far, this is all theory on paper but the provision of a Research Machines 380-Z through the competition in *Practical Computing* gives us the chance to put theory into practice far more than was possible when we relied solely on a time-sharing terminal. Our new microcomputer is connected to a large black and white television screen and a small monitor, and it is about to be interfaced to the tape and printout facilities of our terminal.

We are working on the use of the television screen for the class. In our General Election simulation on May 3, once the computer had processed the results of the school it displayed the national consequences which would follow if the voting tendencies at Sweyne were repeated throughout the country.

In our simulation on June 7 of the election for the European Parliament, the results of the school-wide vote were processed and the screen provided briefing information to the (School) Members of the European Parliament when called to speak in their debate, information which enabled the participants to reach decisions on the admission of Spain and Portugal to the EEC.

One of the first games to be given computer assistance will be the Norman Conquest Game used by first-year classes. Using the principles described above, the computer will display further information as and when required by the players, to enable them to make up their minds on the basis of sufficient information.

The computer is also being used for more straightforward assistance to young historians. In the Explorers Game, for second-year students, a program simplifies the complex process of trading in different commodities. Each participant inputs what is being bought or sold and what price is being offered; they can also read a display of prices offered elsewhere.

In the Wedgwood Game for third-year students, straightforward mathematical routines help the young managers to calculate wages and prices and assist in their determination of policy.

Participants in historical simulations can carry-out decisions of a greater complexity and subtlety than normally would be possible. An individual version of the Russian Revolution game has been devised following the decision theory model outlined. It points quickly to the historical consequences of different courses of action.

The same model can be adapted using historical translations for the rise of Hitler, and it could be developed into a game of several rounds for the individual power-seeker.

I am more interested in developing the approach for use by a group. We are trying to develop the consequences of the interaction of two or more participants using the decision models outlined, with different outcomes for the matrix of their decisions. These are early days.



TCHEIDZE, Social Democrat, right-wing president of the Workers and Social Council until suspended by Trotsky, May 12, 1917 (above).

RED Guards shooting from an armoured car in Petrograd (below).

GENERAL disorder when Leninists besieged Duma in July, 1917 and a group of Georgian officers intervened (previous page).



## On kits, soldering irons – and Sludgeware

ASSEMBLED, £250; kit, £180. The difference is enough to buy a handful of books, manuals and add-ons and the temptation to keep a few hard-earned pounds in the pocket has probably lured a number of would-be computer owners into over-reaching themselves.

My own first experience of computer kits dates from a Heath-kit Analogue machine, assembled in the 60s and full of — wait for it — valves. Heathkit is well-known for the quality of its documentation and I wasn't surprised to find my clicking monster performing complex operations reliably and accurately from the first switch-on.

Then followed the single-board computers. I chose a Nascom and in spite of the fact that I haven't wielded a soldering iron with any serious intent for five or six years, I chose a kit.

As a kind of warm-up, I Veroboarded a crystal set which worked first time; more, I think, because of the advent of the modern sealed diode than to my soldering ability. My first crystal set used a lump from an old lead soldier and a kind of wooden

#### by Nick Laurie

gallows arrangement with dangling wires to do the job, so neatly performed now by a glass capsule less than a quarter of an inch long.

Anyway, confident that I still had some knack at sticking components together, I sailed off to the big city to spend my £200 and returned home with a box full of assorted chips, boards, sockets and what have you; and a manual.

I read through the book of words — twice, in fact — and very quickly found myself longing for one of those beautiful Heathkit booklets which take you step by step through every operation from unpacking the components to wiring the mains plug.

Nevertheless, the PCB was very clearly overprinted with the component positions, the manual contained all the information needed, and I felt fairly sure that, apart from the 1,300 potential dry solder joints, I couldn't really go far wrong.

The job took a weekend and I limited myself religiously to 250 joints per session, with an hour's digging in the garden between sessions. By Sunday night — very late — I had a computer and a very tidy garden.

#### Shuttle service

Five o'clock on Monday; a cup of tea and the last few joints were made. In went the ICs and on went the power. Nothing. A quick check discovered one or two simple faults and by half-past five I had a television screen full of something. It wasn't what I had expected; my new baby had a strange tendency to amend programs to suit itself and I began to shudder at the thought of finding one or two dry joints among the 1,300. I re-read the manuals, checked the positioning of the components again, and finally resigned myself to re-soldering the entire board.

That, incidentally, is often much simpler than trying to track down a single duff joint and needn't take long really. A couple of evenings later the job was done; I powered up and found myself staring at a screen full of the most incredible garbage which simply wouldn't go away.

So the next morning I telephoned Nascom and had a word with the very helpful and very concerned informant who suggested a couple of tests and alterations. They were duly carried out, without any improvement. Mr. J. again. "Send it back", he said. So I did.

I packed the two main boards carefully and sent them away and waited the requisite three weeks.

Back it came. Power on, and to my amazement it seemed to work — for five minutes. Then we were back to garbage which steadily deteriorated until there was nothing there of any use at all. Back to Mr. J. who assured me that it was working perfectly when he despatched it and had I checked the power supply. Yes, I had, with a meter.

"Try using a 'scope on it', said Mr. J, so I did, and there for all the world to see was my problem. Shooting up the -5 volt line were the most amazing positive spikes, 100 of them every second and each one driving into the heart of the monitor's EPROM to garble a few bits here and there.

The only surprising thing was that the machine had lasted five minutes before packing up. Yet another call to Mr. J. and the problem was isolated. Tuppence worth of capacitor on the power line had failed and replacing it put my Nascom into perfect working order, where it has remained ever since.

The fault was minor but, and herein lies the point of my tale; I couldn't fix it without half a dozen calls, the cost of postage, a long wait and a good deal of time.

As it happened, the fault was cured easily and I ended with what I wanted. I learned a good deal about the inside of a computer and had plenty of time to read all the manuals very thoroughly.

While all this was happening, I took the opportunity to quiz half a dozen other kit builders and was scarcely surprised to find that only one of them had had instant success. Two had minor faults cured easily with the aid of a 'scope; two had to return kits for re-building; one is still waiting for spare parts to arrive from the States.

What, I asked them, did they consider to be the heart of their problems, and with one voice they replied "Sludgeware".

#### Coined by builders

Sludgeware, for those unfamiliar with the term, is a word coined by dissatisfied kit builders to describe badly-thought-out, badly-written and badly-printed (is it "O" or "Ø" or "B" or "8") documentation.

Sludgeware is typified by hand-drawn circuit diagrams, nonexistent cross-references, assumptions that the constructor receives Heavenly guidance at all crucial stages of construction, and a total lack of fault-finding procedures.

My sample of six kit builders built, between them, four makes of computer, made some 20 phone calls — long distance — sent off 23lb. of parcels by first-class letter post, wrote 18 letters and travelled from Somerset to London no fewer than five times.

That lot, divided among the unsuccessful builders and added to repair fees varying from £5 to £35, would be enough to have enabled most of them to buy a fully-assembled model in the first place.

Add to that a longish delay between buying and using, and the whole idea of a kit becomes rather less attractive.

I know that building a kit isn't always for economic reasons; some people like building but that is no reason why it should cost them money. The cure, you see, is very simple, and as a first shot in a war I intend to carry on from time to time I cry: "Ban the Sludgeware".

If every kit builder who finds manuals inadequate, incomplete or illiterate, wrote to the manufacturer concerned to make that point clear, in no time at all we would see something happening — wouldn't we?

#### £l a day keeps your Apple in play

A 48K Apple II microcomputer will cost you less than £1 per day under our lease or lease/purchase facilities\_/

Send for details

#### Software not soft talk

During thlas 18 months many accountants have profitably used Padmede's disc-based incomplete record accounting system. Many unique features are included e.g. analysis by Normal Ledger and Account Codes, input direct from Bank Statement, selective code reporting, multiple runs of final accounts, etc. Software-only price £750. Hardware and software price £4,250.

Other software developed and installed with users includes:—

Time and Cost Recording.
Stock Control.
Payroll.
Job Costing.
Order Processing.

For more information contact:—
Padmede Ltd., The Tuns, High Street

Circle No. 155

## GPW Electronics Ltd (Computers)

GPWm201 8080A CPU with vector interrupt kit: £64, assembled £97.

GPW 302 Z80 CPU (2MHz) inc 2708 and power jump kit £87.60; assembled £120.

GPW 303 Z80 Upgrade kit to 4MHz. Kit £12.

GPW 501 8K Static Ram 250ms. Kit £116; assembled £144.

GPW 502 8K Static Ram 450ms. Kit £97, assembled £126.

GPW 601 Tarbell Floppy Disc Controller. Kit £123.40; assembled £158.

**GPW 506** Wheelbarrow Board, up to 16K of 2708 (not supplied). Kit £45.

**GPW 701** Serial/Parallel Interface  $(2 \times s, 1 \times p)$ . Kit £74; assembled £114.

GPW 801 Video Interface VB 1/8 B. Kit £76; assembled £109.

GPW 850 Tape Interface with DMA. Kit £71; assembled £104.

GPW 503 Memory Board 8K RAM, 8K RAM. Kit £97; assembled £126.

GPW 901 Card Extenders. Kit £19.70.

Larger range of \$100 and other interface boards available, please write or telephone for a complete list.

TANDY TRS-80 — 16K expansion kits complete with headers/instructions. Price £70.50

**EXIDY SORCERER** — CPU including 16K mem. TV modulator output fitted: £760. CPU including 32K mem. TV modulator output fitted £859.

S100 EXPANSION BOX. £120.

MICROPOLIS \$100 floppy disc (143K) and controller, £499.

MICROPOLIS \$100 dual (630K) and controllers, £1,200.

All items ex-stock at time of going to press; prices inclusive of post and packing. Please add VAT. 24-hour order service. Terms C.W.O. Access or Barclaycard.

146a London Road, Portsmouth, Hampshire. Tel: Portsmouth 693341. Telex: 86526.

AT FIRST glance it would seem obvious—a product file will contain data relevant to each product, a customer file data relevant to each customer, and so on. That is exactly right, but it must be remembered that once the file content has been decided, it may be very difficult to change it.

All the programs using that file will need to be altered and the file of data will have to be converted to the new layout. So it is important to think ahead and make certain that all the necessary information has been catered for. It is this thought process which is the heart of the systems analysis work and it can save hours of labour if the right decisions are made at the beginning.

Consider a customer file. The types of information to be stored against each customer are probably:

• The customer's name.

• The address and postal code.

That may be sufficient for a simple system but other data could be stored to provide more information, such as:

Sales this year so far.

Sales last year.

That will provide valuable management information, answering such questions as "How much did Joe Bloggs buy from us last year?" For even more detailed analysis, you may want to keep these figures for each type of product sold.

- Customer category.
- Trade terms.
- Credit rating.

The next group of items would allow customers to be categorised — e.g., trade, retail and for the particular trade terms to be held on file, possibly using a convenient code to refer to a file of the different trade terms available. The credit rating could indicate those customers who are good risks and those who are not, or it could hold the limit of credit allowed to the particular customer:

• Customer telephone number.

Name of contact.

These two items will help in contacts with the customer; without them no doubt the information would be kept elsewhere, thus forming the basis of an alternative file. One of the most common problems of any computer system is that the data files are not maintained sufficiently diligently. The best way to avoid this is to make sure that the computer file is the only file and therefore has to be relied upon.

Having settled the various items of data to be held on the file, the number of characters allowed for each must be determined. For any particular field the length must always be the same, so that when re-reading the record the program will be able to dissect it into the different fields. The following is an example of a very simple product file.

## Think before you into system c

tield description
product code
description
quantity in stock
quantity on order
selling price
purchase price
suppliers name
stock location
no. of chars.
25
6
6
8 (2 dec. pl.)
8 (2 dec. pl.)
20
4
83

An important point to notice is that even the numeric data fields are stored as string variables. This is because numeric variables in Basic are not of any fixed length; but by converting the numeric value into a string, using the STR\$ function, it can then be padded-out with

stored in each sector, taking 172 characters and leaving 84 characters wasted in every 256, almost one-third of the file.

#### Minimising loss

If it is essential to have the record of such a length that much of the file would be wasted, there are ways of minimising the loss. There is no rule to say that each record has to contain the same data fields — only that the record length must be the same.

The record could be broken into two parts, record type 1 and record type 2. By including the record type as a separate field, records of 44 characters can be made and stored five to a sector, thus wasting only 36 characters in 256.

The approach of having different record types can be used to store different kinds of data in the same file. There is no reason why both customer records and product records should not be stored on

Stop and think before you rush into an ill-conceived system that you might have for several years — that is the message in the third and final part of Mike Collier's introduction to systems analysis.

blanks to the required size, assembled with the other data fields into the record, and then written on to the file.

On reading back, the record can be separated into the individual fields and the numeric ones converted using VAL.

Since each data field will need to be padded-out with blanks, where necessary, to the required size, it will be helpful to write a subroutine to do this. For example, to pad A\$ to L characters long:

1000 ER = 0 1010 A = LEN (AS) 1020 IF A > L THEN ER = 1: RETURN 1030 IF A = L THEN RETURN 1040 FOR I = A TO L - I 1050 AS = AS + "" 1060 NEXT I 1070 RETURN

This routine returns with ER=1 if A\$ is too long, otherwise A\$ will be returned with the required length.

Having decided the length of each field, the total record length can then be examined. Most disc drives have fixed sectors, often of 256 characters, and do not allow records to cross over sector boundaries. In the foregoing example, three records of 83 characters can be stored in each sector, with only seven characters wasted in each 256.

If one more field with three characters
- e.g. VAT rates (VRS) — were added
to each record, then only two could be

the same file, so long as they are of equal lengths — dummy fields of blanks can always be used to pad the shorter record to the same length as the longer.

To run a small business system successfully, it is important that care is taken to choose hardware with the right capabilities to cater both for the system under consideration and any possible future expansion.

The first major decision is whether a single terminal will be sufficient to cope with the volume of data. If it is, the way is open to a really low-cost system. If not, the choice is limited to only a few machines available to handle multiple terminals.

With the single terminal machines there is a wider choice but care must be taken, since not all the available alternatives can offer practical business systems.

The minimum necessary configuration would be a 32K computer capable of handling a printer and some form of disc storage. Any printer would be suitable for a general purpose business application; a matrix type would be reasonably fast and would cost £600 to £1,200.

If the application calls for high-quality print the choice is more limited, and the price much higher — around £2,000. It is surely about time print manufacturers began to produce a fully-formed charac-

## u rush 10ice

ter printer for a price more in keeping with the cost of small computers.

The printer will attach to the computer via a serial port, the standard being RS232 interface, so that should be one of the facilities on the checklist.

Disc drives are in many forms, the most popular being the floppy disc variety in either 8 in. or 51/4 in. sizes. Both sizes are satisfactory but note should be taken of the storage capacity. Most 51/4 in. discs will hold 90,000 characters, which may be too small for other than the smallest operations.

For example, a stock file with records 128 characters long will allow only 700 records on a 90K diskette. There are 51/4 in disc drives which store more data the Micropolis stores 315,000 characters on each disc.

The larger size of floppy disc is also in various capacities from 256,000 to more than one million characters but they tend to cost considerably more than the smaller size.

#### Maximum flexibility

For maximum flexibility it is best to choose a computer which can accept S-100 standard peripherals, since disc drives and controllers of all types, up to several million characters, are available

to the S-100 standard.

On the software side there may be less choice, as most disc drives are supplied with software to operate them. This should include as a minimum a disc operating system and an extended Basic with file-handling statements. There are some commonly-available disc operating systems of which the best is probably CP/M. It allows many facilities and under CP/M all kinds of language compilers can be run - C-Basic, APL and the like. The Basic programming language can operate either as an interpreter or a compiler. The interpreter stores the program only in the source form and when the program is run it is compiled simultaneously into machine code.

The compiler has the ability to perform a conversion from source to object form (machine code) as a separate step, so that the compiled object form can be stored and executed without the need for re-

There are advantages to both types; interpreters are best for program development but compiled programs run faster in everyday use. Ideally you need

You should look for a certain amount of software already available - for example, a word processing system would be useful to most businesses.

In writing programs for business applications there are a tew points that should be borne in mind. Here are a few hints:

• Never use INPUT N. since a miskeying of a non-numeric value will cause the program to collapse with an error message. Instead use INPUT NS N=VAL (NS) which will avoid the problem

converted to a string of the same length as the field allocated on the file. A subroutine can be written to do this: 1000 REM CONVERT AS TO L CHARS LONG 1010 ER=0 1020 AL=LEN(AS) 1030 IF AL>L THEN ER=1: RETURN 1040 IF AL=L THEN RETURN 1050 FOR 1=1 TO AL-1

1060 AS=AS+ 1070 NEXT 1 1030 RETURN On return from this routine, ER will be equal to zero unless the string was already longer than L characters when ER will be returned with a value of 1. The calling program should test the value of ER returned and take appropriate action -- i.e., displaying an error message - if an error occurred Numeric values can also be converted to fixed length

• Most data keyed-in will need to be

compiling each time it is run.

#### Amenable

Many applications are amenable to the menu' approach, where a list of options is displayed and the user chooses which option he requires. Depending on the choice made, the program will then branch to the appropriate sub-program or sub-routine.

strings using similar techniques.


in such systems it can be annoying to have the program return to the menu automatically after each transaction if there are similar transactions to process. The approach I use is to return automatically to beginning of the current menu option, e.g. in a stock recording system. After entering details of an issue from stores, the program will then ask for the part number relating to the next item to be issued. This means that a batch of simijar transactions can be entered quickly and easily.

At the end of the batch when there are no more part numbers to enter the user presses RETURN without any part number and the program asks for the next transaction type.

On disc systems it is possible for one program to chain to another. The program chained to then has to be loaded from disc and run. This process obviously takes a time, so it should be avoided where possible.

One place where it can and should be avoided is when returning to the menu. It seems sensible to have a separate program to write the menu list and to chain to that program after each batch of transactions, but it would be much more efficient to repeat the section of program which puts the menu in each of the transaction

programs. The process can be simplified further by not displaying the menu but asking for the option number required. The user will learn very quickly which option number relates to which transaction, and the program could be written so that pressing RETURN without entering an option number will then display the menu. The illustration shows the program





The IBM 5110 computer is no larger than an office desk and asks no more than a 13-amp socket to power it.

Once programmed, it isn't much more complicated to use than a typewriter. Yet at the touch of a button or two, you can, for example, handle all your

accounts, business forecasts-even advanced mathematical modelling.

Even more remarkable is its price: around £11,000. We may even be able to help you finance it.

Find out more by returning the coupon below.

And hang a reserved notice on your 13-amp socket.

Please send me more informat small computer.	tion about the IBM 5110
Name	
Address	
Tim McGinn, General Systems IBM United Kingdom Limited, 28 The Quadrant, Richmond, Surrey TW9 IDW. Telephone 01-940 9545.	S Division,

# Pet II has an improved keyboard and better documentation

THE PET has already proved itself a reliable and popular machine. Around 5,500 systems have been sold in this country, with a figure of 80,000 reported worldwide. There are now more than 120 dealers for the pet, from Glasgow to the Channel Islands. So why is there a need for a new Pet when the company already has a marketable product?

Fortunately, Commodore did not take that attitude. The new Pet seems to have been produced for two distinct reasons. First, notice has been taken of criticisms made of the Pet; second, the company is now trying to capture more of the small business market.

When the Pet was introduced originally more than half its applications were for education, with fewer than 20 percent of users wanting business applications. Now the balance has changed somewhat, with about 40 percent in each category. The Pet II has been designed with the needs of the businessman in mind, while retain-

ing the features of the old Pet.

The most obvious change is the new keyboard. By removing the cassette deck from the case, the Pet II has a full-size typewriter keyboard. No longer will you have to pay typists claiming for damaged

No longer will you have to pay typists claiming for damaged fingernails.

fingernails.

The graphics characters have been demoted to the front of the keys, which makes the lay-out far less cluttered. The other extra feature is the addition of a shift lock. The letters are held in normal QWERTY sequence, with all the edit characters reachable without the use of the shift key. The numerics are located on

a separate pad to the right of the main keyboard.

Although this lay-out is different from a normal typewriter, becoming accustomed to it does not take too long. The one criticism is the lack of a repeat key.

The other changes are internal. The most significant is that of the characters set within the ROM. Originally, when poked into lower-case, to obtain lower-case characters the shift key had to be depressed. Now, the shift key has to be depressed for upper-case characters, making it possible for the Pet to act as a normal typewriter.

Note also that the standard Pet as supplied had 16K or 32K of RAM rather than 4K and 8K.

One other minor change is that it is not now possible to turn the screen on and off. This was possible previously by using the following commands:

POKE 59409,52 to turn the screen off. POKE 59409,60 to turn the screen on.

(continued on next page)

The new Pet II in action. The good news is that the keyboard is much improved. The bad news is that the cassette is now separate from the computer.



(continued from previous page)

We had one game program which turned off the screen while it drew the board, then turned it on again. On the new Pet it disabled input from the keyboard.

Although most software will transfer on to the new Pet, some will not. We had

With the new keyboard it is possible for the Pet to act as a normal typewriter.

problems with a word processor designed for the old Pet, as well as one or two

games. Commodore has assured us that most software is compatible and any of its own which is not will be shortly.

Most of the changes needed are minor and we have not found one we have not been able to debug ourselves. Also, most of the changes have meant shortening the program concerned.

An example of this is in the CmC Word Processor, sold by Commodore. By deleting the following lines:

6130 IF CU=0 THEN CS\$=CHRS\$ (ASC(C\$) OR 128) 6140 IF CU=128 THEN CS\$=CHRS\$ (ASC(CS\$) AND 127)

and by changing the various graphics into lower-case, the program works perfectly.

As far as software is concerned the Pet has much to offer. As well as Commodore, there are several other companies selling software, including Petsoft and Gemsoft. There is also the *Pet Users' Club Newsletter* which has developed from a few stapled sheets into a printed booklet with a set format.

It gives not only a list of new software but also includes book reviews, update on old software and users' letters, as well as forthcoming hardware releases for the Pet. A year's subscription costs £10 (£15 overseas).

The documentation received with the Pet is also surprisingly good. Most manual writers seem to assume that everybody knows everything about Basic and that their machines are self-explanatory. The Pet documentation does neither of those things.

It is in the form of two manuals. The first, An introduction to your Pet serves as just that. It does not try to teach Basic but talks you through setting up your Pet, how to write some simple programs, how the editing facilities work, and how to save and load your programs.

The manual is very readable and contains a good deal about computers in general.

Several appendices include a list of error messages, a clear and concise summary of the Basic statements available, instructions on how to clean the Pet and the cassette, and a set of useful references on the cassette interfaces, memory expansion and an easy-to-read memory map.


The second manual is much larger and looked formidable at first. We found, however, that it is very readable and contains a good deal about computers in general. The section on Basic goes into detail about the use and syntax of each command.

The Pet has appeal for the first-time user. There are no wires to put in the wrong places — unless you don't know how to wire a mains plus properly.

The manual also has a section on machine code and a listing for a monitor.

The one major fault in the manual is the instructions for using the cassette. You may have difficulty finding them. Chapter 7 is entitled *Pet interfaces and lines*. Buried in the middle of it are the various commands for accessing data files and peripherals. Don't despair if you can't find them immediately — they are there somewhere.

This highlights the one other possible criticism which can be made about most



manufacturers' manuals. What about an index?


The Pet has appeal for a first-time user. There are no wires to put in the wrong places — unless you don't know how to wire a mains plug properly — although Commodore has made it slightly more difficult - you now have to plug the cassette interface into the back of the Pet. If you can fit a DIN plug into your record player you can do this.

Also the sheer volume of Pets sold and the number of Pet dealers around the country means that support for your system should be simple and readily available. Perhaps the most important feature is that, of all the machines around, the Pet represents very good value for

#### Conclusions

- a much better keyboard.
- Great improvements in the documentation, although another revision would not be a waste of time.
- A viable proposition for a small business system, especially when the new disc system is available more readily.
- Very good and fast Basic.
- Good display and graphics, with a more sensibly-arranged character set.
- Wide range of software, most of it of
- good quality.

  The prospect of good support. At least if you have problems you don't have to travel hundreds of miles to complain. [1]



A section of the keyboard, designed for human fingers. The placing of the graphics legends on the front of the keys is clever and looks as if it will be an advantage.

#### **Practical Computing evaluation**

	Yes/No I NA	2	3 4	5		Yes/No N/A	1	2	3	4	5
Ease of construction (where	NA				Assembly language	Y					
applicable)					Basic language						•
Quality of documentation		_	•	12	Other languages	N					
Dealer support/maintenance			•		Compatibility with other			•			
Can handle 32K of memory	Υ				systems						
Quality of video monitor			•		Reputation of manufacturer				•		
(consider resolution and screen size)					Appearance						•
SS-50 Bus	N				Portability					•	
S-100 Bus					No. of software applications packages available						•
Sockets for chips	Υ				Hobby use						
Numeric, calculator-type pad on keyboard	Y				Business use					•	
Large amount of removable	Y		Educational use					•			
memory, randomly accessible					Sultability for:					•	
Cassette tape recorder	N				Commercial applications				-	-	
capability: Own				-	Home applications			_		ш	•
Built-in recorder	Y			_	Educational applications					•	
Floppy disc capability	Υ				Ability to add printer(s)					•	
Communications capability	Υ				Ability to add discs					•	
(can talk to other computers)		-			Ability to add other					•	
Speed of instruction cycle	IMHz			,	manufacturers' plug-in memory			Į.			
Ease of expansion			•		Ratings						
Low power consumption			•	щ	1 = poor; 2 = fair; 3 = average; 4 = N/A = not applicable.	good; <b>5</b> = e	xceli	ent.			

## Old war-horse proves a trifle limited

THE Kim-1 is a ready-assembled microcomputer module based on the popular 6502 processor — as used in the Pet and Apple II.

As supplied, it includes 1K of RAM, a hex keyboard and LED display, 2K of monitor in ROM, and facilities for connecting an audio cassette and a 20-mA loop serial device, such as a printer. Expansion is made easy by the provision of locations for connections to the fully-decoded address/data bus (for memory expansion) and 16 programmable I/O lines (for user applications and peripherals).

The price of the basic system, excluding a power supply, is £108 including VAT.

#### Monitor

The monitor on the Kim — which stands for Keyboard Input Monitor — is a neat piece of software with a number of useful routines. Its main job is, of course, to enable the use of the integral keyboard and display but it also contains routines

Bob Marshall looks at one of the old war-horses of hobby computing, the Kim, and finds it well turned out, somewhat pricey and a trifle limited.

for interfacing a cassette recorder and a serial keyboard/printer; this is clever, as it adjusts to the bit-rate of the device automatically.

The monitor also maintains a copy of the registers of the 6502 in RAM page Zero, thereby easing considerably the task of modifying registers during debugging.

Contained in each of the two 1K ROMs is a counter-timer. One of them is used by the monitor for various purposes, including the I/O routines to the tape and printer, but the other can be programmed by the user for a variety of purposes; for example, the First Book of Kim contains programs for a clock, a chess-clock and a stopwatch/timer.

The output consists of six sevensegment, calculator-type, numerical displays. The four left-hand ones normally show a memory address; the right-hand pair show the data held there in hexadecimal. The display, however, is capable of producing limited alphabetical messages such as SAVEd or 'dEAd'—the combination of upper- and lowercase is confusing for a time, and 'b' is easy to mistake for '6'.

The keyboard has 16 hex keys, plus the following seven special keys:

- GO begin program execution.
- ST stop current program and return to monitor.
- RS re-set system.
- AD set address-entry mode.
- DA set data-entry mode.
  - increment displayed address
     by one.
- DC display the contents of the program counter.

Roll 21 and win \$9 from the Kim Blackjack program.



'All he does is enter machine code'. Thoughtful moments with Kim.

There is also a useful switch to permit single-stepping through a program undertest, though ours worked in the reverse sense to that specified in the manual.

Adding a tape recorder is simple. You connect the "mic" and "ear" sockets of the recorder to three pins on the applications connector and use the routines in the monitor to do all the work. The data-transfer rate is only 130 bits/sec, but I have seen this increased to nearer 400 bits/sec under the control of a software routine — again from The First Book of Kim — Hypertape.

If you want to connect up a Teletype or similar 20 mA loop-compatible device, again all the software necessary is there in

#### Prices

Kim 1: the basic computer with keyboard and display £99.95 Klm 3B: each 8K memory expansion board £129.95 Kim 4 motherboard (necessary for memory expansion) £69.95 All excluding VAT.

ROM. Only four wires are needed between the application port and the Teletype to get it up and running.

The basic Kim provides room on-board for an additional 8K RAM and if the Kim-4 motherboard is purchased extra

RAM boards (8K - KIM3B) can be plugged-in to expand to the full 64K.

The applications connector has 15 programmable I/O pins, to be used as the owner chooses. These TTL level lines can drive relays, lamps, A/D converters and sensors for a variety of applications.

#### Documentation


THE standard of documentation for Kim is

worthy of high praise. Almost everything you could ever wish to know is contained in the three manuals supplied — 6502 Hardware, 6502 Software and a Users' Manual — and most of the few remaining gaps are filled by the U.K. Kim Users' Hints, including a circuit to interface Kim to an RS232 serial data device. We also received a handy reference card and a large system schematic diagram.

#### Conclusions

- The Kim is a well-made, well-presented and well-documented system which could be very useful for building into some larger project or to introduce a beginner to computing.
- The unwary should realise, however, that it can be programmed only in machine code, which is very difficult and time-consuming to write.
- There are some excellent programs in The First Book of Kim and it is amazing how communicative the six-digit display can be.
- Lunar Lander had us in spasms of fear; we sat for hours into the night trying to win dollars at blackjack Kim is as hard to beat as the Mafia; but once you have exhausted the delights of pre-written programs, Kim is likely to interest only a dedicated enthusiast, or someone with a definite problem to solve.
- A minimum of £100 is plenty to spend on something which may be really useful for only a short time.

## **Bringing World War One** to living reality



"The Ball no Question makes of Ayes and Noes, But Right or Left as strikes the Player goes; And He that toss'd Thee down into the Field. He knows about it all - He knows - HE KNOWS!"

Omar Khayyam

WEST of Marville, the Somme runs through marshy ground, useless for trench warfare; so the front line followed a tributary, the Aurignon, and crossed what had once been the D'Arbles estate. The Bosche, having taken the high ground to the north of the wide, landscaped lake, had burrowed deeply beneath the cellars of the ruined mansion. The Tommies were south of the lake in the devastated vineyards.

Long artillery duels and ineffective attacks had rendered the once lush landscape a blood-soaked, fertile desert, where not a single wall or tree was intact. The exception was an unravaged island in the centre of the lake, some six feet high, 100 yards

long, and of no strategic importance.

Thick bushes and untouched birch trees made it a magnet for eyes on both sides, and then there was the chicken. It was white and plump and seemed inured to the periodic whine and crump of shells, the bursts of machine-gun fire, and the plop and hiss of shrapnel into the water.

Every day it would appear and scratch around on the small mud and shingle beach. Salivary glands on both sides of the front, bruised by an unrelieved diet of bully beef, rock-hard biscuits and plum-and-apple jam, would ache at the sight, and snipers' fingers would quiver on triggers.

#### by John Abbatt

The night was calm as the boat slid quietly out of the reeds. Second Lieut. Reynolds sprawled in the stern with little to do except bail the leaking timbers with a tin hat. The lake was covered with a comforting bank of mist some three feet high, streaked with the ever-present smells of cordite and putrefaction. Overhead the clear, frosty stars were plainly visible.

To the east, the horizon flashed and fretted with a heavy barrage. Someone was getting it. On this front there was little activity beyond the occasional star-shell or burst of tracer. It was a time for housekeeping; the repair of barbed wire and minefields, the collection of groaning wounded from no-man's-land, the snatching of prisoners for interrogation.

Reynolds had survived for 10 days on a sector where the average life expectancy for his rank was eight. His battallion was due for relief in 20 days. He had no compunction about volunteering for the otherwise foolhardly attempt to get the chicken before the Germans did.

#### Three good men

Better to die in sight of the stars, he thought, than to be compressed in a clay dugout. In any case, his alloted hole had been made uninhabitable by the smell of a rotting corpse somewhere in one of the walls, and it had so far eluded or absorbed their patient probing.

He had three good men. Bombardiers Watson and Gordon worked the muffled oars. The rigid British class barriers which separated them from him had dissolved in the barrages and he admired and warmed to their stoicism and humour.

In the bows was Sergeant Gillespie, a 29-year-old Liverpudlian who was fast becoming a legend, having survived two previous spells in the front line; a man to stand near. He was steering a compass course for them and using the butt of his .303 to fend-off the bloated corpses of horses which dotted the sur- his rifle and boots, picked up the two oars, eased himself back face of the water.

Reynolds glanced at his digital watch — 2330 hours.

"I've written to the compilers about the watch anachronism, Paul. They give 10 new pounds if you spot one."

They crunched softly on to the beach and Gillespie tied the painter to a birch. The men scrambled out and Reynolds passed their rifles to them.

"What now, sir?"

He considered. The normal rule on patrol was always to stay close together, but the chicken could scuttle past them. The sensible thing to do would be to spread out and beat the island. He decided to compromise.

"We'll split into pairs. You take Gordon; Gillespie and Watson can come with me. Zig-zag from shore to shore. Back here in half an hour and a low whistle if you get the bird first."

"Back to your winning option, Paul."

They picked up rifles and haversacks and melted into the bushes. It was four hours before Reynolds returned to the boat. He had taken a bayonet thrust in the left calf muscle, which made him drag that leg. The teeth in his right lower jaw had been

loosened and his face swollen by a glancing blow from a rifle butt.

The sergeant in the German patrol had strangled Watson before Reynolds had managed to shoot him with his revolver. The shot had produced bursts of fire from both sides of the lake.

#### Nightmare

It had been a nightmare as the two patrols stalked one another silently, afraid equally of friend and foe. Reynolds had stumbled over the body of Gordon (850 points) and two other Germans (700 and 950 points) and at the end had escaped by lowering himself into the water and pulling himself silently along to the beach. Every sound alerted his over-stretched nerves.

The boat was up to its gunwales in water — useless. It was doubtful if he could have rowed and bailed alone anyway.

Gillespie's body was sprawled across it and clutched in the lifeless hand was the body of the chicken. The man had been bayoneted in the back.

Reynolds grasped the chicken and realised with a start that it was still warm. Quickly he stuffed it into his pack. Then he shed

into the water and kicked out with his feet.

The mist had departed and the faint, pink glaze to the East outlined his head against the surface. The bushes parted and the German lieutenant raised his rifle and took careful aim.

The wargamers removed their headphones and rubbed their eyes as the score was printed. It had lasted two hours.

"Nobody got the chicken and the overall points ratings within 10 percent," said Roger, "so that makes it a draw."

'I can afford time to play a decider," Paul answered, "that is, if my nerves hold out. I need another can of beer."

Roger passed him one. "Your problem is that you identify too

much with the characters and events in the game. "I think that's inevitable when you are taking the British side.

Anyway, they reckon that the best players achieve a symbiosis with the characters and much of me seems to be rubbing off into this Reynolds.'

He worked the controls on the processor to create the start position. The machine guzzled the 64-megabyte program and data from its disc and then re-wound the four million video sequences. "Hunt the Chicken" appeared in bold lettering on the two video screens.

#### Lifelike

Paul was still thoughtful. "It's so lifelike the way the program feeds on the situations created by the background and characters and the options that we key-in that I begin to believe I am playing God to real people.

"Did you notice that Reynolds thought he had deja vu as they approached the island? He confused it with memories of punting on the Cam. I think what I'm trying to say is: Do the characters think they are real people in a real world?'

Roger liked this sort of conversation. "You have to start with a means of defining reality. How do you know that we are not fictional characters, and if so, how does our author know? . . .

Paul cut him short. "Come on. This is getting too metaphysical." He put on the headphones and keyed in "Start".

The night was calm as the boat slid quietly out of the reeds. Second Lieut. Reynolds sprawled in the stern with little to do except bail the leaking timbers with a tin hat.

#### August **6**

The Real World of Microprocessors. Venue: Holiday Inn, Chelsea, London. This one-day seminar is designed for industrial and commercial end-users and aims to give the "maximum amount of technical and market information" on microprocessors and microcomputers. The semmar is not very technical and emphasis is placed on examples of applications. Run by Control Data Institute, the seminar costs \$120, which roughly translates to £65 plus VAT. More information on 01-637 2171.

Introduction to Computers. Venue: London. Organised 8-10 by Keith London, this three-day course is useful if you want a generalised introduction to the world of computers. Price is £140, which includes refreshments.

The use of small computers in business. Venue: Kinver, 023 near Stourbridge. One-day summary at a Worcestershire hotel run by a local software house; aimed at the nontechnical. Organised by Video Software, the fee is £50.

#### September

Choosing a Computer. Venue: Glasgow. A practical summary of what is available for the small business;

ostensibly for accountants but also for a more general audience. The course is organised by the Institute of Chartered Accountants of Scotland and the fee is £97 for the two days.

Microcomputer Systems for Business and Administration. Venue: London. This intensive three-day course is highly recommended for those who want to know how and where to use a microcomputer in an organisation. From the industry background on the first day, it proceeds through programming, intelligent terminals, terminology and applications. Organised by Learmonth and Burchett, it costs £190 and is non-residential. Contact Ellen Lee, Course Registrar, Learmonth & Burchett, 22 Newman Street, London, W1. Tel: 01-637 9699.

25-27 PL/Z Workshop. Venue: Holiday Inn, Swiss Cottage, London. This three-day course is run by Software Architects in conjunction with Zilog and promises to provide participants with the ability to design and program systems effectively in PL/Z, a subset of PL/1. Delegates are expected to have some familiarity with programming concepts. The course costs £200 plus VAT and further details are available from Software Architects on 01-734 9402.

### Life with the TRS-80

LIFE is one of the magic words of computing. It is conventionally called a 'game', but it goes much further than most games. Some would claim that it goes as far as life itself.

Life was invented by J H Conway in 1970 and first published in *Scientific American* in October of that year. Conway's interest was in making a Turing machine and he was looking for a dynamic structure which could reproduce itself under controllable conditions.

The precise structure needed eluded him but was discovered shortly afterwards at the Massachusetts Institute of Technology; the 'glider' and with it the 'glidergun' which generates it.

With other structures which invert, eat and reflect gliders, it was possible to build an elegant and practical version of von Neumann's self-replicating automaton. Unfortunately, these refinements need much more computing power than microcomputers can give, but, using the listing, you can enjoy the hypnotic evolution of Life's colonies.

The listing in machine code by Danny Creagan runs on the TRS-80, very well and very fast.

TO ENTER this program on your TRS-80, you will need a machine language monitor (such as T-BUG) or an assembler/editor for the TRS-80.

There are several good Basic programs which play the game of Life but they are very slow. Each generation of cells may take as long as 20 seconds to reproduce, depending on the complexity of the colony. This program circumvents this problem by using the much faster Z-80 machine language in the TRS-80 — a generation takes about half a second. You may watch the colonies grow, stabilise, move around and/or die in fractions of the time you would spend normally.

Life is played on a grid of squares which are either occupied or unoccupied; you determine initially which are which. You then start the program. The computer, using a few basic rules, generates colonies of cells — squares which are 'on'.

The rules are simple. Imagine a three by three grid with the cell in question in the centre of the grid.

- BIRTH: if the cell is unoccupied, and three and only three of its neighbours are occupied, then in the next generation that cell will be born.
- SURVIVAL: if the cell is occupied and either two or three of its neighbours are occupied, no change will occur in the next generation.
- DEATH: if the cell is occupied and has no neighbours, only one neighbour, or four or more neighbours, then on the next generation the cell will die.

If the cell is unoccupied and the foregoing happens then there will be no change.

The application of the rules simultaneously to every cell on the grid on the screen constitutes one generation.

Using the rules, many elaborate and interesting designs may be developed.

others will last only for a few generations.
The chart shows some examples.
You will notice that example A dies
ofter the first generation Colony R

Some colonies will grow indefinitely,

You will notice that example A dies after the first generation. Colony B becomes a simple blinker which repeats itself after two generations. C remains stationary. E is similar to B but produces a more pleasing pattern. F is still changing and will continue to do so for five more generations, at which time it will assume the condition of E and start repeating itself. And what will G do? Try it and you will be pleasantly surprised.

The program was assembled using the TRS-80 Editor/Assembler Version 1.1. Included along the comments column is a fairly complete commentary. In general, the program allows you initially to set up the colony you wish to observe and then pauses slightly at the end of each generation to see if you want to start again, edit or quit the game.

The screen update is accomplished by moving the data from the screen into a table. The information regarding the next generation is determined from the table area and updated on the screen. After checking all the table, the program then transfers the updated screen into the table area and starts again.

If you use an editor/assembler when writing this program, you may wish to re-locate it. Currently it resides in high memory of my 16K machine. If you have less than 16K memory, you will have to re-locate it; lines 120 to 180 and line 200 must be adjusted accordingly.

If you have a Level I machine, change the keyboard scan routines to CALL OB4OH. You will then have to save the A register immediately and enter a blank in the current cursor position. You must also execute a RST at location 10H. For instance, lines 340 to 360 would be changed to read as follow:

CALL	OB4OH
LD	(STORE3), A
LD	A, 20H
RST	10H
LD	A, (STORE3)
JR	Z, AGN
	LD LD RST LD

	JR		
How	to	play	

Enter LIFE with the SYSTEM command (for Level I use your monitor). After loading, type /28160 if you have not re-located the program. A plus sign will appear in the upper left of the screen; this is your cursor.

To place cells on the screen use this table:

Key	Results
U	Cursor goes up
D	Cursor goes down
В	Backspace
Space bar	Space
Ö	Put cell at current cursor location

	Α	В	С	E	F	G
GENERATION ONE	00	000	00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000	000
				0 0		-
GENERATION TWO		0 0 0	00 00	000	000 000 000	;
GENERATION THREE		000	00	000 000	0 0 0 0 0 0 0	?
			·	0 0		

When you are ready to process your creation, type an exclamation mark. The computer will then process a generation about twice a second. If you want to stop the processing, hold down the P key. When the current screen update is complete, the computer will go into a holding mode. In the holding mode you have four options. Pressing the following keys will give you the listed results.

Key	Kesults
С	Continue more processing
S	Stop everything and go to BASIC
H	Erase screen and start new game
E	Put cursor on screen. You may now add or erase the cells as when you first started. The screen will still have the present generation displayed.

There is complete wraparound with this game. If a cell tries to go off the top, it will pop up at the bottom of the screen; if it goes off to the left, it will appear immediately on the right and vice-versa. If a generation wraps around and intermingles you will get an untrue representation of the colony growth.

There is a good Life on cassette from Supersoft, 28 Burwood Avenue, Eastcote, Pinner, 01-866 3326. It runs slightly faster than this one.

e you the fisted fesuits		gene	ration displayed.	runs slightly faster than this one.
6E01	00100	ORG	6E01H	
6E01 110000	00110	LD	DE, OOH	
6E01	00120 START	EQU		ESTABLISHES BEGINNING OF PROG
6FF0	00130 STORE1	EQU		STORAGE FOR CURSOR REFERENCE
6FF2	00140 STORE2	EQU		STORAGE FOR CELL COUNT
6FF9	00150 STORE3		6FF9H	STORAGE FOR KEYBOARD SCAN
		EQU		
6A00	00160 TABLE	EQU		START OF VIDEO REF. AREA
006E	00170 COMP1	EQU		MSB OF END OF TABLE
006A	00180 COMP2	EQU		MSB OF START OF TABLE
3000	00190 VIDEO	EQU		LOCATION OF FIRST VIDEO BYTE
002E	00200 ADJUST	EQU		MOVES TABLE BYTES TO VIDEO AREA
6E04 ED53F06F		LD	(STORE1), DI	
6E08 ED53F26F	00220	LD	(STORE2), DI	E :CLEAR CELL COUNT
6E0C 21003C	00230	LD	HL, VIDEO	
6E0F 11013C	00240	LD	DE, VIDEO+1	
6E12 010004	00250	LD	BC,400H	
6E15 3620	00260	LD	(HL),020H	
	00270	LDIR	(112),02011	CLEAR SCREEN
	00270 00280 SCAN	PUSH	DE	OLEAN SOREEN
	00290	PUSH	IY (Amonto)	HEDAME GIROOD LOCATION
	00300 AGN3	LD	HL, (STORE1)	UPDATE CURSOR LOCATION
	00310	LD	DE, VIDEO	
6E22 19	00320	ADD	HL, DE	
6E23 362B	00330	LD	(HL),2BH	
	00340 AGN	CALL	2BH	SCAN KEYBOARD
	00350	CR	A	
	00360	JR	Z, AGN	IF NOTHING PRESSED, GO BACK
	00370	LD	HL, (STORE1)	
	00380	LD	DE, VIDEO	
	00390	ADD	HL, DE	avi., and available
	00400	LD	(HL),20H	TURN OFF CURSOR
	00410	LD	(STORE3),A	SAVE A
	00420	CP	44H	:CHECK FOR DOWN CURSOR REQUES
6E39 CA7A6E	00430	JP	Z,LNFDD	
6E3C 3AF96F	00440	LD	A, (STORE3)	
6E3F FE55	00450	CP	55H	:CHECK FOR UP CURSOR REQUEST
	00460	JP	Z.LNFDU	
	00470	LD	A, (STORE3)	
	00480	CP	42H	:CHECK FOR BACKSPACE REQUEST
	00490	JP		TOTALOR FOR DACKSPACE REGUEST
	00500	LD.	Z, BACK	
			A, (STORE3)	GIDDAY BAD BUAGEGGTNG DEGUEGE
	00510	CP	21H	:CHECK FOR PROCESSING REQUEST
6E51 CAA76E	00520	JP	Z,PROC	AN "!" BEGINS PROCESSING
6E54 ED5BF06F		LD	DE, (STORE1)	
	00540	LD	HL, VIDEO	194 - 20-2
	00550	ADD	HL, DE	SET UP CURSOR TO DISPLAY BYT
6E5C 3AF96F	00560	LD	A, (STORE3)	
	00570	CP	20H	:CHECK FOR SPACE REQUEST
6E61 CA6C6E	00580	JP	Z,MOD	
	00590	LD	A, (STORE3)	CHECK FOR "O"
6E67 FE4F	00600	CP	4FH	
6E69 C21C6E	00610	JP	NZ, AGN3	GO BACK IF NOT AN "O"
	00620 MOD		A. (STORE3)	O DAOR II NOI AN
6E6C 3AF96F		LD		
6E6F 77	00630	LD	(HL),A	
6E70 2AF06F	00640	LD	HL, (STORE1)	
6E73 23	00650	INC	HL	:INCREMENT CURSOR
6E74 22F06F	00660	LD	(STORE1),HI	SAVE CURSOR
6E77 C31C6E	00670	JP	AGN3	GO BACK, TURN ON CURSOR, WAIT FOR KEYBOARD INPUT
6E7A 2AF06F	00680 LNFDD	LD	HL, (STORE1)	DOWN CURSOR ROUTINE

(continued from previous	nagal			
	00690	LD	DE . 64	DESCRIPTION DE LA CALLANTINA DE LA CALLA
6ED7 114000 6E80 19	00700	ADD	HL.DE	REMEMBER IT'S 64 DECIMAL
6E81 22F06F	00710	LD	(STORE1),HL	MOVE CURSOR REF. DOWN
6E84 C31C6E	00720	JP	AGN3	
6E87 2AF06F	00730 LNFDU	LD	HL, (STORE1)	UP CURSOR ROUTINE
6E8A 114000	0740	LD	DE,64	
6£8D 37 6E8£ 3F	00750	SCF CCF		
6E8F ED52	00770	SBC	HL, DE	MOVE CURSOR REF. UP
6E91 22F06F	00780	LD	(STORE1),HL	
6E94 C31C6E	00790	JP	AGN3	DAGNOTAGE AND I DAGE DOUBTHE
6E97 2AF06F 6E9A 2B	00800 BACK 00810	LD DEC	HL, (STORE1)	BACKSPACE AND ERASE ROUTINE
6 <b>L</b> 9B 22F06F	00820	LD	(STORE1),HL	
6E9E 11003C	00830	LD	DE, VIDEO	
6EA1 19	00840	ADD	HL, DE	
6EA2 3620	00850	LD	(HL),20H	PUT A BLANK IN THE NEW PLACE
6EA4 C31C6E 6EA7 FDE1	00860 00870 PROC	JP POP	AGN3	
6EA9 D1	00880	POP	DE	
6EAA 21003C	00890 RELOAD	LD	HL, VIDEO	MOVE ALL VIDEO INFORMATION
	20000	T.D.	DE BARTE	: TO TABLE AREA
6EAD 1006A 6EBO 010004	00900 00 <b>91</b> 0	LD	DE, TABLE BC, 400H	
6EB3 EDB0	00910	LDIR	DO , 400H	
6EB5 21FF69	00930	LD	HL, TABLE-1	SET UP FIRST BYTE OF TABLE
6EB8 23	00940 THERE	INC	HL	
6EB9 C3CC6E	00950	JP	PRO1	*CLEAR CELL TALLY
6EBC 110000 6EBF ED53F26E	00960 MORE	LD	DE,0 (STORE2),DE	ICLEAR CELL TABLE
6EC3 7C	00980	LD	A,H	:CHECK MSB OF FIELD
6EC4 FE6E	00990	CP	COMP1	IF OVER "COMP1" GCTO PAUSE
6EC6 CA856F	01000	JP	Z, PAUSE	
6EC9 C3B86E 6ECC 22F06F	01010 01020 PR01	JP LD	THERE (STORE1), HL	
6ECF 114100	01020 PK01	LD	DE,65	CHECK UPPER LEFT NEIGHBOR
6ED2 CDD86E	01040	CALL	UPPER	
6ED5 C3E96E	01050	JP	LD2	CAMPAGE AFFICIANCE FOR THE
6ED8 37	01060 UPPER	SCF		COMPUTE NEIGHBORS LOCATED LEFT AND ABOVE PRESENT CELL
6ED9 3F 6EDA ED52	01070 01080	SBC	HL, DE	HEFT AND ABOVE PRESENT CEDE
CLDC 7C	01090	LD	A,H	
6EDD FE6A	01100	CP	COMP2	
6EDF DC076F	01110	CALL	C,ADD	: IF CELL IS OVER ON THE TOF : OF THE SCREEN, THEN WRAP
				: OF THE SCREEN, THEN WRAP : AROUND
6EE2 7E	01120	LD	A, (HL)	-
6EE3 FE4F	01130	CP	4FH	SEE IF CELL IS ALIVE
6EE5 CC4C6F		CALL	Z, TEST	:IF CELL ALIVE, TALLY SCORE
6EE8 C9 6EE9 2AF06F	01150 01160 LD2	RET LD	HL, (STORE1)	CHECK UPPER MIDDLE NEIGHBOR
6EEC 114000	01170	LD	DE,64	TOLEST OF EACH PEDDED TELETION
6EEF CDD86E	01180	CALL	UPPER	and the second s
6EF2 2AF06F	01190	LD	HL, (STORE1)	CHECK UPPER RIGHT NEIGHBOR
	01200 01210	LD CALL	DE,63 UPPER	
6EFB 2AF06F	01220	LD	HL, (STORE1)	
6EFE 110100	01230	LD	DE,1	CHECK LEFT NEIGHBOR
6F01 CDD86E	01240	CALL	UPPER	
6F04 C30C6F 6F07 110004	01250 01260 ADD	JP LD	CK2 DE,400H	*GOTO RIGHT AND LOWER NEIGHBOR
6F0A 19	01270 ADD	ADD	HL, DE	:MAKE CELL WRAPARCUND
6FOB C9	01280	RET.		
6FOC 2AF06F	01290 CK2	LD	HL, (STORE1)	
6F0F 110100		LD	DE,1	*CHECK RIGHT NEIGHBOR
6F12 CD186F 6F15 C3266F	01310 01320	CALL JP	LOWER LD3	GOTO REST OF NEIGHBORS
6F18 19	01330 LOWER	ADD	HL, DE	WRAPAROUND IF CELL IS OFF
6F19 7C	01340	LD	A,H	BOTTOM OF SCREEN
6F1A FE6E	01350	CP	COMP1	ADVIORO LIDADADADADA
6F1C CC446F		CALL	Z,SUB	:ADUSTS WRAPAROUND IF NEEDED
6F1F 7E 6F20 FE4F	01370	LD CP	A,(HL) 4FH	:SEE IF CELL IS ALIVE
6F22 CC4C6F		CALL	Z,TEST	IF SO THEN TALLY
The same of the sa	- And the control of	20 - 11 mm 11 - 4 mg/4 - 12	was a second of the second	

6F25 C9	01400		RET		
6F26 2AF				HL, (STORE1)	:CHECK LOWER LEFT NEIGHBOR
6F29 113				DE,63	
6F2C CD1	86F 01430		CALL	LOWER	
SF2F 2AF	06F 01440		LD	HL, (STORE1)	:CHECK LOWER MIDDLE NEIGHBOR
6F32 114				DE,64	
6F35 CD1	86F 01460			LOWER	THE RESERVE AND ADDRESS.
6F38 2AF				HL, (STORE1)	CHECK LOWER RIGHT NEIGHBOR
6F3B 114	100 01480			DE,65	
6F3E CD1				LOWER	
6F41 C35			7 -	FINAL	
6F44 37	01510		SCF		
6F45 3F	01 520		CCF	DD hoors	UDADO GUDOOD DEBENENCE
6F46 110	004 01530			DE,400H	:WRAPS CURSOR REFERENCE
6F49 ED5				HL, DE	
6F4B C9	01 550		RET	UT (CMODES)	:TALLY A LIVE CELL
6F4C 2AF			LD INC	HL, (STORE2)	TIABIL A DIVE CEDI
6F4F 23	01 570 26F 01 580		LD	(STORE2), HL	
6F50 22F			RET	(STONES) , ILL	
6F53 C9 6F54 2AF	01590			HL, (STORE1)	RESTORE HL (CURSOR REFERENCE)
6F57 3AF			LD	A.(STORE2)	GATHER IN TALLY
6F5A FE0			CP	2	CHECK IF THERE IS 2 NEIGHBORS
F5C CAB				Z, MORE	NO CHANGE IF THERE IS
6F5F 3AF			LD	A. (STORE2)	GATHER IN TALLY
6F5A FEO	3 01650		CP	3	CHECK IF 3 NEIGHBORS
6F64 CA7			JP	Z.NEW	MAKE A BABY IF THERE IS
6F67 7C	01670		LD	A,H	
6F68 D62			SUB	ADJUST	ADDRESS VIDEO AND KILL
6F6A 67	01690		LD	H,A	IF THERE IS A CELL THERE
6F6B 362	0 01700		LD	(HL),20H	20H IS AN ASCII BLANK
6F6D 2AF	06F 01710		LD	HL, (STORE1)	PUT CURSOR REFERNCE IN HL
6F70 C3B			JP	MORE	
6F73 7C	01730		LD	A,H	ADJUST HL TO ADDRESS VIDEO
6F74 D62			SUB	ADJUST	
6F76 67	01750		LD	H, A	
6F77 364	F 01760		LD	(HL),4FH	MAKE A NEW CELL
6F79 210	0000 01770		LD	HL,0	RESTORE TALLY
6F7C 22F 6F7F 2AF	26F 01780 06F 01790		LD LD	(STORE2),HL	
6F82 C3B	C6F 01800		JP	HL, (STORE1) MORE	PUT CURSOR REFERENCE IN HL
6F85 D5 6F86 FDE	01810	PAUSE	PUSH	DE	
6F86 FDE	5 01820		PUSH	IY	
6F88 CD2	2B00 01830		CALL	2BH	SCAN KEYBOARD TO SEE IF
6F8B FDE	e1 01840		POP	IY	A PAUSE IS REQUESTED BUT
6F8D D1	01850		POP	DE	ONLY SCAN ONCE
6F8E B7	01860		OR	A	
6F8F CA			JP	Z, RELOAD	PROCESS ANOTHER LOAD IF NOT
6F92 FE			CP	50H	
6F94 C2/			JP	NZ, RELOAD	IF ANY KEY BUT "P" IGNORE IT
6F97 D5		SCAN1	PUSH	DE	
6F98 FDE		AGN4	PUSH CALL	IY 2BH	. ADA WAS DESCRED SO RIND OUR
6F9D B7	01930		OR	A	"P" WAS PRESSED SO FIND OUT WHAT IS WANTED
6F9E CAS	A6F 01940		JP	Z,AGN4	KEEP LOOKING, HE MUST WANT
. 31 /2 ON			,	- Jacoby	SOMETHING
6FA1 FDE	01950		POP	IY	
6FA3 D1	01960		POP	DE	
6FA4 32F			LD	(STORE3),A	
6FA7 FE4			CP	43н	IF "C" PRESSED GO BACK
6FA9 CAA			JP	Z,RELOAD	. TO PROCESSING
6FAC 3AF			LD	A, (STORE3)	
6FAF FE4			CP	48H	IF "H"PRESSED START NEW GAME
6FB1 CAC			JP	Z,START	
6FB4 3AF	796F 02030		LD	A, (STORE3)	
OFB4 3AF			CP	53H	IF "S" PRESSED JUMP TO BASIC
6FB9 CA1			JP	Z,1A19H	
6FBC 3AF 6FBF FE4			LD	A, (STORE3)	TREES NOW PRESCRIP MINEY TOWN
6FC1 C29			CP JP	45H	IF"E" NOT PRESSED THEN IGNORE
6FC4 210			LD	NZ,SCAN1	INPUT AND GO SCAN AGAIN
6FC7 22F			LD	HL,0 (STORE1(,HL	"E" WAS PRESSED SO PUT CURSOR ON SCREEN AND SAVE
6FCA C31			JP	SCAN	CURSOR ON SCREEN AND SAVE CURRENT GENERATION FOR EDIT
0000	02120		END	-UNIT	CORRENT GENERATION FOR EDIT
	OTAL ERROR				



## Matching the abilities of man and computer

"Memory is necessarily for all operations of reason" — Blaise Pascal (1623-1662)

THE interest generated by the short PASCAL item by Francis Cox two issues ago has prompted us to commission this fuller assessment. If, when you have read it, or even before, you would like us to run a complete PASCAL course, like Donald Alcock's Illustrating Basic, would you please circle the number opposite in the questionnaire on and send it to us? Answer the other questions, too, if you wish.

PASCAL was outlined in 1968 and the first compiler for the language worked about two years later. The language is the brainchild of Nicklaus Wirth and others at the Zurich Technical Institute; it is a clear descendant of the Algol family, which was popular in Europe before being steamrollered by the Fortran-Cobol bandwagon.

The essential idea of PASCAL is to produce a structured, algorithmically-orientated language which matches realistically the abilities of both man and computer. The result is an elegant language which enables long programs to be written with few errors.

PASCAL executes programs quickly compared to other languages, especially in comparison with interpretative languages like Basic. Perhaps there is more to learn before you can use

#### by Richard Stevens and Ian Graham

PASCAL properly, though there is little of the unnecessarily fussy punctuation of Fortran.

Computer languages have shown none of the steady development of electronic hardware; the two most common of them, Fortran and Cobol, are both more than 20 years old. Basic has slipped into a different niche rather than displacing the two from their scientific and business environments.

At first sight, to the hardened Basic user, PASCAL has many tiresome points. Addicts tend to have the religious fervour of 16th century Jesuit priests and would deny this completely. It is not as "English" in its form, in the sense that it requires more learning of syntax than Basic. A PASCAL program is not interpreted line by line and it involves more new facilities — how to use an editor, for example — and extra statements for data types.

Converts to a new language tend to be carried away with it and are sometimes unwilling to take a balanced view about the relative merits of other languages, but PASCAL has many advantages which compensate for those disadvantages, even though many of which are more apparent than real.

#### Pure distillation

A PASCAL program looks very like the algorithm it represents. It is worth a slight diversion to understand the concept of an algorithm in relation to computers in general and PASCAL in particular. It is useless looking at the dictionary definition because the meaning has changed so much. Today an algorithm is a fixed routine or set of rules which produces the desired answer whatever the input data.

Every time you do a multiplication with rows and columns — remember, before you bought the calculator? — you are performing an algorithm.

Modern computing dates from 1936 when Alan Turing showed that it was possible to build a single and relatively-simple computing machine to solve any problem, provided it was algorithmic. He also proved that there were other problems

which could not be solved by such a machine. Previously people had thought that it might be necessary for different machines to be built for different tasks — and that is perfectly true in mechanical engineering.

The microprocessor is almost a pure distillation of Turing's algorithmic processor. Until the happy day when computers can understand English, it makes sense, therefore, to design the computer language round algorithms, which are at least comprehensible in human terms.

PASCAL and algorithms are also closely related to "structured programming", a set of ground rules for producing programs which are easy to correct, alter, understand and have few bugs. The structured program should be well larded with comments and the interfaces between the blocks should be strongly defined. The program should have a tree structure, with the central task represented by the trunk, and smaller branches representing the modules of the program. The program flow is up and down the branches, so that it is impossible to leap about from one part of the program to another.

#### Not rigid

Although it is algorithmic, PASCAL is not really rigidly "coded" and it is not too concerned with exact punctuation, unlike, for example, Fortran. If you state the problem in words, and then break down the analysis into its component parts, you have an algorithm and it does not look very different from the PASCAL program.

This can be seen by comparing the small example and its algorithm in figure 1. The equivalence of a program and algorithm becomes more obvious and important on longer programs. A remark by Pascal 300 years ago, obviously a preemptive strike against highly-symbolic languages like APL, is "Speak against language that is too deeply figurative".

Another attribute of PASCAL is its specific requirement for the definition of data types. This can be something of a mixed blessing. It is wasteful and irrelevant in short programs but it is almost essential for long, complex ones.

Take Basic, for instance, which normally defines numbers as floating point by default — though exceptions are allowed. This sounds sensible; it means you don't have to waste time specifying apparently unnecessary details. Basic goes through the same routine for finding how many people there are in two groups of two as it does for multiplying  $2 \cdot 3425645 \times 1 \cdot 45364757$ . Why should you care if it takes 10 milliseconds instead of a few microseconds?

If the program had been told that the first two numbers were integers instead of floating point, however, it could have reduced the multiplication times and the amount of memory required for data storage.

This may not matter much for small programs but it is disastrous if you are doing millions of multiplications or need to store thousands of data elements. Then it becomes necessary to define data structures properly.

#### Four standard types

PASCAL has four standard data types — real, integer, Boolean and character. It also allows you to define other types — for example, days of the month from 1 to 31. The title of Wirth's book Algorithms + Data Structures = Programs therefore defines the language beautifully in one phrase.

PASCAL uses labels and sensible names for procedures — equivalent to subroutines — functions and variables, as befits a

### O.K. so you've got a computer.



### So we've got all the add-ons!

Micropolis drives are available in 143K and 315K (formatted) versions expandable from one to four drives in various packaging options. Prices quoted below are for single 143K units including 240V power supply and

For \$100 computers: Cromemco, Vector, Horizon, SOL, Sourcerer with \$100 expansion.

1042-1 Master unit; includes controller card and Micropolis system software £499 1022-1 Add-on unit £339 CP/M £100 COBOL

For NASCOM and other small Z80 configurations:

143BZ Master unit; includes controller card and Raindos system firmware

For Motorola D1/D2, SWTPC MP-68 and other small 6800 configurations:

143BM Master unit; includes controller card and RPDOS system firmware

For TANDY TRS 80 with expansion interface:

1027 (T) Drive 1, 2, 3 or 4

£499 1022-1 Add-on unit £339

£499 1022-1 Add-on unit £339

£339

For \$100 computers:

**Vector 8K Static** Vector 16K Static with bank switching £500

Vector 48K Dynamic, Z80 refresh

£150 £300 For SS50 (SWTPC, MSI) computers:

80 4K Static £140 8K Static

£495 32K Dynamic, Onboard refresh

#### Microspeech

#### For SS50 (SWTPC, MSI) computers:

Microspeech analogue speech synthesiser converts text strings in phonetic spelling to audio output. Complete with special BASIC interpreter

£295



All prices exclude VAT and carriage Dealer enquiries welcome Please send for complete shortform catalogue Please enquire for add-ons to computers not mentioned above

Sintrom

Reading Berks, RG2 OLS Telephone Reading (0734) 85464

Circle No. 158

structured language. It is organised into separate blocks, each with standard elements. They must be in specific order and form as in figure 2, if they occur at all. All routines, variables or types are referred to by their labels and not by their line numbers.

By comparison, Basic is a line-orientated language; every statement is numbered. That has several advantages, and in particular it is easy to locate, alter and insert another line.

On the other hand, you have to refer to line numbers instead of sensible names: "120 IF X > A THEN 490 ELSE 370" instead of "IF MONTH LENGTH = 28 THEN MONTH: =FEBRUARY."

Basic is generally interpretative. This means you can say RUN and instantly see what happens. This is an excellent way to eliminate errors from a program. For instance, a spelling error in a Basic line produces a message like "SYNTAX ERROR IN LINE 37753".

It takes about 10 seconds to correct this and type RUN. If the same mistake occurred in a Fortran program on a PDP-11 — or any other system with relatively-bad error reporting — you would first have to identify the position of the error without the benefit of line numbers. This may involve printing the whole program. You then load the editing program, find the error, correct it and leave EDIT. All are slow tasks because you are manipulating the whole program.

#### Sensible compromise

But you haven't finished yet. You have then to compile the program and then link it with any routines used. At last you can input RUN. So if anyone says there are no advantages in interpretative languages, you have our full approval for clubbing that person with a box of punched cards.

Interpretative languages, however, have disadvantages. In particular, they run slowly because they have to decode each line of the program sequentially as they reach it, whereas a compiling language has done all this the best way during the compilation stage.

A sensible compromise might be to develop a program in the interpretative mode and then compile it to run fast when it is finished.

PASCAL adopts another approach. It is a compiling language and is designed so that the program could be compiled in one "pass". This means that the functions, data types, and so on must be defined before they are used. In turn, this allows easy checking of the use of these functions and sensible allocation of memory space. One of the great strengths of PASCAL is the amount of checking it does before the program is run.

The language defines the data structures very tightly and usually has good error reporting. This tends to eliminate one major source of errors — those syntax-type faults like spelling mistakes. They are found quickly and corrected.

The other principal group of errors is logical; you have told the

#### Figure 1: An algorithm and its PASCAL program

**Problem:** To print the factorials of the positive integers, where factorial 5 (51) is equal to  $5\times4\times3\times2\times1=120$ 

The algorithm is: Factorial 0 is equal to one; the factorial for the next number (N) is equal to the factorial of the previous number multiplied by N.

Program example:
CONSTANT LIMIT = 10;
VAR I,N: INTEGER;
FUNCTION FACTORIAL (N:INTEGER): INTEGER;
BEGIN
IF N 0 THEN FACTORIAL: = N° FACTORIAL (N-1)
ELSE IF N = O
THEN FACTORIAL: = 1
ELSE WRITELN ("ARGUMENT ERROR", N)
END;
BEGIN
FOR L: = 1 TO LIMIT DO WRITELN (I, FACTORIAL (I))



computer to do something stupid, so it has done it. This type of mistake tends to predominate in a long program. PASCAL can minimise these by its algorithmic structure, which makes it fairly easy to add lines to a long program without introducing logical errors. Another common source of problems, alteration to make a program more powerful, is reduced by a structured language.

An important feature of PASCAL is that it is unusually machine-independent. The syntax has already suffered from the same fate as other popular programming languages — the evolution of different dialects. There is no logical financial structure for producing, co-ordinating and evolving computing languages, although there is now an American National Standards Institute committee trying to corral the evolution of PASCAL.

#### Out of balance

The trouble is that there is no immediate money to be made from languages. One result is that their development is now out of balance with the capabilities of computer hardware. People adapt the language for features they fancy and there is no central co-ordination of natural evolutionary tendencies.

Fortran has suffered less than most because there has been a committee defining and re-defining the language, though the members of the committee have lost financially for the work they have performed. It is ludicrous that this vital kind of work is carried-out in such a penny-pinching way.

The different feature about PASCAL, the key to its portability, is that it is designed so that the intermediate, partially-compiled P-code is machine-independent. The P-code is the rather complex machine language code of an imaginary computer and all Pascal compilers should convert into this on the way to machine code.

To adapt a version of the language to a new machine, the main work is in translating the P-codes into the particular machine language, a relatively simple step. A good dialect of PASCAL developed at the University of California in San Diego has become a virtual standard, especially for small computers; it is

## Practical Computing Back Issues

If you are interested in microcomputers you will want to read the *Practical Computing* reviews of the machines in which you are interested. Each month *Practical Computing* carries at least one hands-on test of a popular microcomputer for use in business, the home, schools and colleges. Each review contains the kind of information you need—technical data and unbiased critical comment on the strengths and weaknesses of each system.

Each issue is packed with essential reading on microcomputers, including all our regular monthly features: Book and cassette reviews; Glossary of computer terminology; Computabits; Pet Corner (February onwards); Apple Pie (May onwards); Tandy Forum (March onwards); serialised *Illustrating Basic* (October 1978 onwards).

All this makes *Practical Computing* the invaluable source for the whys, wherefores, hows, if s and buts of microcomputing.



October 1978
Review 1: Commodore Pet I. Review 2:
VDUs - Computer Workshop CT-64.
Strumech Engineering ACT-1. Music on a
KIM; Micro v. Calculator; VAT accounting
complete program Part 1.



November 1978
Review: Tandy TRS-80. Projects for KIM:
Pet goes to school: VAT accounting
complete program Part 2; Complete
game program – Mastermind: Software
Dynamics Basic compiler review.



December 1978
Review: Research Machines 380Z.
Choosing your first computer: ITT interview; Complete games programs—
Battleships, Racing Cars and Monsters:
A microcomputensed reservation system



January 1979
Review: Nascom I. Convert an IBM
typewriter into a terminal Part I; In-car
computing -Pet in the Panther DeVille;
Report from the Los Angeles Computer
Faire: Pascal v. Basic.



February 1979
Reviews: Cromemco 2-2D. Low-cost
peripherals: Systems for estate agents
and doctors: A £1000 payroll system; IBM
typewniter conversion Part 2: Complete
game program – Warlock Warren.



March 1979
Review: Single-board computers for less than £50. Low-cost stock-control systems; IBM typewriter conversion Part 3; New monthly column - Tandy Forum: Complete game program - NIM.



April 1979
Review: North Star Horizon. Business accounting systems; Apple II design story Part 1; Computerised school meals; Finance for school computing, Build your own frequency meter; Star Trek game.



May 1979
Reviews: Exidy Sorcerer, Science of
Cambridge Mk 14; Printers for less than
£1000; Order processing/invoicing
packages; Retire with your computer;
Apple II design story Part 2; Slalom game



June 1979
Reviews: Compucolor II, Ohio Superboard II; Low-cost word-processing;
Computing in a pharmacy; Designing a small business application Part I;
Computer v. Brain; Zombie game.



July 1979
Reviews: AIM-65, SOL-20. Choosing your first computer: Interfacing Pet with a mainframe; Nascom story; Designing a small business application Part 2: Biorhythms program.

Only the above issues are still available. To keep your copies of Practical Computing in good condition and convenient for reference you will need a special binder. In blue, with Practical Computing in silver-style lettering on the spine, each holds twelve issues comfortably. Fill in the coupon opposite and return it with your remittance to Practical Computing, 30-31 Islington Green, London N1 8DU.

Figure 2: PASCAL functions

If the following functions appear in a procedure, they must appear in this order:

● Label — defines a label, seldom used in good PASCAL.

- Constant defines a constant, such as  $\pi = 3.142$ , message = "help".
- Type creates a special data type, such as days: (1 . . . 31); month: = (Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, ● Type Nov, Dec).
- Variable -- indicates one of the standard data types, e.g. people: integer; decision: Boolean.

  • Procedure — an independent ch
- an independent chunk of program.

• Statement — the program itself.

available for most micros. As the P-code is machineindependent, the intermediate code for any program should also transfer between any pair of machines.

PASCAL needs a good deal of memory — about 48K bytes for a workable system — and floppy discs are essential. The implementation for PDP-11s by OSMI takes 22KB itself; this is claimed to be a minimal amount for a working system. That is for 16-bit minis, so PASCAL will take even more for eight-bit machines and the coding produced will be less efficient.

#### Faster than Basic

To set against that, it produces a faster program than the equivalent in Basic. The exact differential is hard to gauge; it depends on the type of program. There would be little difference between the two languages in the time and manner they evaluated a SIN function. If the languages are dealing with integers or bit manipulation, it is a different story. PASCAL uses less memory in the final program than Basic because it stores data in a more efficient manner.

A vital difference between interpreting and compiling languages occurs where the program is meant to be used away from the computer in which it is developed, for example as a process controller of some kind. With an interpretative language, the whole of the interpreter must be stored even if only a fraction of it will be used. The compiling language uses only the pieces of the language it needs. This is vital where multiple copies of a program are to be made.

PASCAL was designed in 1971, when constraints such as minimum memory usage and speed of execution were relatively more important than ease of programming. As hardware becomes cheaper and faster, it makes sense to use computer power to reduce the programming effort.

#### More cost-effective

In the last seven years, memory has become at least 100 times more cost-effective. One megabyte costs about £10,000 now; if present trends continue, it could be down to less than £50 in 10 vears.

It is economically sensible to use cheap and powerful hardware as efficiently as possible to reduce programming effort, rather than the other way round. PASCAL, or any language which evolves from it, is likely to change to reflect this potential, especially with the availability of extremely cheap 16-bit systems able to address much more memory directly.

It is difficult to make computer languages richer in syntax the total number of words they "understand" — than they are at present. One reason is that programmers find it difficult to remember more than a few hundred functions. More convenient operating systems, with manuals and language aids stored on disc, will mean, however, that some increase in syntax will be possible. After all, you can now buy an 80-megabyte disc for £2,800 and a 1,000-page manual would occupy only a small proportion of that.

**PASCAL Users Group (PUG)** 

The PASCAL Users' Group is an ad hoc band devoted to spreading the gospel, principally through the Group newsletter, which costs only £4 a year. Contact PASCAL Users' Group, Computer Studies Group, Mathematics Department, Southampton Uni-

#### For which system is PASCAL available?

PASCAL is available for machines as large as the CDC 7600. If that is too slow for you, you will have to buy a Cray - about £5 million, mains plug included in the price. There is an implementation for all the PDP-11s and the LSI-11, which means that the language can also be used on the Heathkit LSI-based equipment.

At the micro end, a version of the San Diego implementation is available for the Zilog Z-80, Intel 8085 (and presumably therefore the 8080), the Texas Instruments 9900 and the Motorola 6800. There is a San Diego version for the Digital Research CP/M, too, so any micro using this popular operating system should be able to buy it. We understand Abacus Computers will sell it, either separately or with its TEI \$100-based system.

Three other firms selling systems with PASCAL are Compelec, Research Machines — soon if not now — and Equinox. A North Star implementation should now be available for any system using that company's discs.

It should be pointed out that although the San Diego system is good, these are early days for the PASCAL micro versions, so when you get it, don't expect it to be perfect. Page 74 of the manual contains the chilling message "the debugging program is not yet issued because it is full of bugs".

The authors have been looking around for a PASCAL system to borrow and, as of mid-February, there was nothing lightweight available. "We'll have one in 14 days" was a typical quote, and we believe them.

This is a list of all the firms we could find selling PASCAL systems here and in the States. Anyone selling anything else related to PASCAL, please write with details.

OMicrodasys, P.O. Box 36051, Los Angeles, CA 90036 (Motorola 6800).

OAltos Computer Systems, Santa Clara (Zilog Z-80) - U.K. agents are Compelec (01-636 1392) which will also supply PASCAL on CP/M for its Series I system (based on the Z-80).

OMarinchip Systems, 16 St. Jude Road, Mill Valley, California (16-bit Texas 9900 on an S-100 card).

ONorth-West Microcomputer Systems, 121 East Eleventh Street, Eugene, Oregon 97401 (Intel 8085), Potential U.K. source, Abacus.

OComputer Interface Technology, 2080 South Grand, Grand Centre, Santa Ana, CA 92705 (system based on Western Digital chips).

OEquinox Computer Systems, Kleeman House, 16 Anning Street, New Inn. Yard, London EC2A 3HB. (01-739 2387 — North Star Equinox systems).

OAbacus Computers, New Cavendish Street, London (01-639 0777) has PASCAL running on its TEI equipment.

OCasu Electronics, Ferndown, Northwood Hills, Middlesex (Northwood 29402), has its own S-100 system with CP/M and PASCAL about to be implemented.

OOregon Minicompter Software Inc has PASCAL software for all PDP-11 and LSI-11 operating systems.

OResearch Machines, P.O. Box 75, Chapel Street, Oxford 49792 (soon if not now).

An interesting piece of hardware which will be available soon is a 16-bit micro system based on chips produced by Western Digital. In this, the machine instructions are optimised specifically by microcoding for the machine to run the intermediate P-code directly, so there is a speed improvement of perhaps four or five times over a standard software version. This means that the system, costing something around £3,000, will out-perform reasonably powerful minicomputers using PASCAL software. That "imaginary computer" for the P-code is imaginary no more.

#### A note on Pascal

Blaise Pascal (1623-1662) was French and lived in the 17th century, at a time when Frenchmen in particular were distinguished by their breadth of vision. Even so, Pascal was an exceptional polymath writer, mathematician, scientist, religious thinker, natural philosopher.

He also built the world's first mechanical calculator (about 1647) to help his father, who was a taxman in Rouen. It used wheels marked with digits, and turning a wheel through a full revolution (from 0 to 9) caused its neighbour on the left to move one notch.

Pascal apparently built about 50 but they suffered from mechanical problems because he couldn't get the interlocking cogs cut accurately enough. So he invented the hypodermic needle, the hydraulic press, the basis of probability theory and the first public transport system in Paris.

He was as eminent as a theologian as he was a mathematician and also as an author. It was he who said: "The heart has its reasons which reason knows nothing of," which would, in itself, be enough to ensure his fame.

£249.50

FEATURES INCLUDE:

- 20 COLUMN PRINTER
- **20 CHARACTER ALPHANUMERIC DISPLAY**
- \* FULL 54 KEY TERMINAL-STYLE KEYBOARD
- \* TTY INTERFACE
- \* TWIN CASSETTE INTERFACE
- \* RAM 1K TO 4K OPTIONS **OPTIONAL EXTRAS INCLUDE: 8K'BASIC' INTERPRETER ROM**

- £70 00

4K ASSEMBLER ROM -£59.50 POWER SUPPLY - £41.83 **CASE (Including Power Supply)** 

- £78 00

**EXPANSION MOTHERCARD** 

- £136.50

AIM 65 comes to you fully built and tested with a full alphanumeric keyboard, 20 character display and a 20 column printer for keeping a permanent record of all your work. Available in 1K- and 4K-byte RAM versions, AIM 65 is designed around the 6502 CPU, which has 64K address capability with 13 addressing modes. This is the

microprocessor at the heart of many other, more costly, systems such as PET and APPLE. AIM 65 has a 4K ROM-resident monitor

program for all peripheral control and user programming functions. Spare sockets are included for expanding on-board program memory via user PROM-based programs and/or Rockwell assembler, text editor and BASIC interpreter plug-in options. AIM 65 has a connector for external

access to system bus for memory and



ideal general purpose micro-computer for the engineer AIM 65 is available in the UK only from PELCO ELECTRONICS LTD at £249.50 +. VAT, complete with User's Manual and Schematic, R6500 Programming and

low-cost microcomputer development

system available - an invaluable educational aid to first time users and an

Hardware Manuals and a handy pocket reference card

• Circle No. 159



### Pelco (Electronics) Ltd

Enterprise House 83/85 Western Road HOVE East Sussex BN3 11B Tel: Brighton (0273) 722155

Buy it with your Access or Barclaycard



### TRS 80 SPECIALIST

10% off our list prices on TELETYPE 43s and TRS80 printers.

Disc drives, printers etc at discount prices. Most popular books and magazines in stock including TRS 80 Newsletter.

SPECIAL ITEMS

The Basic Handbook by David Lien £11 C-20 computer-certified cassette tapes £4-70 for 10

16k TRS80 upgrade kits with full instructions, £80.00 Minidiskettes £3.20 ea. or box of ten. £30.00

Plus all the latest equipment.

118 Wandsworth High Street, London SW18 Tel: 01-870 4805 Telex: 8813089 (Interprem) Telephone orders with Barclay or Access Card welcomed. Serid stamped addressed envelope for list including discount book prices.

Circle No. 160

#### LINBURG ELECTRONICS LTD

QUALITY SEMICONDUCTORS WITH FULL INDUSTRIAL SPECIFICATION

MOTOROLA		74LS TTL	
MC6800P CPU	£7 10	74LS00	19p
MC6810 RAM	£3.20	74LS01	19p
MC6820 PIA	£4.50	74LS02	19p
MC6850 ACIA	£4.50	74LS03	19p
MC6875 CLOCK	£3.80	74LS04	20p
D2 EVALUATION KIT	£176.00	74LS08	20p
(MEK 6800 D2)		74LS10	20p
ZILOG		74LS14	74p
280 CPU 2.5MHZ	£14.00	74LS20	22p
Z80 CTC	£9.00	74LS27	32p
Z80 PIO	£9.00	74LS30	26p
PROMS		74LS32	26p
2708 1K × 8 EPROM	£6.75	74LS42	88p
2716 2K × 8 EPROM	£17.00	74LS47	£1.00
(TEXAS TRIPLE SUPPLY		74LS74	30p
VERSION)		74LS75	40p
SUPPORT CHIPS		74LS90	54p
MC1488 V24 Tx	£1.40	74LS93	<b>5</b> 4p
MC1489 V24 Rx	£1,40	74LS155	57p
8216 BUS DRIVER	£3.00·	74LS174	80p
AY-5-1013 UART	£4.83	74LS367	54p
8 in. FLOPPY DISCS	£4.00	DIEACE ADD 2	<b>&gt;</b> -
(SINGLE DENSITY,		PLEASE ADD 30p	
SINGLE SIDED)		POSTAGE AND PACKING	



SINGLE SIDED

LINBURG ELECTRONICS LTD DEPT PC, MOSS WAY DONIBRISTLE INDUSTRIAL ESTATE, HILLEND DUNFERMLINE, SCOTLAND

V.A.T.

TEL: (0383) 823222

Circle No. 161

AND THEN ADD 8%

## HUSRING BISIS

## (A SIMPLE PROGRAMMING LANGUAGE)

WE CONTINUE our series of articles on how to program in Basic, probably the most widely-used programming language for small computers. For the series, we have obtained the serialisation rights for one of the best books on the subject, Illustrating Basic by Donald Alcock.

Each month, we are publishing a part of the book, so by the end of the series you will have the complete book. It is written with a distinct informality and has a rather unusual presentation; but it is this style, we believe, which makes it one of the most easy to read tutorials.

Alcock Illustrating Basic. c Cambridge University Press. Reprinted by permission.

REFACE 1 . COMPONENTS OF THE LANGUAGE 2. ANPUT & OUTPUT, EXPRESSIONS AND FUNCTIONS 3. BONTROL 39 ARRAYS 59 5 . MATRICES 75 3. COMPLETE EXAMPLE PROGRAMS 101 To GOMMANDS AND SIGNING ON 111 SIGNING ON & A GENERAL IDEA OF THE PROBLEM 112 COMMANDS & EACH CAUSES IMMEDIATE ACTION 114 8. FILES OF DATA. 119 D. SYNTAX 127 NDEX 132





CONSULT YOUR
USER'S MANUAL SEVERY SYSTEM HAS
ITS OWN RULES ...

BASIC RUNS ON MINI-COMPUTERS AND MONSTERS ALIKE .



YOU MAY USE A MODERN "DESK-TOP" COMPUTER DESIGNED EXCLUSIVELY FOR DEVELOPING AND RUNNING BASIC PROGRAMS.

(SOME OF THESE HAVE KEYS MARKED WITH THE WORDS OF THE LANGUAGE TO SIMPLIFY TYPING )

"TERMINALS" CONNECTED TO A COMPUTER IN
THE BUILDING OR CONNECTED BY TELEPHONE
TO A COMPUTER MILES AWAY.

SOME TERMINALS HAVE A KEYBOARD AND VISUAL-DISPLAY SCREEN LIKE A TELEVISION: OTHERS A KEYBOARD AND PRINTING HEAD FOR TYPING ON PAPER.



OF THEM. SOMEHOW YOU HAVE TO TELL THE COMPUTER YOU WANT TO USE BASIC AS YOU "SIGN ON".

When you switch on a terminal ( AND , IF IT IS CONNECTED TO A TELEPHONE LINE , DIAL THE NUMBER OF A COMPUTER BUREAU ) THE FIRST INTELLIGIBLE RESPONSE YOU GET COMES FROM THE COMPUTER'S "OPERATING SYSTEM". YOU THEN HAVE TO TYPE COMMANDS IN A CODE THE OPERATING SYSTEM CAN UNDERSTAND. UNFORTUNATELY THESE CODES ARE TOTALLY DIFFERENT FROM ONE OPERATING SYSTEM TO ANOTHER. SOME HELP YOU BY ASKING QUESTIONS AND SUPPLYING PROMPTS. THE EXAMPLE OPPOSITE CONCERNS AN IMAGINARY SYSTEM SUCH AS THIS BUT YOU WOULD BE LUCKY TO FIND A REAL ONE AS INTELLIGIBLE.

#### CONVERSATION WITH AN IMAGINARY OPERATING SYSTEM 3

YOU ARE CONNECTED TO THE "THANATOS" SYSTEM OF NECROPOLITAN LIFE ASSURANCE INCORPORATED, MORSVILLE. PLEASE TYPE YOUR ACCOUNT NUMBER

? 123021/6

PASSWORD

? DAVYJONES

MOST SYSTEMS PRINT AND OVERPRINT A BLACK MESS OF CHARACTERS
WHEN ASKING FOR YOUR PASSWORD 50 THAT WHAT YOU TYPE ON TOP
OF THE MESS CAN'T BE DECIPHERED BY CURIOUS BYSTANDERS;

PASSWORD

? ..........

USER 123021 SUBACCOUNT 6 SIGNED ON AT 17.03 HRS WHAT PROCESSOR OR LANGUAGE

? BASIC

THE CONVERSATION WITH THE OPERATING SYSTEM IS NOT QUITE FINISHED &
BUT THIS IS THE POINT AT WHICH SIMPLER OPERATING SYSTEMS (THOSE
FOR COMPUTERS DEDICATED TO BASIC ) BEGIN WHEN YOU SWITCH ON ...

NEW PROGRAM OR OLD

? NEW

GIVE NEW PROGRAM A NAME

2 EXAMPL

THE NAME YOU INVENT IS RESTRICTED BY MOST OPERATING SYSTEMS TO ABOUT SIX LETTERS AND DIGITS OF WHICH THE FIRST MUST ALWAYS BE A LETTER.

BASIC IS READY

THIS IS THE POINT AT WHICH MOST EXAMPLES IN THIS BOOK BEGIN SEEDLY TO RECEIVE A NEW PROGRAM TYPED LINE BY LINE PRIOR TO

WANT TO "SIGN OFF" IN MANY SYSTEMS YOU DO THIS BY TYPING "BYE" OR "GOODBYE"

BYE


USER 123021 SUBACCOUNT 6 SIGNED OFF AT 17.15 HRS. TIME CONNECTED = 12 MINS, PROCESSOR TIME = 1.385 SEC.

TRY TYPING "HELP" SOME SYSTEMS DO RESPOND HELPFULLY SOTHERS
JUST SAY "WHAT?" BUT IT'S WORTH A TRY.

## COMMENDS

EACH COMMAND MAKES BASIC DO SOMETHING THE MOMENT IT IS TYPED.

THE MOST IMPORTANT COMMAND OF BASIC IS "RUN" BUT THERE ARE OTHERS COMMON TO MANY VERSIONS OF BASIC AND BRIEFLY DESCRIBED HERE. MOST BASICS HAVE USEFUL COMMANDS FOR PROVIDING LINE NUMBERS AUTOMATICALLY, FOR RE-NUMBERING THE LINES OF A PROGRAM, AND FOR JOINING PROGRAMS TOGETHER, BUT THESE COMMANDS VARY TOO MUCH IN DETAIL TO BE INCLUDED IN THIS BOOK. ALWAYS CONSULT YOUR MANUAL ABOUT THE COMMANDS OF BASIC.



AGAIN: BASIC DOESN'T FORGET A PROGRAM HAVING OBEYED IT.

RUN 1 2 3 4 5 6 7 8

F YOU TYPE "LIST" BASIC WILL PRINT A COPY OF THE PROGRAM YOU HAVE TYPED. IT WILL BE A CLEAN COPY HAVING BAD LINES REPLACED OR REMOVED AND OUT-OF-SEQUENCE LINES CORRECTLY INSERTED. COMPARE THE ORIGINAL PROGRAM ABOVE WITH THAT BELOW. (SEE ALSO PAGE 7.)

LIST
20 FOR A = 1 TO 8
30 PRINT A;
32 NEXT A
40 END

IN SOME BASICS TYPING "LIST 30" WOULD CAUSE JUST LINE 30
TO BE PRINTED 3 IN OTHERS THIS WOULD CAUSE LINE 30 AND ALL
SUBSEQUENT LINES TO BE PRINTED. IN SOME BASICS TYPING
"LIST 20,32" (IN OTHERS "LIST 20-32") CAUSES JUST THAT
PART OF THE PROGRAM INCLUDED WITHIN THE STATED RANGE OF
LINE NUMBERS TO BE PRINTED.

IF YOU TYPE "SAVE" THEN BASIC WILL SAVE IN A "FILE" A COPY OF
THE PROGRAM YOU ARE CURRENTLY WORKING ON . THE COMPUTER HAS A
WORKING AREA (LUSUALLY IN ITS FAST CORE STORE)) AND A FILES AREA
(LUSUALLY IN ITS BACKING STORE OF MAGNETIC TAPES AND DISKS). WHEN
YOU TYPE "SAVE" A COPY OF THE PROGRAM CURRENTLY IN THE
WORKING AREA GOES TO THE FILES AREA. YOU CAN GET IT BACK
AGAIN BY TYPING ITS NAME AS DESCRIBED LATER.

LIST
20 FOR A = 1 TO 8
30 PRINT A
32 NEXT A
A0 END
PROGRAM TO THE FILES
SAVE
REAL UNDER THE NAME
GIVEN ON PAGE 113

ONCE IT IS IN THE FILES AREA YOUR PROGRAM WILL NOT DISAPPEAR WHEN YOU SIGN OFF; BUT YOU WILL BE CHARGED RENTAL QUSUALLY BY THE DAY ) AS LONG AS IT REMAINS IN THE FILES AREA. IT IS ON SUCH RENTALS THAT COMPUTER BUREAUX MAKE THEIR PROFIT.

DOU MAY DISCOVER WHAT YOU HAVE STORED IN THE FILES AREA
BY TYPING "CATALOG" (IN BRITAIN YOU MAY TYPE "CATALOGUE").

EVERY SYSTEM PRESENTS THE INFORMATION DIFFERENTLY BUT THE
FOLLOWING IS TYPICAL:

CATALOG USER 123021/6 FILES STORED: TYPE SIZE DATE CREATED NAME EXAMPL SOURCE CODE OI MAR 77 1 PR OG 27 SOURCE CODE 2 28 FEB 77 DATA 65 DATA 13 JUN 27 75 DAT4 DATA 15 24 AUG

"SOURCE CODE" IS JARGON FOR A PROGRAM IN ITS ORIGINAL FORM IN THIS CASE BASIC ...

THE MEANS OF CREATING AND STORING FILES OF DATA ARE DESCRIBED ON PAGE 120.

"SIZE" DETERMINES THE DAILY RATE CHARGED FOR RENTAL : THE UNITS OF SIZE MIGHT BE BLOCKS OR TRACKS OR SOME OTHER MEASURE DEPENDING ON THE KIND OF EQUIPMENT IN USE.

### COMMANDE (COMMED)

YOU MAY REMOVE A FILE FROM THE FILES AREA DESTROY IT
COMPLETELY BY TYPING "UNSAVE" FOLLOWED BY THE NAME
OF THE FILE, OR A LIST OF NAMES SEPARATED BY COMMAS. IN
SOME SYSTEMS THE WORD IS "PURGE" \$ IN OTHERS "DESTROY".

UNSAVE DATAGS, DATA

IF YOU THEN TYPED "CATALOG" AGAIN YOU WOULD NO LONGER FIND FILES DATA65 OR DAT4 AND RENTAL CHARGES FOR THEM WOULD CEASE. IN MANY SYSTEMS YOU CAN MAKE COPIES OF FILES ON PUNCHED PAPER TAPE OR PUNCHED CARDS: ON SUCH MEDIA YOU CAN STORE FILES WITHOUT PAYING RENTAL YET HAVE THEM READ BACK INTO YOUR FILES AREA WHEN NEEDED AGAIN. THE MEANS OF DOING THESE THINGS YARY GREATLY FROM SYSTEM TO SYSTEM SO CAN'T BE DESCRIBED IN THIS BOOK.

TO BRING A FILE FROM THE FILES AREA TO THE WORKING AREA
YOU TYPE THE COMMAND "OLD" FOLLOWED BY THE NAME OF THE
FILE WANTED &

OLD PROG27

WHATEVER WAS PREVIOUSLY IN THE WORKING AREA HAS NOW DISAPPEARED, SO REMEMBER TO USE "SAVE" BEFORE "OLD" IF YOU WANT TO PRESERVE A COPY OF THE WORKING AREA.

YOU MAY NOW TYPE "LIST" IN ORDER TO SEE A COPY OF PROG27, OR YOU MAY TYPE "RUN" TO EXECUTE PROG27, OR YOU MAY TYPE INSTRUCTIONS IN BASIC WHICH WILL ADD TO THE PROGRAM OR REPLACE LINES OF IT. WHEN YOU TYPE "OLD" IT IS EXACTLY AS THOUGH YOU HAD JUST TYPED THE PROGRAM NAMED. AND THAT PROGRAM DOES, OF COURSE, REMAIN INTACT IN THE FILES AREA: THE COMMAND "OLD" TRANSFERS A COPY OF THE NAMED PROGRAM TO THE WORKING AREA.

So what if you alter prog 27 in the working area by typing several new lines of Basic and then type "save" again there is one prog 27 in your files area and a Different prog 27 in your working area. The answer is that Basic Prints an error message to say that prog 27 is already saved.

WOWEVER , MOST "SAVE" COMMANDS WOULD ALLOW THIS:

SAVE PROG27A

IT SAYS "SAVE THE PROGRAM IN THE WORKING AREA AS THOUGH IT WERE NAMED PROGRAM". YOUR FILES AREA WOULD NOW CONTAIN BOTH PROGRAM IN THE WORKING AREA WOULD STILL BE CALLED PROGRAM.

THE ILLUSTRATION SHOWS AN INITIAL ABORTIVE ATTEMPT TO FILE TWO PROGRAMS UNDER THE SAME NAME.

SAVE

\*\*\*ERROR\*\*\* PROG27 ALREADY SAVED

UNSAVE PROG27

SAVE

IN MOST SYSTEMS THE COMMAND "UNSAVE" WORKS ONLY ON FILES IN THE FILES AREA NOT ON THE CURRENT FILE IN THE WORKING AREA. IF YOU NOW TYPED "CATALOG" YOU WOULD FIND PROG27 BACK IN THE FILES AREA BUT ITS DATE OF CREATION WOULD BE TODAY'S DATE.

COMMAND "NEW".

NEW

IF YOU DON\*T DO THIS THEN ANY LINES OF BASIC YOU TYPE WILL GO TO CHANGE THE PROGRAM CURRENTLY IN THE WORKING AREA,

PAGE 113 FORCES THE VERY FIRST COMMAND TO BE:

# HERE'S TREMENDOUS VALUE FROM COMPUTER CENTRE

#### MINI KIT

The lowest priced CP/M Z80 Micro in U.K. Add your power and terminal. Minifloppy 16KB, RAM, Z80, CTC, Serial + Parallel I/O, S100 motherhood, connectors, manuals CP/M system FREE BASIC and ALGOL. Optional two drive case illustrated and power supply £149

#### **MEGABYTE**

MEGABYTE MICRO KIT CP/M disc based micro in kit form! Just add power and a terminal. Kit includes:

Drive, 8in double sided double density, Z80, CTC, serial and parallel 10, 16K ram (expandable to 64K), CP/M systems, connectors, manuals Case and power supply extra £149. Assembled and Dual Drive versions available.



#### SIOO KITS



8K Static Ram Kit 4MHz has run in Northstar, £79 Cromenco, etc. ass. £94

64K Dynamic Ram Kit 4MHz runs with 8080, Z80, uses 16kbit chips £449 ass. £499

SBC 100 Single board Z80 S100, Z80, CTC, USART 1K Ram, 4 Rom, serial an parallel 1/0.

£155 ass. £215

Eprom Programmer Kit for 2708, or 2716 Eproms S100, Eprom sockets £99 ass. £145

Also S100	kit	ass.
16K Econocam IV 4MHz	175	199
8080A with vector interupt	69	104
104 2 serial/parallel	89	124
Tarbell disc controller	125	160
Versa floppy disc		
controller	99	140
VDB 80x24 Video	185	245
Motherboard (11 slot)	19	_
Prototype	18	

#### O INCH DDIVE

DRI 7100 (Shugart Compatible) single/dual density. British Made Assembled + Guaranteed. Double sided version. £375



#### SDS 100

**Z80, 12VDU 1 M. Byte**, twin drives serial + parallel outputs numeric pad CP/M system



#### TRS 80

16K bytes upgrade kits these are the IC's that even work in the 48 k expansion. Excellent instructions, screw driver and common sense extra!



#### CP/M SOFTWARE

CP/M Operating system + 6
manuals + Basic - E £64
Extensive User group £4.50
Library includes Basic 8" DISC
compilers/interpretors Algol-60,

Pilot, Stoic, utilities and games.
10 copies £35

Proprietory software:

Froprietory software:
Microsoft basic £180
Fortran £280
CIS Cobol £380
UCSD
In stock. Cash with order ensures same day despatch. Add 2% postage and 8% VAT to advertised prices.
Send: □ Catalogue(please tick)

I		4			2	e	n	d		٠	٠		•					٠	٠		٠	•		۰	٠
			٠	٠																					
														*					٠						
n	ıC	k	05	SE	) (	c!	h	e	41	u	е	f	)I	£					. •				,		

Address Address COMPU

Name

OMPUTER CENTRE

9 De la Beche Street, Swansea. SA1 3EX. Tel: 0792 460023 Telex: 48638

## Scotland's first micro Micro computer shop

AREAN OFFICIAL DEALER

(x commodore

The famous PET computer with display,



Basic, full-size keyboard, etc. 4KPET ..... £460 8K PET ..... £550 16K PET ..... £675 32K PET ..... £795 Dustcover ... £4.58 .....£55

cassette deck Dual disc unit with operating system and 343K storage .... £795



PET dot matrix line printers with upper/lower case, 80 cols, 93 ch/sec. PET 2023 .... £550

CBM 3022 ... £645 RS232 bidirectional interface ......£186 Modem interface package ...... £100 KIM-1 single card computer ...... £99.95 A complete computer for under £100!

#### PET SOFTWARE

PETACT business systems ..... from £225 PETSOFT programs ......from £3.00 Master library..... Strathclyde University PET course..£8.00 Over a hundred programs available on floppy discs or cassettes.

#### **BOOKS MAGAZINES**

Around 200 titles available—the widest selection of books in Scotland. Intro. to micros (Osborne) ..... Scelbi 6800 Gourmet Guide (Findley). £7.95 From chips to systems (Zaks) ...... £7.95 Z-80 handbook (Barden) ...... £6.95 Intro. to personal computing ...... £5.75 Micro interfacing techniques ...... £7.95 8080 programming for logic design ...., £5.95 Programming in Pascal (Grogono) ..... £7.95 Plus many many more. We are Bits, Scelbi and Computer Bookshop stockists. University and College computing

courses supplied.

Call in lot a demonstration Call In for a demonstrator of test a micro-computer System yourself. We have and niee strowcome, a service niee strowcome, george gedy workstrop, od programs ready workstreds you Ask for FREE brochure and our professional advice on the best micro-computer system and peripherals for your

VAT and delivery.

**ARE AN** OFFICIAL DEALER



applications. Prices exclude

16K Apple II .. £950 32K Apple II .... £1050 48K Apple II.. £1150 Cassette deck.... £37.50 Printer interface.. ..£110



Disc and controller. £425 Applesoft ROM ...... £110 Modem interface ... £110 ..... £165 Speech lab... Real time clock... £165

A powerful disc system with excellent software, intelligent interfaces and colour graphics. Highly expandable. Plugs into any colour TV

#### PRINTERS TERMINALS



Qume daisywheel ...... £2497 **ARE AN** OFFICIAL DEALER

A popular 6800 system which is expandable,

with a wide range of software. MP-68 CPU, 4K memory... MF-68 Dual disc unit (157K) ...... £860 DMAF-1A Dual disc unit (560K). £1400 MP-8 memory expansion (8K) ..... £140

Micro Centre 031-225 2022 132 St. Stephen Street, Edinburgh EH3 5AA

AREAN OFFICIAL DEALER

#### **G**Cromemco

Rugged professional range of computers using the advanced Z-80 chip and S-100 bus. UK maintenance available 4MHz single card computer kit ..... Z-2 assembled USA (21 sockets) .... £622 64K memory board ..... £1026 Z-2D disc retrofit assembled £622 CS-2 System 2, dual disc, 64K £2294

\* Fast \* Flexible

\* Expandable

11-megabytes hard discs

CS-3System 3, dual 8" disc, 64K .... £3786 HDD 11-megabytes hard disc drive. £4023 HDD 22-megabytes hard disc drive £6898 Z-2H computer, 11MB discs, 64K ... Superb disc software: ANSI Cobol,

Fortran IV, 16K Extended Basic, Z-80 Macro Assembler, Data Base Management, Word Processing Package, etc....each £65

Wordmaster screen editor ...... £95 CP/M Users Library, 33 volumes on 8 inch floppy discs. Media charge £4.50 per disc.

#### VISUAL DISPLAY UNITS




7	Lyme 4002	£645
1	Intertube	£675
	Hazeltine 1500	£795
,	Cromemco 3100	
	Cromemco 3101 §	1247

#### **MULTI-USER BASIC**

Runs on Cromemco CS-2 or CS-3 systems with up to 7 users and a printer. Operating system, Basic, etc .....£460 32K memory, interface..... per user £598 Typical 4 user 192K CS-2 system. .... £5146

#### **HOW TO FIND US**



Circle No. 163

## Tell us about you

MICROCOMPUTING has grown so fast that no-one really knows anything about it. All we know at *Practical Computing* is that you seem to approve of our magazine, that our advertisers find it worth telling you about their wares in our pages, and that microcomputer shows are crowded with interested people.

Everyone has impressions but no-one has any hard facts. It would be helpful to us in planning to make our magazine more what you would like it to be, if you could take time to fill in this questionnaire and send it to us.

To encourage the busier of our readers, from whom we particularly want to hear, a draw will be made from completed questionnaires received in this office by August 15. The first five drawn will be sent the small but useful prize of £10. Provided, that is, they have included their names and addresses.

It is possible that you are interested in computing but that you cannot get your hands on a machine. We sympathise but let us hear from you, too, because otherwise the results will be distorted by people who, quite unfairly, are able to answer questions further down the page.

#### PLEASE CIRCLE THE APPROPRIATE NUMBERS — YOU MAY NEED MORE THAN ONE PER SECTION.

*Are you male female	1 2	*Are you	
		a school teacher	38
		a college/university teacher	39
		a school student	40
		a college/university student	41
*Age under 16	.3	in research	42
16-20	4	a computer professional	43
21-40	5	in business with less than	
over 40	6	50 employees	44
		with more than 50 employees	45
		*Do you regularly use a comput	er of
*Which newspapers do yo	u read	any kind?	
regularly?		No	46
, , , , , , , , , , , , , , , , , , ,		Yes, for amusement	47
Financial Times	7	professionally	48
Telegraph	8		
Guardian	9		
Mail	10	*Rather than ask you to delug	e us
Express	- 11	with specifications, please indi	cate
Mirror	12	the approximate value of the	sys-
Ş <mark>un</mark>	13	tem(s) you use (if any).	
Star	14		
Observer	15	Up to £99	49
Sunday Times	16	£100-299	50
Sunday Telegraph	17	£300-699	51
Sunday Express	18	£700-999	52
Sunday Mirror	19	£1,000-1,499	53
Sunday People News of the World	21	£1,500-2,999 £3,000-S,999	54 55
Local paper	22	£6,000-9,999	56
Eocal paper		£10,000 plus	57
		*Do you, write programs?	
*Which periodicals do you re	ad reg-	Yes	58
ularly?		No	59
Practical Computing	23		
Computer World	24	*Do you write in	
Computing Today	25	/	
Byte	26	Basic	60
Kilobaud	27	Cobol	61
New Scientist	28	Fortran	62
Wireless World	29	Machine Code	63
ETI	30	Pascal	64
Electronic Times	31	Pilot	65
Electronic Engineering	32	Algol	66
Computing	33	Lisp	67
Computer Weekly	34	APL	68
Practical Electronics	35	Snobol	69
Datalink	36	Coral	70
Computer Talk	37	other	71

®Would	you	be	interested	in a	
PASCAL	cour	se in	Practical	Com-	
puting?				72	

#### \*What have you written programs

ı	Business	73
١	Science	74
ı	Engineering	75
ı	Games	76
ı	System management	77
ı	Óther	78

#### \*Have you ever used program listings from Practical Computing?

Yes

No

No

*How many lines was the listing?	ne longest
0-50 51-100 100 plus	8i 82 83
*If you are in husiness do	New year

#### \*When you have problems with it, are they due to

microcomputer?

hardware	86
software	87
both	88

#### \*If software causes the main problems, how much would a software package which solves those problems be worth to you?

Up to £49	4	89
£\$0-99		90
£100-199		91
£200-S99		92
£600-999		93
£1,000-1,999		94
£2,000 plus		95
£2,000 plus		y:

Postcode . .

#### \*If your machine breaks down, how long does it take you to get it running again?

96
97
98
99
,

#### \*Are you satisfied with the mainte-

	nance	service	you	receive?	
	Yes	,			100
	No				101
-11					

# If you, or your firm or department, is likely to purchase a system, or to expand your existing system in the next six months, how much is likely to be spent?

Up to £99	102
£100-299	103
£300-699	104
£700-999	105
£1,000-1,499	106
£1,500-2,999	107
£3,000-5,999	108
£6,000-9,999	109
£10,000 plus	110

#### \*How often do you read Practical Computing?

every month		111
occasionally		112
this is the first	time	113

#### \*How do you obtain Practical Computing?

-		
1	buy at newsagent	114
	buy at computer shop	115
	own subscription	116
	company subscription	117
	library	118

\*It would be very useful if you would give us your name and address. If you prefer not to disclose your identity, could you please at least tell us your postcode so that we can do a regional breakdown?

84

85

Name																								0	e	•	,
Addres	S				٠										,							4				. %	
		o e	(9	 		. 170	#)	i a	er i	 .4	9"		٠			i	í .	 ٠		4	 r (a		 g (m) j		÷.	iq i	

Thank you very much for helping. We hope to publish the results in the early autumn. Please tear out or photocopy this page and send it to:

Practical Computing Reader Questionnaire 30-31 Islington Green, London N1.



#### **NEW DOLPHIN BD 80 PRINTER**

Low cost 80 column printer combining simple mechanical design with sophisticated micro-processor control, upper and lower case, 112 c.p.m., many features. Stand, cables, memory buffers available.

E-stock prices from £595.

Dealer enquiries invited.

SPECIAL OFFERS for August only — holiday reading. Intro to personal and business computing £4.80. The mind appliance home computer applications £4.00. Micros from chips to systems £6.80.

110 cosmos Digital I.C. projects for the home constructor £2.65. Illustrating Basic £2.10.

Programming the 6502 £7.25.

The microprocessor and its application £12.25.

8080 galaxy game £5.50. How to build a computer controlled robot £4.75.



#### **NEW PRODUCTS**

DOLPHIN PRINTER is plug compatible to the Sorcerer's serial and parallel interfaces and is supplied in a beige cabinet – plug in and print.

The EXIDY MONITOR and PROGRAM DEVELOPMENT ROM PACS are on demonstration in our showroom.

**SORCERER TECHNICAL** Manuals and handbooks are available ex-stock.

A vast amount of software is nearing completion, so please keep in touch for early news of availability.

**EXIDY SORCERER** – A COMPLETE BUSINESS SYSTEM UNDER £3000 + VAT 32K Machine with Z80 processor and 8K ROM BASIC. 128 character ASC11 keyboard and superb graphics.

DOUBLE DRIVE configured MICROPOLIS DISK SYSTEM with MDOS or CP/M 630Kb. Professional quality monitor, various sizes up to 16". Printer – optional 80 or 132 column printer. Software packages are available or can be written to your own specification.

The system can be expanded to suit your own applications.

UNDER £1000 - BASIC SYSTEM

32K Machine, 10" professional monitor (not a converted TV), quality cassette recorder, necessary cables, manuals etc.

Price £999 + VAT.

Sorcerer Prices from £650 (8K).

77/68 BEARBAGS – The well supported 6800 based kit from Newbear. Active user group.

PRINTERS - CENTRONICS, DOLPHIN, OK11.

**MONITORS** — Professional quality 9", 10", 12", 16" (ideal for teaching).

COMPUTER BOOKS — for professionals, hobbyists, businessmen and newcomers. Catalogue now containing updates — over 500 titles — Micro, Mini and Mainframe. Quantity discounts available.



CROMEMCO Z2 – The powerful one – ASSEMBLER, MACRO ASSEMBLER, FORTRAN, COBOL, DATA BASE MANAGEMENT, WORD PROCESSOR.

Prices from £395 (Z80 Single Board Computer)

NORTH STAR HORIZON – The popular computer for the business user. Expandable to 48K, 3 diskettes and hardware floating point. Basic system 16K. RAM, serial interface. EXTENDED BASIC, DOS, CP/M, mini diskette and power supply.

Prices from £1295.

SOL 20 - The professional terminal computer renowned for its high quality capacitative keyboard and Word Processing application. Minimum 16K RAM, monitor, serial and parallel interfaces. EXTENDED BASIC, FORTRAN, FOCAL, ASSEMBLER, EDITOR, GAMES, mini floppy disks.

Prices from £1785.

SOL\* STAR WORD PROCESSOR from £2500.

#### THE COMPLETE SERVICE

Feasibility studies – undertaken by our senior consultant analysts with long experience of commercial data processing.

Software packages available and/or specially designed and written for your own applications.

We can supply work stations for your computer hardware, standard configurations or made to measure. Insurance, maintenance, HP facilities BARCLAY-CARD, TRUST-CARD, ACCESS.

Universities, Colleges and Schools – official orders welcome.

#### OFFICES & SHOWROOM open Monday-Saturday 10.00a.m.-6.00p.m.

Personal callers welcome (Please phone first).

34B London Rd., Blackwater, Camberley, Surrey. Telephone (0276) 34044.
Telex 858893

#### Cribbage

Cassette for TRS-80. Available from Microcomputer Applications, 11 Riverside Court, Caversham, Reading RG4 8AL.

"IN A NUTSHELL, cribbage happens to be one of the best two-player card games," the instructions proclaim. My feelings exactly.

So scattering sawdust over the office floor and quaffing my pint of ale, I settled down to play this most traditional of card games against my TRS-80.

Cribbage is a game for gentlemen and, with scrupulous honesty, the computer explains the rules of the game clearly and precisely. To avoid any hint of foul play, it suggests a browse through Hoyle's Book of Card Games should the instructions prove inadequate.

The cards are dealt — "This is your hand" — and having been told whose "box" it is — "It is my kitty" — we proceed through the "lay-down" and the "take". Each stage of the game is admirably explicit, although it might add to the excitement if each "take" was shown individually on the screen rather than all together with the scoring at the end of the hand. This produces a slightly bewildering array of digits.

Considering myself something of a crib wizard, I was somewhat taken aback to lose my first two games; could there be dirty work afoot as the computer always shuffles and deals? By no means. Next time I was victorious. In the true competitive spirit, the computer is less than gracious in defeat. "Played the game before?" Whereas having slammed me by 30 points, it crows, "I win. I feel wonderfur".

Some discrepancies, however, were noticed. With a hand of ace of clubs, 10 of clubs, 4 of clubs, 3 of clubs and a cut card of queen of spades, I was awarded 9 points; 15-2, 15-4, and a flush of 4 makes 8. Where does the extra point come from?


Never have I played cribbage when the ace counted as either high or low for the runs. These are minor "cribs", though. My grandfather might turn in his grave at the thought of playing cribbage with a computer, but I loved it. — K.F.

#### Step by step

Cassette for Apple, Pet and TRS 80 Levels I and II. Available from PDI, 11 Idar Court, Greenwich, Connecticut 06830. Price, \$13.95.

I RAN my life for so long without any need of computers. I saw myself as fully functioning, alive and well without having heard of ROMs or RAMs. Then things began to change. Suddenly everyone was talking about the great sociological upheaval we are all about to experience. I decided I wanted to know how to write simple programs using Basic.

My original state of ignorance was total but I was enthusiastic. This combination



of factors must be common among those people who want to use microcomputers in their work and need to write their own programs. For instance, in the educational sphere there is an argument that programmers should talk to teachers and then write what they think teachers want.

Alternatively, teachers might be taught to write programs and then given time to produce their own material. I tend to favour the latter approach as being most likely to produce relevant and useful material; but there are problems, not least of which is the difficulty of learning Basic.

Step by step is one way of doing that. It is designed for people with no programming experience and its aim is to enable you to program in Basic. One Friday afternoon I borrowed an Apple II, packed the computer and the learning package (62 pages in ring file and three cassette tapes) into my, car, and left, with the intention of mastering Basic by Sunday evening.

There are 10 lessons, each followed by a quiz, a final text reassures you that you really have learned something. In many ways this is necessary, because my feeling on finishing lesson 10 was that it had all been a little too easy.

The advantage of familiarity is reflected in the times required for the lessons. Lesson 1 needed three hours, the second ran to 75 minutes and lesson 3 took 90. If you had some prior instruction on the use of the computer — probably about an hour would be enough — the course can be completed in 15 hours.

The program displayed many healthy educational approaches. For instance, the start of each lesson was a statement telling you exactly what you would be covering.

What I appreciated particularly was that the learning steps were small and easily mastered, there was plenty of practice material and the quiz after each lesson gave a great sense of making progress. In educational terms the scores obtained by tests show, among other things, the success of the teaching method.

My scores varied between 90 to 100 percent. Bearing in mind I was a complete novice, I view this as showing that the program achieves its objective.

My enthusiasm needs to be qualified by one problem I encountered, which was that half of a lesson refused to be loaded into the computer — the second half of the session on graphics. The cassette has been tried on another machine and it would seem to be a tape problem.

There is a reassuring statement at the start of the course declaring that if all else fails you can send back the tapes and they will be replaced. I look forward to completing the session on graphics.

The course is easy to follow and comprehensive but there is no easy way to refer back if you want to remind yourself of some aspect of Basic. The notes are not general enough to be used without the tapes. There is some advantage, therefore, in complementing this approach with a book such as Donald Alcock's *Illustrating Basic*.

In general, though, this method and particular program is to be recommended. I feel that I have developed some mastery of writing programs using Basic and the business of computing is less puzzling.—M.H.

#### **Submarine Chase**

Cassette for Tandy TRS-80, level II. Available from A. J. Harding, 28 Collington Ave., Bexhill, East Sussex. Price £5.95.

IF YOU left school more than six years ago this game might give you problems. Anybody who has done a modern maths course will find it simple and perhaps a little tedious.

The aim is to find and destroy a submarine within a set area. The board is a set of axes, the x-axis (horizontal) being divided into 110 and the y-axis being divided into 30. You drop your depth charges by specifying the co-ordinates. After each move you are told where the submarine was last located as a bearing from where you dropped your depthcharge, e.g. 10 North-east, 5 West.

There are three levels of play — novice, moderate and expert. The grading governs how far the submarine moves between each turn. We found that it took very litle time to reach expert level once you grasped the fundamentals of the game.

As far as we can see the program has no faults. There are only three input stages and all seemed to be validated adequately. The graphics used are unexciting and showed no real imagination but they serve their purpose. The documentation with the game is intelligible and complete.

We are not enthusiastic about this game. It scarcely seems worth paying nearly £6 for a game simple enough to write yourself.—K.F.

# P.E.T NEWS

# PET BOOM IN BRITAIN!

#### AUTHORISED PET COMMODORE DEALERS

Birmingham Camden Electronics 021-773-8240

CPS (Data Systems) 021-707-3866

Taylor Wilson Systems Knowle (056-45) 6192

Bolton B & B Consultants 0204-26644

Bournemouth Stage One Computers 0202-23570

Bradford Ackroyd T/W & Add M/C 0274-31835

Brentwood Essex Direct Data Marketing 0277-229379

Bristol Computer Centre 0272-23430

Sumlock Tabdown 0272-26685

Cambridge Cambridge Computer Store 0223-68155

Cardiff Sigma Systems 0222-21515

Colchester Dataview Ltd 0206-78811

Derby Davidson Richards 0332-366803

Durham Dyson Instruments 0385-66937

Edinburgh Micro Centre 031-225-2022

Exeter A.C. Systems 0392-71718

Grimsby Allen Computers 0472-40568

Hemel Hempstead Data Efficiency 0442-57137

Hove Amplicon Micro Systems 0273-720716

Leeds Holdene 0532-459459

Liverpool Dams Office Equipment 051-227-3301

Rockliff Bros 051-521-5830 THE
PET 4K
COMPUTER
at
£450(+VAT)
it's got to
be

**Britains** 

best buy!



### Why the PET is the number one

### Personal Computer

The Self Contained PETS
The self contained PET models
2001-4 and 8 come complete with
TV screen, keyboard and built-in
cassette deck as well as the
computer circultry. They are
simply plugged into any 13 amp
mains and no special knowledge is
needed for running standard programs — over 200 of which are
available on cassettes.

The Big Memory PETS
The BIG MEMORY PETS contain
the same main features as for the
2001-4 and 8 models except that
they incorporate a full typewriter
size keyboard and have larger
internal memory of 16K and 32K
bytes RAM respectively.

#### Professional Printers

High specification printers can print onto paper all the PET characters — letters, numbers and graphics. A tractor feed model has the advantage of accepting mailing labels, using standard pre-printed forms. The only connections required are an A/C lead and PET connecting leads. The PET is programmable, allowing the printer to format print and it accepts 8½" paper giving up to four copies.

#### Dual Drive Floppy Disc

The Dual Drive Floppy Disk is the latest in Disk technology with extremely large storage capability and excellent file management.

The Floppy Disk operating system used with the PET computer enables a program to read or write data in the background while simultaneously transferring data to the PET. The Floppy Disk is a reliable low cost unit, and is convenient for high speed data transfer. Due to the latest technological advances incorporated in this disk,

a total or 360K bytes are available in the two standard 5½" disks. Only two connections are necessary — an A/C lead and PET Interface lead.

## Software and application areas for PET

There are a large number of programs that can readily be used with the PET. Personalised programming is available from many Authorised Dealers. Over 200 programs are now available from Commodore and other software suppliers for the PET. Popular program titles include Stock Control, Statistics, Payroll, Strathclyde Basic Course, Chess, Lunar Landing and Education Packs.

FOR THE COMMERCIAL USER
The Commodore PET offers for
the first time a really cost effective
business computer for use in
Accountancy, Statistics,
Stock Control, Payroll,
Invoicing etc.

#### FOR THE SCIENTIST AND THE

PET has a comprehensive set of scientific functions making it a far superior tool to the best programmable calculators. PET interfaces directly with hundreds of laboratory instruments. PET is an ideal industrial and commercial controller.

#### FOR THE EDUCATIONAL WORLD

The extensive basic language makes PET an ideal tool for teaching computer programming. Programs can be written to "tutor" the user (pupil) in almost any discipline, including BASIC itself. And, of course, the PET can be used to take care of school records, exam results, attendance figures etc.

IN THE HOME

The PET is an extremely creative and instructive learning medium of the future for young and old alike. There are also large numbers of enfertainment programmes available including chess and space games.

London E2 Ragnarok Electronic Systems 01-981-2748

London EC1 Sumlock Bondain 01-253-2447

London NW4
Da Vinci Computers
01-202-9630

London SW14 Micro Computer Centre 01-876-6609

London WC1 Euro-Calc 01-405-3113

London WC2 TLC World Trading 01-839-3893

Manchester Cytek 061-832-7604

Sumlock Electronic Services 061-834-4233

Matlock Lowe Electronics 0629-2817

Morley, W. Yorks Yorkshire Electronic Services 0532-522181

Norwich Sumlock Bondain 0603-26259

Nottingham Betos Systems 0602-48108

Plymouth J.A.D. Integrated Services 0752-62616

Preston
Preston Computer Centre
0772-57684

Reading CSE Computers 0734-61492

Southampton Business Electronics 0703-738248

Symtec Systems 0703-37731

Sunderland Tripont Associated Systems 0783-73310

Woking P.P.M. Brookwood (04867)-80111

Petalect 04862-69032

Yeovil Computerbits 0935-26522

North Scotland Thistle Computers Kirkwall (0856)-3140

Northern Ireland Medical & Scientific Lisburn (08462)-77533

#### Thone about PET now!

CALL YOUR LOCAL AUTHORISED DEALER or in case of difficulty contact:

COMMODORE SYSTEMS DIVISION

360 Euston Road, London. Tel: 01-388-5702

Apple Pie

#### User group news

DAY BY DAY the user group grows and there are now something like 20 members, which is good considering the number of Apple IIs being used in the U.K. and the length of time since the group was formed.

More dealers are needed to join the ranks; the group exists for the benefit of all Apple users and can provide Apple sellers with an extra sales angle, as well as assisting with after-sales back-up. American experience has shown that one of the most important selling points of any micro is the existence of a users' group, and to offer the kind of service expected from it the group needs members among users and dealers.

Dealers also encounter many of the same problems as everyone else and receive important feedback from their customers. So, they are invaluable to the group when it comes to lobbying the manufacturer for modifications and improvements in the product. They can provide information about the problems encountered by their customers. They can also act as a valuable interface between the user and the group. If you are a dealer, in the interest of the group as a whole, you might consider offering your support.

Various services and discounts are in the process of being organised. We are arranging members' discounts on several items, among them cassettes, diskettes, certain programs, and books. Full lists and details will be published as soon as they are finalised. Members must quote their membership numbers.

What numbers? Membership cards are being prepared now and will be mailed

#### Low-cost cassettes

AN EARLY item on the subject of discounts is from DJM Services of 82 Hilden Park Road, Hildenborough, Kent. This company offers user group members a 10 percent discount on C12 cassettes. Prices are five for £3, 10 for £5 and 50 for £22.50, including VAT and postage, so you need to deduct the discount. Cash must be sent with order and some proof of membership will be requested.

#### Program library

ONE of the aims of the group is to establish a library of programs available to members on an exchange basis or for purchase for a nominal amount. Andy Keen would be grateful to receive contributions to the library — it's rather sparse at present.

Contributions can be anything from games to machine-code routines for screen dumps. They can be sent as listings, although cassettes or discs are preferable — these would be returned as soon as the group has taken a copy. Any



documentation would also be appreciated.

Similarly, the group would like to hear from anyone about problems with the Apple II and how they were resolved. Keep us in touch with new applications and discoveries, too.

#### NoRom

A NUMBER of Apple owners don't have the Applesoft Basic on ROM. This can cause problems when they are using the Applesoft from tape or disc because of the way the memory is mapped.

One of the problems encountered frequently is blowing-up Applesoft by typing HGR instead of HGR2. If this happens, type in POKE 2318,7. Accidental use of the HGR command will then give 'Syntax Error'.

#### Random-length records

continuing our summary and hopeful explanation of the DOS, I'll try and illustrate the writing of random-length records. You simply open the file and start printing.

Each PRINT statement creates one logical record, ending with a carriage return. So to put items into separate records, you must print them using separate PRINT statements. Each record should be just long enough to hold the data you put into it.

For example, the program shows how to write random-length records. Run the program using strings of fewer than 20 characters. It produces files called FILE and FILE PTR; they are used in the fol-

lowing examples. 10 HOME: DIM AS (20), B\$ (20),A(20)  $: N = \cdot 1$ 20 LET DS=",REM "CTRL D"
30 PRINT "ENTER 'END' TO QUIT": PRINT
"ENTER STRING";N;: INPUT AS

35 IF A\$ (N) = "END" THEN 60 40 PRINT "ENTER ANOTHER STRING" : INPUT BS (N): PRINT "ENTER A NUMBER"; : INPUT A (N) 50 PRINT :N = N + 1: GOTO 30 60 PRINT DS; "OPEN FILE" 70 PRINT DS; "WRITE FILE" 80 FOR X = 1 TO N - 1 90 PRINT A\$ (X): PRINT B\$ (X): PRINT A (X): NEXT 100 PRINT DS; "CLOSE FILE" 110 PRINT DS; "OPEN FILE. PTR" 120 PRINT DS; "WRITE FILE. PTR" 130 PRINT N- 1 140 PRINT DS; "CLOSE FILE. PTR"

The second program reads the two files created. First it reads FILE. PTR, which tells it how long the data file will be; then it reads in that many records from FILE. This is a sequential read, where INPUT statement brings in the next record.

Lines 210-220 are random access reads this has nothing to do with random length — where we read a particular record from the middle of the file. To be able to do random reads, you specify the desired record number minus 1.

Note, however, that your Apple does not know how long each logical record is — they're random-length. So it uses the physical record size, which is one byte long. All records are physically one byte long unless specified in an OPEN statement. This means that if we say READ FILE R3 the next input statement will start reading at the fourth character of the file.

10 LET D\$= " ": REM "CTRL D" 20 HOME: DIM C\$ (20), E \$ (20),C (20) 30 PRINT DS; "OPEN FILE. PTR" 40 PRINT DS; "READ FILE.PTR" 50 INPUT PTR 60 PRINT D\$:"CLOSE FILE.PTR" 70 PRINT DS: "OPEN FILE" 80 PRINT DS; "READ FILE" 90 FOR X = ·1 TO PTR 100 INPUT C\$ (X) : INPUT E\$ (X) ; input c)x): NEXT 210 PRINT DS:"READ FILE.R3" 220 INPUT C\$(1),E\$(1), C(1) 230 PRINT DS:"CLOSE FILE" 235 PRINT: PRINT: PRINT 240 PRINT C\$ (1), E\$ (1),C(1) 1000 END

On the other hand, for READ FILE, R Q the next input statement will start reading at the first character of the file.

#### Finding statements

IT is often useful to know where references to expressions, statements and variables occur in a particular program. The program can be listed and then searched laboriously; alternatively, you could use this listing contributed by C. Phillips, of Microdigital, a Liverpool Apple distributor.

2900 REM PROGRAM FINDS ALL REFERENCES TO ANY VARIABLES, EXPRESSIONS OR STATEMENTS IN A PROGRAM. 2901 REM TO USE PUT AFTER YOUR OWN PROGRAM, AND PLACE THE DESIRED PATERN IN

2902 REM E.G. TO FIND ALL PRINT STATEMENTS IN A PROGRAM 2903 REM TYPE '1 PRINT' (CR) 2904 REM 'RUN 3000' (CR) 2905 REM PROGRAM RETURNS LINE NUNBERS WHERE EACH PATTERN OCCURS. 2906 REM WRITTEN BY C. PHILLIPS OF MICRODIGITAL, LIVERPOOL MICRODIGITAL, LIVENFOOL 2907 REM BASED ON MICRO NO. 6 3000 A = 2049:X = PEEK (2053): FOR J = 1 TO 10000: FOR K = A + 4 TO A + 235:P = PEEK (K): IF P = X THEN GOSUB 3005: FP < > 0 THEN NEXT K 3003 A = 256 ° PEEK (A +  $^{7}$  + PEEK (A): IF A > 0 THEN NEXT J 3004 END

3005 FOR L = 1 TO 239:Y = PEEK (2053 + L): IF Y = 0 THEN PRINT 256 \* PEEK (A A 3) A PEEK (A + 2): 3006 IF Y = PEEK (K + L) THEN NEXT L 3007 RETURN

#### The Keen connection

ANDY WITTERICK of the Apple Users' Group has asked us to point out that the connection between the group and Keen Computers is one of convenience only. LAST MONTH'S article showed how to connect Pet to a mainframe computer, or even to another Pet, with the basic capability of input and output. This time we outline a terminal simulator routine and more interesting forms of communication are discussed.

Have you ever wondered how a dumb terminal works, or have you always just taken them for granted? If we intend to make our microcomputer behave like one, we had better analyse the operation closely.

Superficially, a terminal like the trusty Lear Siegler ADM-3A transmits the appropriate code every time you strike a key and displays the corresponding symbol for every incoming character code. That seems simple, until you begin to wonder when the terminal is looking for input from the keyboard, and when it is looking for input from the other computer. The answer is that the terminal spends all its time bouncing back and forth between sampling the two inputs.

# How you can e in distribute

played on your screen like any other incoming data. In *half-duplex mode*, the remote computer does not echo back every character it receives, so your terminal emulator routine must display it locally if you hope to see it.

If you don't know whether the computer at the other end of the line operates in half- or full-duplex, you should start with half-duplex and change it if every key depression produces two images on the screen.

Figure 3 shows the 6502 assembler code for a half-duplex terminal emulator for the Pet. The two lines after TRSMIT

puter, I felt it would be appropriate to provide dedicated control keys in this fashion.

Different control codes may be more useful for your own computer, in which case you should make suitable modifications to the program in figure 3.

With luck you should then be able to type-in and assemble the programs in figures 1 and 3. They are not very long, so an origin of \$1E00 might be appropriate. Once loaded, you should be able to execute this code with a SYS call and return to Basic by pressing the HOME key at any time.

A Pet and Bailey interface together cost about £750, which compares reasonably to most VDUs. As the ADM 3A sells from about £550, an extra £200 does not seem too much of a premium to pay for the intelligence of your Pet.

Those goals

Perhaps there is something more we could do to justify the added expense. Smart editing terminals cost about £1,000, so if we could match their performance we would be doing very well indeed. That is the kind of goal I set myself when I went about designing the Computastore program PETE.

I wanted to be able to type Cobol programs in on my Pet and save them on cassette; I wanted to be able to print that Cobol program locally, study it for errors, edit the program locally to correct those

THIS is the second of two articles showing how a micro can be used in distributed computing networks. Michael Whitehead discusses the use of the Pet but most of this is relevant to other micros, and certainly to other 6502 systems.

Logically, a terminal emulator routine could be broken-down like this:

- Sample keyboard input; if no character, go to step four.
- Transmit the keyboard input to the RS232 interface.
- If in half-duplex mode, display the keyboard input on the screen.
- Sample RS232 input; if no character, go to step one.
- Display the RS232 input character on the screen.
- Go back to step one.

You can see that during periods of inactivity this routine spends all its time going from step one to four and back again.

#### Refinements

There are refinements one could wish to make to this routine. For one thing, we haven't provided a way to exit from it. It would be satisfactory if by hitting one special key on the keyboard we could arrange to break out of the terminal emulator routine back to a normal operating environment. It would also be useful to have a delete key for correcting errors, since we all make typing mistakes.

First, what is half-duplex mode, and how does it differ from full-duplex? Put simply, in full-duplex mode when you press a key on the keyboard it is transmitted to whatever computer you are speaking to but is not displayed locally. When the remote computer receives that character, however, it echoes it back to you to verify its receipt.

That echoed character will be pickedup by the RS232 input routine and disshould be removed if you do not require the half-duplex local echo. This routine refers to figures 1 and 2 in last month's article.

It should be reasonably clear that the HOME key is used to exit from the terminal emulator routine, and that the two cursor control keys have been implemented to help to generate vital control characters. Since the Pet keyboard has no control key, and since escape, control C, control X, control U, and others are often crucial to effective communication with almost any com-



# mploy micros d networks

errors, and only then link with a mainframe and transmit the Cobol program to

Another goal was to be able to transfer datasets from a mainframe to the Pet so that they could be processed locally, assuming that the dataset and processing involved were of manageable proportions.

#### Larger aggregations

I am sure that many readers would like to implement forms of communication I have never visualised. With microcomputers, one comes to expect the unexpected.

Accepting that we know how to handle the transmission of single characters, it is time that we progressed to larger aggregations of data. Logically one could define lines of text, eight-digit numbers, or any other sort of 'data packet,' so long as the buffers at both ends were large enough to hold the unit of information. The level of aggregation above this 'data packet' might be a text file, a vector, a matrix, or some other form of dataset.

Within PETE I try to refer to these two levels of aggregation as the dataline and datafile respectively. A dataline can contain up to 132 ASCII alphanumeric characters. A key concept is the dataline de-limiter, in my case a carriage return. De-limiters are important when an entire datafile is being transmitted, to identify the end of one dataline and the start of the next

To clarify matters, I will describe the details involved in having a Pet either send or receive a datafile. Receiving is straightforward. PETE contains a line-orientated context editor which facilitates the insertion of a new line into a file. Incoming data is fed into an input buffer until a dataline de-limiter is received. Then the contents of the input buffer are passed to the editor's regular line insertion routine.

#### **Datalines**

After insertion, the buffer is reinitialised and the process begins again. In that way any data on a mainframe computer which can be displayed on a VDU screen can be built into a datafile. Datafiles subsequently can be saved to tape and read in as input datasets by

Sending a datafile from the Pet to another computer is a little more difficult. Having sent the equivalent of a dataline, you must wait for some acknowledgment before sending the next line. That is because the remote computer is likely to be a time-sharing system and it may take a little time to respond with the appropriate action after each line it is sent.

Say, for example, you wanted to transmit a program file from the Pet to a large mainframe. Your best approach might well be to execute the mainframe editor program and get it into input mode. From then, each line of data sent to the mainframe will be saved in a mainframe temporary file until you break out of input mode and save the file.

After each line you transmit, however, you will have to wait for the sequence of carriage return, line-feed, and input mode prompt which will acknowledge receipt of your dataline. Any data you send before that acknowledgment will be lost. As you may often be sending two different programs, or even two different computers, it is probably a good idea to provide facilities to vary the acknowledge character.

Granted that we now can send or transmit datalines or datafiles, let us put our knowledge to some practical use. What kind of jobs are we now capable of performing? One relatively straightforward application would be pointof-sale capture of sales data; the Pet could be programmed to behave like an electronic cash register.

The cashier would type-in the code or description for a product sold. The price could either be typed-in or generated from a table look-up. Details such as cash or credit card sale, and amount of cash tendered, could also be input and change calculated. The Pet user port can even be programmed to release the latch on a cash drawer.

During the course of the day a summary of all sales is written-out to the built-in cassette. At the end of the day each branch of a store can take its turn to transmit its summary of the day's business to the company's central computer.

#### More power

From another viewpoint, intelligent use of a mainframe can be used to extend the processing power of the Pet whenever required.

Those who have other useful ideas in this area may write to me, as I would like to hear about them, and Practical Computing would like to print them. If you feel lazy, or are not confident of your ability to write large programs in 6502 assembler, you can still buy PETE (Personal Editing Terminal Environment) from Computastore Ltd. (061-224 9545) for £100. Included in it are most of the facilities discussed in this series. Michael Whitehead is technical director of Computastore.

#### Figure 3. Half-duplex terminal emulator for the Pet

TERMU	JSR	LISTEN	READY FOR OUTPUT
Н	JSR	SYSIN	SAMPLE KEYBOARD INPUT
	BEO	TINU	IF NOTHING, GO TRY RS-232 INPUT
	CMP	#20	IF SOMETHING, IS IT A DEL?
	BNE	NODEL	NOPE, KEEP GOING
	JSR	SYSOUT	YES,ECHO LOCALLY
	LDA	#8	BUT SEND CNTL H
	JSR	OUTPUT	DOWN THE LINE
	JMP	TINU	GO CHECK RS-232 INPUT
NODEL	CMP	#19	WAS IT A HOME KEY?
	BNE	NOHOME	IF NOT, KEEP GOING
	JSR	UNLSTN	IF IT WAS, BREAK OUT AND
	RTS	THE PARTY OF THE P	RETURN TO PET BASIC
NOHOME	CMP	#17	WAS IT THE UP-DOWN CURSOR KEY?
	BNE	NOTKYI	NOPE, KEEP GOING
	LDA	#3	IF YES, TRANSMIT A SPECIAL
	JSR	OUTPUT	CONTROL CHARACTER, CNTL C
	JMP	TINU	GO CHECK ON RS-232 INPUT
NOTKYI	CMP	#29	WAS IT THE LEFT-RIGHT CURSOR KEY?
	BNE	TRSMIT	NOPE, GO SEND IT!
	LDA	#24	YES, TRANSMIT CONTROL CHARACTER
	JSR	OUTPUT	#2, IN THIS CASE CNTL X
	JMP	TINU	GO CHECK ON RS-232 INPUT
TRSMIT	JSR	OUTPUT	TRANSMIT CHARACTER TO RS-232
20 20	LDA	CHAR	RETRIEVE CHARACTER (HALF-DUPLEX ONLY)
	JSR	SYSOUT	ECHO ON SCREEN FOR HALF-DUPLEX
TINU	JSR	UNLSTN	UNLISTEN RS-232 BEFORE
	JSR	TALK	LETTING HIM TALK
	JSR	LISTEN	RESET TO LISTEN
	LDA	#2	DID HE SAY ANYTHING?
	AND	STATUS	
	BNE	HI	IF NOT, GO CHECK KEYBOARD
	LDA	CHAR	RETRIEVE INPUT CHARACTER
	CMP	#\$20	IF NOT A CONTROL CHARACTER
	BCS	TERM2	KEEP GOING
	CMP	#13	CARRIAGE RETURN IS OK TOO!
	BEO	TERM2	CARRIADE RETURN IS UK TUU!
	BNE	TBRM2	ICHOPE ALL OTHER CONTROL CORES
TERM2			IGNORE ALL OTHER CONTROL CODES
IEKM2	JSR	SYSOUT	DISPLAY THE INPUT CHARACTER
CVONS ARCON	JMP	Н	AND GO CHECK THE KEYBOARD INPUT
SYSIN=\$FICC			STANDARD INPUT ROUTINE

Introducing the DPS-1 the full IEEE S100 bus computer system from Ithaca Intersystems - the S100 experts.

FOR EDUCATION, INDUSTRY, RESEARCH and all professional uses, including hardware and software development, low cost OEM systems; teaching applications etc.



A MINI COMPUTER using MICRO technology at a ridiculous MICRO price!! The front panel with a backplane and power supply accepts \$100 bus boards from many manufacturers.

#### Just look at these professional features!

- FRONT PANEL (we won't ask you to debug our hardware, but we will give you the tools to debug yours!). Includes breakpoints, write or jump to any location, single or slow step (0.1 to 1000 IPS), stop on any data byte or address, scope trigger on breakpoint, repeat instruction (e.g. NOP's) and many other hardware diagnostic facilities.
- 25 Amp power supplies (all rails seperately fused)
- 20 slot IEEE S100 motherboard
- Full 16 data bit, 24 bit address lines as per IEEE (1979) S100 specification
- Will run 16 bit micro \$100 boards when available (e.g. Z8000 and 8086)
- Suitable for 6800, 6502, 8080, 8085, Z80, Z80A etc

The DPS-1 comes as a mainframe with front panel, motherboard and power supply. The system is truly modular allowing the user to build up the system he requires in his own time.

S100 boards from a number of manufacturers will plug into the DPSI IEEE S100 bus

Just add S100 Memory Boards — S100 cpu board — S100 dlsk controller boards — S100 l/O boards — S100 video and/or graphics boards — S100 EPROM boards — S100 disk boards etc.

All Ithaca Intersystems OEM products including K2 disk operating

system and PASCAL/Z on 8" floppy drives will run in the DPS-1.

DPS-1 with S100 Z80 cpu board £695 DPS-1 less \$100 Z80 cpu board 2645

#### **OEM S100 boards** from the experts!

	Date boato	Assembled
		and tested
8K Static RAM board	£18.75	£123.75
Z80 cpu board (2MHZ)	£26.25	£131.25
Z80 cpu board (4MHZ)	£26.25	£153.75
2708/2716 EPROM board	£18.75	€63.75
Prototype board	£18.75	_
Video display board (64x16, 128U/L Ascli)	£18.75	€108.75
New products from Ithaca audio!		
High density graphics (1024 x 512 points)	T.B.A.	T.B.A.
Disk controller (up to 4 single or		
double sided drives)	£26.25	£131.25
I/O board (serial and parallel outputs)	T.B.A.	T.B.A.
S100 front panel (as used in DPS1)	-	€245.00





bare board

Assembled

# 

#### Software for your \$100 system

K2 operating system

8" disk based operating system — distributed on Shugat compatible 8" floppy disk \* TED—52 command text editor with Macros. \* PIP— File and directory handler. \* ASMBLE-full Z80 2 pass assembler. \* HDT-Hex debug tool. \* QCI-Utility overlay/command decoder.

- SYSGEN-System builder. \* COPY-disk to disk file copier.
- DUP-disk duplicator.

£56.25

PASCAL/Z The new language for Micros £131.25

Runs under K2 operating system.

★ Compiler that produces direct assembler code — NO NEED for slow run time P-code interpreter. \* Comes complete with Macro assembler. \* Produces binary object modules - small and fast.

\* Modules are re-entrant and can be put Into ROM. \* IMBED, TRACE and ERROR debug facilities.



ASMBLE/Z Z80 Macro assembler £37.50

- Full 2 pass Macro Assembler. \* IF and ELSE 255 nesting levels.
- Produces symbol table. \* Relative jumps.

#### **UP-GRADE KITS**

Trying to add computer memory is not much fun if you dont get everything you need.



Receiving unprogrammed jumpers and having to program them yourself is not much better. Most important, that's the place where the problems are introduced.

So Ithaca Audio's better idea is the Simple Up-Grade. Each Simple Up-Grade is specially designed to make adding memory foolproof. We include all the parts you'll need; 8 prime, tested 16K RAMs, along



with concise step by step directions and diagrams. And if a personality jumper is required, it's premade.



The TRS-80\* memory expansion was our first Simple Up-Grade. Now there are two more - for owners of Apple II\*\* and Exidy Sorcerer\* computers. Each kit is 100% guaranteed - if a part ever fails, we replace it FREE. Your Ithaca Audio dealer has them in stock, only £99. Now you can afford to add high quality, high density memory to your system for remarkably little far less than you would expect to pay from Radio Shack, Apple, or Exidy directly. These Simple Up-Grades are Ithaca Audio's first step in adding more capability and reliability to your computer at lower cost. Other Up-Grades are on the way to your dealer now. \*TRS-80 is a registered trademark of

\*\*Apple II is a registered trademark of Apple Computer, Inc.
\*\*Sorcerer is a registered trademark of Exidy, Inc.

#### CONTACT THESE DEALERS

All prices quoted are exclusive of VAT

AIRAMCO — Telephone: 0294 57755 Telex: 779808 NEWBEAR COMPUTING STORE — Telephone: Newbury (0635) 30505 SIRTON PRODUCTS — Telephone: 01-660 5617 COMPSHOP LTD — Telephone: 01-441 2922 Telex: 298755

ITHACA UDDIGED STYSIGEDDS (formerly ITHACA AUDIO of New York) **UK & EUROPEAN DEALER ENQUIRIES INVITED — CONTACT EUROPEAN SALES HEADQUARTERS** 

58 Crouch Hall Road, London N8 8HG. UK. Telephone: 01-341 2447 Telex: 299568

#### No instructions

"IT IS my misfortune to own a T-BUG program without instructions," writes B. Fairburn of Burton-on-Trent, "I have managed to deduce, after hours of trial and ERROR, the functions of keys J, M, X, B, G, but I am still unsure as to the full functions of keys R, P, L, F. I would be grateful if you could inform me as to the nature of these functions. Also is there any other useful information in the instructions which I should know?

"If there are any other TRS-80 users with temperamental tape recorders, then I have found it possible to create many little T-BUG programs with the command #P4380 4852 4380 TBUG ENTER. These can then be entered using the SYSTEM command.

"On the subject of faulty recordings, I have found the use of a demagnetiser means the difference between retrieval and 4K of rubbish.

"I have not yet obtained a Z-80 instruction set but when I do I can imagine wanting to control the tape recorder from machine language programs; but the technical information does not seem to be available. Perhaps one of your readers could advise?

"I would like to reinforce a previous request for information on the \$100, R\$232, and I EEE-488 (HP-IB) interfaces; also a knowledge of the communication to and from the TRS-80 line printer and the Pet 2020 printer could be useful.

"I became interested in computing through making a hobby of electronics and would not mind constructing my own interfaces, any details of which I would be glad to forward. I am sure this must apply to many of your readers and such technical knowledge would be invaluable."

#### Taking over

The Electric Pencil word processor is due for a full-scale review by us soon. Meanwhile here's a user report from Leon Heller.


BEING rather a poor typist, I was delighted when the Electric Pencil word processor became available for the TRS-80.

The Electric Pencil is supplied on cassette for Level I or Level II machines with 16K. If you are content with upper-case only, no hardware modifications need to be made to the computer, but most people would probably require lower-case capability, which can be obtained easily by the addition of a 2102 to the video RAM, a few wiring changes, and a push button to act as a control key.

The operator's manual supplied with the Electric Pencil software is a bit sketchy but you can follow the advice given — the best way to learn to operate this system is to use it.

Doing that you should become quite proficient within a few hours — as I work

TANDY FORUM is devoted to the Tandy TRS-80. We will be using it to pass on news about the TRS-80 and its supplier and product announcements from Tandy and other vendors of compatible equipment. Above all, these are pages for users, and would-be users, of this personal computer. We want you to send tips, queries, moans and comments, and we want this page to become a market-place for TRS-80 information.



with text processing systems I was able to use it effectively in a few minutes.

The Electric Pencil is characterorientated word processing. This means that the operator types in the text character by character, not bothering about hyphenation or carriage returns as partially-completed words at the end of a line are shifted to the beginning of the next line. Any key held down for more than half a second will repeat at about 10 characters per second.

All text manipulation is carried out with the aid of a flashing rectangular cursor which can be placed anywhere on the screen; as text is inserted or deleted, the existing text is pushed down or pulled up. Variable speed scrolling up or down enables the operator to scan through the text at will.

Character strings can be located and/or replaced by any other string as required. A useful facility is that specific sets of characters within specially encoded strings can be located and used to create selective mailing lists. Blocks of text can be transferred or deleted, which is very useful if, like me, you prefer to type straight into the computer without writing first a draft. In fact, that is how this was written.

Finally, when the text is to be printed, the operator selects various parameters

such as line length, page length, line spacing, and right-justification. Pages may also be numbered and titled; underlining can be done, although this is a bit tricky. The number of words in a text file can also be counted.

Are there any snags? Plenty, when you compare it to a Wordplex or a Rank Xerox system, but purpose-built, screen-based word processors cost upwards of £8,000. A major problem with the Pencil, though, is the illegibility of the lower-case characters due to the method of character generation used in the TRS-80, lower-case characters such as 'p' and 'y' have no descenders below the base line; and 'a' is right up to the top of the character cell. The TRS-80 was obviously not designed with lower-case in mind.

Another problem is the absence of rollover on the keyboard; the TRS-80 normally has N-key rollover but this has had to be sacrificed to provide the key repeat feature.

The system would be much easier to use if there were dedicated function keys for the various operations. That cannot be done on the TRS-80 keyboard, so the control key has to be used in conjunction with alpha keys.

All in all, though, a word processor as good as this one for about £700 plus printer can't be bad?

#### Catalogues

ANOTHER BATCH of catalogues of TRS-80 programs has arrived and, as always, there are some nuggets among them.

Microcomputer Applications offers some of the cheapest games we have seen (from £3.50) and this list includes many of the U.S. classics by Lance Miklaus (including Breakaway and Startrek III), George Blank (Pork Barrel – for aspiring politicians) and Tim Quinlan (the impenetrable but gripping Galactic Blockade Runner).

There is also a batch of maths and statistics packages, a 'Ham Package' containing AC and DC calculations, some business programs — including disc versions — and a good tip about using printers without LPRINT.

More details from 11 Riverside Court, Caversham, Reading RG4 8AL — 0734 470425.

Micro Gems is also new, small, and a TRS-80 specialist. Its catalogue has 50 U.S. and British programs and, like most TRS-80 enthusiasts, Micro Gems has added a few tips.




# RAIR



#### H1400 VDU Low Cost Video Terminal £550

Circle No. 149

New low cost VDU featuring full cursor controls and 24x80 screen displaying high resolution upper case characters using a 5x7 dot matrix. Keyboard generates all 128 ASCII codes and unit interfaces through an RS232 interface at transmission rates up to 9600 baud. H1500 series features upper and lower case characters using 7x9 dot matrix integral numeric keypad, buffered editing, and printer port.



# DECWRITERS Keyboard Printers From £850

Circle No. 150

Industry standard dot matrix keyboard printers featuring 132 column upper and lower case printing on standard listing paper at printing speeds of continuous 30cps or 180cps. KSR and RO versions available with a wide range of optional features.



# MICRODISC Minidisc Storage Terminal £950

Circle No. 151

File oriented mass data storage minidisc terminal featuring random access by file name to 200,000 characters stored per diskette, interfacing through terminal and modem/CPU RS232 interfaces at up to 9600 baud. Powerful string search and editing options.



# HYTERM Text Printer Terminals From £1900

• Circle No. 152

Range of microprocessor controlled 'daisy-wheel' terminals for text processing applications, printing at 45cps over 158 columns with a wide range of interchangeable type fonts. Many advanced features including IBM2741 compatibility, graphics capability. 'absolute' tabbing, and variable character/line spacing.



# DATACASSETTE Cassette Storage Terminal £750

• Circle No. 153

Magnetic tape cassette unit storing 150,000 characters per cassette, communicating at up to 2400 baud through terminal and modem/CPU RS232 interfaces with full local and remote device control. ECMA, TI and NCR format compatibility options available.



# LX100 SERIES Desk Top Printers From £1000

Circle No. 154

New low cost range of desk top serial printers, printing over 80 or 132 columns at 100 or 180 cps on standard listing paper using a 7x7 or 7x9 dot matrix. Options include VFU, second paper feed mechanism, 9x9 matrix with italic or expanded printing, buffed serial RS232 interface.

RAIR 30-32 Neal Street, London WC2H 9PS Telephone 01-836 4663

• Circle No. 167

BEDFORDSHIRE 6502 Users' Working Party W. R. Wallenborn 21 Argyll Avenue Luton LU3 IEG Tel: 0582 26967 (evenings) U.K. Intel MDS Users' Group Lewis Hard 29 Chaucer Road, Bedford Tel: 0234 41685 BERKSHIRE 7/68 User Group Newbear Computing Store Bone Lane, Newbury Tel: 0635 49223
Thames Vailey Amateur
Computer Club Brian Quarm 25 Roundway Camberley, Surrey Tel: Camberley 22186 Independent Pet Users' Group A. J. H. Walter
7 Parkside Road
Thatcham, Berkshire
BOURNEMOUTH Personal Computer Club lan Preece 246 Stewart Road Charminster Bournemouth BRISTOL **Bristol Computing Club** Leo Wallis 6 Kilbirnie Road Bridge Farm Estate Bristol BS14 0HY Tel: 0272 832453 BUCKINGHAMSHIRE Nascom User Group Lynx Electronics 92 Broad Street, Chesham CAMBRIDGESHIRE Cambridge University Processor Group C. D. MacLean Trinity College Cambridge CB2 ITQ T1990 User Group Simon Garth 8 Kestrel Place, St. Neots Huntingdon DERBYSHIRE Independent Pet Users' Group Mike Lake 9 Littleover Lane, Derby Tel: Derby 23127 DEVON **Exeter and District Amateur** Computer Club D. Bates 2 Station Road Pinhoe, Exeter Tel: Exeter 69844 South West Group Amateur Computer Club G. V. Barbier Palmers Hill Calverleigh, Tiverton DURHAM Independent Pet Users' Group Jim Cocallis 20 Worcester Road Newton Hall Estate, Durham FIRE Computer Education Society of Ireland 7 St. Kilmaind Blackrock, Co. Dublin Ireland FSSEX Amateur Computer Club Mike Lord 7 Dordells Basildon Note: Membership throughout U.K. with many regional clubs and a newsletter.

Cromemco Users' Group 313 Kingston Road llford TRS-80 User Group Michael Dean 22 Roughtons Galleywood, Chelmsford Tel: 0245 76127 GLOUCESTERSHIRE Cheltenham Amateur Computer Club M.P. Pullin 45 Merestones Drive The Park, Cheltenham Tel: Cheltenham 25617 Heath Kit User Group Gloucester GL2 6EE GWENT Gwent Amateur Computer Club Peter Hesketh Ashlea Mynyddbach, Chepstow Tel: Alan Beale (Newport 50207) or Alan Wood (Cardiff 791'435). HAMPSHIRE Southampton Amateur Computer Club P.G. Dorey Department of Physiology School of Physiological & Biochemical Sciences University of Southampton Southampton SO9 5NH Tel: Nick de Smith 0703-559122 Ext. 366 Independent Pet Users' Group G.A. Parkin Robert May's School West Street, Odiham HERTFORDSHIRE Bywood Scrumpi User Group 68 Ebberns Road Hemel Hempstead HP3 9QRC Tel: 0442 62757
The ACC Harrow Group
N.P. Butcher 16 St. Peter's Close Bushey Heath, Watford Tel: 01-950-4771 Independent Pet Users' Group Brian Bloomfield Little Orchard Hill Farm, Radlett KENT Gillingham User Group A. Aylward 194 Balmoral Road Gillingham LANCASHIRE Northwest Group.Amateur Computer Club Ken Horton 50 Lymfield Drive, Worsley Tel: 061-228-6333 ext.372 Sorcerer Program Exchange Club G.F. Counsell or M.P. Hannaby 65 Trafalgar Road Birkdale, Southport LINCOLNSHIRE Lincolnshire Microprocessor Society
Mrs E. Nurser
The Chancery
Minister Yard, Lincoln Tel: Lincoln 25610 LONDON East London Amateur Computer Club Graham Lewcock 61 Mornington Road London E11 3BG MK 14 User Club Geoff Phillips 8 Poolsford Road London NW9 6HP Tel: 01-200-6209 (evenings) 01-207-2000 ext. 223 (day)

North London Hobby Computer Club Admin Assistant Department of Electronic and Communications Engineering Polytechnic of North London, Holloway Road London N7 8DB Tel: 01-607 2789 ext. 2177 Pet Users' Club Richard Pawson Commodore Systems Division 360 Euston Road London NWI 3BL Tel: 01-388-5702
Pet Users' Education Group
Dr Chris Smith
Department of Physiology Queen Elizabeth College Campden Hill Road London W8 7AH Southgate Computer Club
Paul Woolley
Southgate Technical College
High Street London NI4 6BS Tel: 01-886-6521 South-East London Microcomputer Club (Selmic) John Williamson 01-850-4195 Hugh Gilhentie 01-303-4968 Meetings - South-East London College Breakspeares Way, London SE4 LIVERPOOL Independent Pet Users' Group John Stout 6 College Avenue Formby, Lancs. L37 3]] MANCHESTER Amateur Computer Club (NW) Group Mrs J. Lomas 9 Crescent Court Alderfield Road, Chorlton Manchester M21 IJX Tel: 061-881-1933 MIDDLESEX Harrow Group Amateur Computer Club Jim McDonald 19 Cowper Road London W7 IEL S.N. Taylor 8 Priory Close Sunbury-on-Thames TW16 5AB **MIDLANDS** Midlands User Group Amateur Computer Club Roy Diamond 27 Loweswater Road Coventry CV3 2HJ Tel: 0203-454061 West Midland Amateur Computer Club John Tracey 100 Booth Close Crestwood Park Kingswinford West Midlands DY6 8SP Tel: 0384-70097 **NOTTINGHAMSHIRE** U.K. Apple Users' Group Andy Witterick 5 The Poultry Nottingham NGI 2HW Tel: 0602-583254 Microcomputer Club K.S. Swainson 9 Brayton Crescent Highbury Vale Estate Bulwell Nottingham NG6 9DZ Tel: 0602-751742 OXFORD Research Machines Users' Group PO Box 75

Oxfordshire AMC, S.C. Bird
139 The Moors, Kidlington TYNE AND WEAR Newcastle Personal Computer Society DR W.G. Allen Department of Electrical Engineering and Physical Electronics Newcastle-upon-Tyne Polytechnic Newcastle-upon-Tyne NE1 8ST Tel: 0632 26002 ext.456 0632 851528 (home) SCOTLAND The Grampian Amateur Computer Society Michael Brown 282 Queen's Road Aberdeen ABI 8DR Sorcerers' User Group S. Gimblett F & CPO Mess, H.M.S. Neptune FasLane, Helensburgh Dunbartonshire G84 8HL Scottish Amateur Computer Society Stewart Stevenson Lindisfarne New Well Wynd Linlithglow, West Lothian Tel: Linlithgow 2657 STAFFORDSHIRE The Amateur Computer Club of North Staffs I. Roll 16 Hill Street, Hednesford Staffs WS12 5DJ Tel: Hednesford 4363 SUSSEX Independent Pet Users' Group (South) John C. Nuttall 56 West Street Shoreham-by-Sea BN4 5WG Tel: Shoreham-by-Sea 2654 Local Computer Group P. Guile/N. Latcham 23 Silverdale Road, Hove WEST MIDLANDS Central Program Exchange Dr. G. Beech Department of Computing & Mathematical Sciences The Polytechnic Wolverhampton WVI ILY WORCESTERSHIRE Z-80 Group Roger Sinden
The Corner House
Birlingham, Nr. Pershore
Tel: Evesham 750251
YORKSHIRE Leeds Branch British Computer Society Rob Marsden Highways Wetherby Road. Leeds LS17 8LY
South Yorkshire Personal Computing Group Tony Rycroft 88 Spinneyfield Moorgate, Rotherham Scarborough Computer Group Des Wood Tel: Scarborough 63982 Local Computer Group (just forming) Ian Dunkley I Prospect Place Sheffield S17 4HZ Tel: 0742 363337 NATIONAL - mail and/or magazine only CP/M Users' Group Nick Hampshire 41 Vincent Street, Yeovil Somerset Oxford



#### TRS-80 LEVEL III!!

This addition to LEVEL II loads in from cassette and enables:-Keyboard debounce, USR 0-9, &H &O, DEFUSR, LINE INPUT, MIDs (on left), INSTR, and DEF

All this for £15 + 50p for postage. Much more software available - all at realistic prices.

#### CHEAP HARD COPY!!

A few Olivetti Teletypes for sale at £250 each - easily connected to the keyboard unit without need of an expansion interface.

For more details send to: Jake Commander, 305, Brownfield Rd., Shard End, Birmingham B34 7EA.

• Circle No. 168

#### TRS80 SOFTWARE

For example:	
Address Pad	£7
Data Base Utility II	£14
Microchess	£14
Numeric Integration	£5
Professional Diary	£12
Star Trek	£8.50

#### MICROGEMS

32 Buckingham Avenue, Hucknall, Notts

Send SAE for latest catalogue

Circle No. 169

#### **COMPUTERS** FOR BUSINESS

We understorm puter turnkey so computer bespoke or reasonable installation Ring R MICRO-F for free su High So We understand what is needed from a computer. Our comprehensive turnkey service provides a versatile computer system with packaged or bespoke commercial software, at very reasonable prices. Evaluation, design, installation and full on-site training.

Ring Richard Mortimore at MICRO-FACILITIES, 01-979 4546, for free survey or demonstration. 127 High Street, Hampton Hill, Middlesex.

• Circle No. 170

#### **GAMES FOR TRS-80 LI AND LIÌ** ALSO PET AND APPLE.

We sell Instant Software from the States.

For details contact:

\*\*\*\*\*

Katanna Management Services Ltd

22 Roughtons, Galleywood, Chelmsford, Essex.

Telephone: Chelmsford 76127.

Circle No. 171

# Search process for large files

#### by Nick Hampshire

THIS ARTICLE looks at the different techniques which can be used to search for a particular item of data in a data file or table. Linear and binary searches are considered, together with an introduction to the powerful method known as hash

ONE of the central problems encountered in writing computer programs is how to store and then retrieve data. In practice, it is often found that this latter operation, recovering previously-acquired data from storage, presents the greater problem, to such an extent that the algorithms used to store the data initially are determined by what will happen to it later.

Many examples of this data storage/ retrieval problem are to be found in the current crop of microprocessor-based

A typical problem would be faced by a business package writer. Important information is stored under the name of a person or company to whom an invoice, receipt or some goods must be sent, or from whom something is expected.

To access the record of this person or organisation within a file the name must be entered with a request for the desired details. The program will then search through all the records until the name input matches one in the file; then the information stored in the record under that name may be processed and printed.

#### Primary interest

While it is true that circumstances will determine the best search strategy, and a number of well-known techniques exist, three of them will be looked at in this article. They all have certain requirements. They must be short in terms of computer time and program length. They must guarantee to find a record if it exists and must stop if no record is found to match the key. Failure to do this would put the program in an infinite loop if no such record exists, or the key were mistyped.

In each of the three cases it will be assumed that the key, the name of some data, is to be stored in a list, and associated with each key will be some further information, which is the thing of primary interest

In the business example the list of keys would be stored in the main memory of the computer and each entry will have a pointer stored with it. This pointer will provide sufficient information to allow the program to locate the rest of the record immediately.

It might, for instance, be the disc/ track/sector number on a floopy disc file store, where the bulk of the information is to be found. Further examples where searching is important may be found in the writing of compilers and assemblers.

The great advantage of an assembly language, like the one produced by Motorola for the MC6800 microprocessor, is that symbolic names can be used for the instructions, for labels (machine locations) and in the operands (like variable names and named constants).

#### Key words

This means that the user can have alphabetic names instead of numbers. Similarly, a compiler or interpreter such as Basic has a number of special keywords - often called reserved words

#### Program I

0 (

0

0 ( 0 (

0

0 0

)											
DATA	ABA	0019	DATA	BPL	0037	DATA	INC	0055	DATA	SBA	
DATA	ADC	0020	DATA	BRA	0038	DATA	INS	0056	DATA	SBC	
DATA	ADD	0021	DATA	BSR	0039	DATA	INX	0057	DATA	SEC	
DATA	AND	0022	DATA	BVC	0040	DATA	JMP	0058	DATA	SEI	
DATA	ASL	0023	DATA	BVS	0041	DATA	JSR	0059	DATA	SEV	
DATA	ASR	0024	DATA	CBA	0042	DATA	LDA	0060	DATA	STA	
DATA	BCC	0025	DATA	CLC	0043	DATA	LDS	0061	DATA	STS	
DATA	BCS	0026	DATA	CLI	0044	DATA	LDX	0062	DATA	STX	
DATA	BEQ	0027	DATA	CLR	0045	DATA	LSR	0063	DATA	SUB	
DATA	BGE	0028	DATA	CLV	0046	DATA	NEG	0064	DATA	SWI	
DATA	BGT	0029	DATA	CMP	0047	DATA	NOP	0065	DATA	TAB	
DATA	BHI	0030	DATA	COM	0048	DATA	ORA	0066	DATA	TAP	
DATA	BIT	0031	DATA	CPX	0049	DATA	PSH	0067	DATA	THA	
DATA	BLE	0032	DATA	DAA	0 0 5 0	DATA	PUL	0068	DATA	TPA	
DATA	BLS	0033	DATA	DEC	0051	DATA	ROL	0069	DATA	TST	
DATA	BLT	0034	DATA	DES	0052	DATA	ROR	0070	DATA	TSX	
DATA	BMI	0035	DATA	DEX	0053	DATA	RTI	0071	DATA	TXS	
DATA	BNE	0036	DATA	EDR	0054	DATA	RTS	0072	DATA	WAI	
	DATA DATA DATA DATA DATA DATA DATA DATA	DATA ABA DATA ADC DATA ADD DATA AND DATA ASL DATA ASR DATA BCC DATA BCC DATA BCS DATA BGE DATA BGE DATA BGI DATA BHI DATA BIT DATA BLS DATA BLS DATA BLS DATA BLS DATA BMI DATA BMI DATA BMI	DATA ABA 0019 DATA ADC 0020 DATA ADD 0021 DATA AND 0022 DATA ASL 0023 DATA ASR 0024 DATA BCC 0025 DATA BCC 0025 DATA BEG 0027 DATA BEG 0027 DATA BGT 0029 DATA BHI 0030 DATA BIT 0031 DATA BLE 0032 DATA BLS 0033 DATA BLS 0033 DATA BLS 0033 DATA BLT 0034 DATA BMI 0035	DATA ABA 0019 DATA DATA ADC 0020 DATA DATA ADD 0021 DATA DATA AND 0022 DATA DATA ASL 0023 DATA DATA ASR 0024 DATA DATA BCC 0025 DATA DATA BCS 0026 DATA DATA BEG 0027 DATA DATA BGE 0028 DATA DATA BGE 0028 DATA DATA BGT 0029 DATA DATA BHI 0030 DATA DATA BHI 0031 DATA DATA BLE 0032 DATA DATA BLE 0032 DATA DATA BLE 0033 DATA DATA BLS 0033 DATA DATA BLT 0034 DATA DATA BMI 0035 DATA	DATA ABA  DATA ADC  DATA BRA  DATA ADC  DO20 DATA BRA  DATA ADD  0021 DATA BSR  DATA AND  0022 DATA BVC  DATA ASL  DATA ASR  0024 DATA CBA  DATA BCC  DATA BCC  DATA BCS  0025 DATA CLC  DATA BCS  0026 DATA CLI  DATA BCG  0027 DATA CLI  DATA BCG  DATA CLV  DATA BCT  0029 DATA CLV  DATA BCT  DATA BCT  0030 DATA CMP  DATA BIT  0031 DATA CPX  DATA BLE  0032 DATA DAC  DATA BLS  0033 DATA DEC  DATA BLT  DATA BLS  0034 DATA DES  DATA BMI  0035 DATA DEX	DATA ABA         0019         DATA BPL         0037           DATA ADC         0020         DATA BRA         0038           DATA ADD         0021         DATA BSR         0039           DATA AND         0022         DATA BVC         0040           DATA ASL         0023         DATA BVS         0041           DATA ASR         0024         DATA CBA         0042           DATA BCC         0025         DATA CLC         0043           DATA BCS         0026         DATA CLI         0044           DATA BEQ         0027         DATA CLR         0045           DATA BGE         0028         DATA CLV         0045           DATA BGT         0029         DATA CMP         0047           DATA BHI         0030         DATA CPX         0049           DATA BLE         0031         DATA CPX         0049           DATA BLS         0033         DATA DEC         0051           DATA BLS         0033         DATA DEC         0051           DATA BLS         0034         DATA DES         0052	DATA ABA         0019         DATA BPL         0037         DATA           DATA ADC         0020         DATA BRA         0038         DATA           DATA ADD         0021         DATA BSR         0039         DATA           DATA AND         0022         DATA BVC         0040         DATA           DATA ASL         0022         DATA BVS         0041         DATA           DATA ASR         0024         DATA CBA         0042         DATA           DATA BCC         0025         DATA CLC         0043         DATA           DATA BCS         0026         DATA CLC         0044         DATA           DATA BEG         0027         DATA CLR         0045         DATA           DATA BEG         0027         DATA CLR         0045         DATA           DATA BGE         0028         DATA CLV         0046         DATA           DATA BHI         0030         DATA COM         0048         DATA           DATA BHI         0031         DATA CAR         0049         DATA           DATA BLE         0032         DATA DAA         0050         DATA           DATA BLE         0033         DATA DAS         0052         DATA	DATA ABA         0019 DATA BPL         0037 DATA INC           DATA ADC         0020 DATA BRA         0038 DATA INS           DATA ADD         0021 DATA BSR         0039 DATA INX           DATA AND         0022 DATA BVC         0040 DATA JMP           DATA ASL         0023 DATA BVS         0041 DATA JSR           DATA ASR         0024 DATA CBA         0042 DATA LDA           DATA BCC         0025 DATA CLC         0043 DATA LDS           DATA BCS         0026 DATA CLI         0044 DATA LDS           DATA BEQ         0027 DATA CLR         0045 DATA LSR           DATA BGE         0028 DATA CLV         0046 DATA NEG           DATA BGT         0029 DATA CMP         0047 DATA NOP           DATA BHI         0030 DATA COM         0048 DATA CRA           DATA BIT         0031 DATA CPX         0049 DATA PSH           DATA BLE         0032 DATA DAA         0050 DATA PUL           DATA BLS         0033 DATA DES         0052 DATA ROR           DATA BLI         0034 DATA DES         0052 DATA ROR	DATA ABA         0019         DATA BPL         0037         DATA INC         0055           DATA ADC         0020         DATA BRA         0038         DATA INS         0056           DATA ADD         0021         DATA BSR         0039         DATA INX         0057           DATA AND         0022         DATA BVC         0040         DATA JMP         0058           DATA ASL         0023         DATA BVS         0041         DATA JSR         0059           DATA ASR         0024         DATA CBA         0042         DATA LDA         0060           DATA BCC         0025         DATA CLC         0043         DATA LDS         0061           DATA BCS         0026         DATA CLC         0043         DATA LDS         0061           DATA BCS         0026         DATA CLC         0043         DATA LDS         0061           DATA BCS         0026         DATA CLC         0044         DATA LDS         0062           DATA BCS         0027         DATA CLC         0044         DATA LSR         0062           DATA BCS         0028         DATA CLC         0045         DATA NEG         0062           DATA BG         0029         DATA CMP	DATA ABA         0019         DATA BPL         0037         DATA INC         0055         DATA           DATA ADC         0020         DATA BRA         0038         DATA INS         0056         DATA           DATA ADD         0021         DATA BSR         0039         DATA INS         0057         DATA           DATA AND         0022         DATA BUC         0040         DATA JMP         0058         DATA           DATA ASL         0022         DATA BUS         0041         DATA JSR         0059         DATA           DATA ASR         0024         DATA CBA         0042         DATA LDA         0060         DATA           DATA BCC         0025         DATA CLC         0043         DATA LDS         0061         DATA           DATA BCS         0026         DATA CLC         0043         DATA LDS         0061         DATA           DATA BCS         0026         DATA CLC         0043         DATA LDS         0062         DATA           DATA BCS         0026         DATA CLC         0043         DATA LDS         0062         DATA           DATA BCS         0026         DATA CLC         0044         DATA LSR         0062         DATA	DATA ABA         0019         DATA BPL         0037         DATA INC         0055         DATA SBA           DATA ADC         0020         DATA BRA         0038         DATA INS         0056         DATA SBC           DATA ADD         0021         DATA BSR         0039         DATA INS         0057         DATA SEC           DATA AND         0022         DATA BVC         0040         DATA JMP         0058         DATA SEL           DATA ASL         0022         DATA BVS         0041         DATA JSR         0059         DATA SEV           DATA ASR         0024         DATA CBA         0042         DATA LDA         0060         DATA STA           DATA BCC         0025         DATA CLC         0043         DATA LDS         0061         DATA STA           DATA BCS         0026         DATA CLC         0043         DATA LDS         0061         DATA STS           DATA BCS         0026         DATA CLC         0043         DATA LDS         0062         DATA STS           DATA BCS         0026         DATA CLC         0044         DATA LDS         0062         DATA STS           DATA BCS         0027         DATA CLC         0045         DATA LSR         0062

#### Computabits

```
0500 PRINT "TYPE - 1 FOR LINEAR SEARCH DEMONSTRATION"
                      2 FOR BINARY SEARCH DEMONSTRATION"
0520 PRINT "
                      3 FOR AUGMENTED LINEAR SEARCH DEMO"
0530 INPUT Q
0540 ON & GOTO 1000,2000,3000
1000 REM LINEAR SEARCH
1010 GOSUB 5000
1020 INPUT "TARGET", TE
1030 FOR I=ITOL
1040 IF TE=LE(I)THEN1100
1050 NEXT I
1060 PRINT TE;" NOT FOUND AFTER ";1;" ITERATIONS"
     INPUT "TRY AGAIN", TE
1080 IF TE = "YES"THEN 1020
1090 ST [P
1100 PRINT TE;" FOUND AFTER "; I;" ITERATIONS"
1110 GOTO 1070
2000 REM BINARY SEARCH
2010 GD$UB 5000
2020 INPUT "TARGET",T&
2030
       T = 1
2040
       B=L+1
       M=T+INT ((B-T)/2)
2050
2055 PRINT MJ
     IF TE <> LE (M) THEN2090
2060
2079 PRINT "FOUND "JTE;" AT ";M
2080 GDTO 2160
2090 IF T=M THEN2150
2100 IF T&>L& (M)THEN2130
2110
       B=M
2120 GOTO 2050
2130
       T=M
2140 GOTO 2050
2150 PRINT "ERROR - ";TE;" NOT FOUND"
2160 INPUT "TRY AGAIN",TE
2170 IF TE="YES"THEN2020
2180 STOP
3000 REM AUGMENTED LINEAR SEARCH
3010 GDSUB 5000
3020 INPUT "TARGET",TE
3030
       XE=LEFTE(TL, 1)
3040 IF XE < "S"THEN3070
3050
      G0=55
3060 GOTO 3140
3070 IF XL < "J"THEN3100
       G0=40
3080
3090 GITE 3140
3100 IF X& < "C"THEN3130
3110
       G0 = 24
3120 GOTO 3140
3130
      G0 = 1
3140 FOR I=G0 TO L
3150 IF T1=L1(1)THEN3210
3160 NEXT I
3170 PRINT "ERROR - ";T£;" NOT FOUND AFTER ";I-G0+1;" ITERATIONS"
3180 INPUT "TRY AGAIN".TE
3190 IF TE="YES"THEN3020
3200 STOP
3210 PRINT TE;" FOUND AFTER "; I-GO+1;" ITERATIONS"
3220 GOTC 3180
5000 REM READ IN TABLE
5005 RESTORE
5010
       1 = 72
5020 DIM LL (L)
5030 FOR I=1 TO L
5040 READ LE(I)
5050 NEXT
5060 RETURN
READY
```

which are recognised by the compiler or interpreter. In Basic, READ, IF-THEN, GOTO, DATA, FOR-NEXT, INPUT and PRINT are all reserved words.

A table of them will be stored in the interpreter program. Whenever a word is extracted from the program during interpretation, the table is searched. If the word is found and identified as a reserved word, some code will be called to interpret the programtext which follows.

The reserved word INPUT will jump to the code which expects input from a keyboard. Since each time a reserved word is

encountered in the Basic program the whole list of reserved words must be searched, efficiency is obviously of great importance if the source program is to run quickly

A first approach to designing all these systems is to store the words in the list in any arbitary order and then to search from the top, checking each one in turn. If the target word is found the search stops; if the bottom of the list is reached a "not-found" error message is generated.

The DATA list in Program 1 shows all

(continued on next page)



Shoundine amenine amenine amenine amenine F 

#### TRS-80 SOFTWARE

We have the largest TRS-80 Program Library in the country. Business, finance, scientific and games. LEV11 and DISK. New programs daily. We pay good prices for original programs. S.A.E. for lists to:-

> MICROCOMPUTER APPLICATIONS 11 RIVERSIDE COURT, CAVERSHAM, READING RG4 8AL.

Circle No. 172

#### NICOMTECH

Cornish and West Devon distributor for the ITT 2020 and range of accessories.

APPLE, 2020 and TRS-80.

European Distributor for MICROTRONICS MORSE and RTTY software for PET and TRS80

Blank C10'2 etc. on sale

Phone Nigel Huntley on (075-55) 2066. Address: 212, St. Stephens Road, Saltash, Cornwall.

• Circle No. 173

#### SIGMA SYSTEMS

PETS. PERIPHERALS: PETSOFT PROGRAMS

A RANGE OF PRINTERS FOR THE PET

including

CETRÔNICS, DÁTAC BD 80, TELETYPE + THE AXIOM — (THE **ONLY PRINTER WITH** PET GRAPHICS - £540 cwo)

#### **54 PARK PLACE** CARDIFF 21515

Circle No. 174



30 St. Johns Road, Tunbridge Wells, (STD 0892) 39591.

Digital Microsystems DSC-2 Low Cost Computer System incorporates

- 1 Megabyte of Floppy Disc storage on two single sided 8in. Shugart drives
- 64K bytes of Main Memory Standard 32K or ■ 48K available
- CP/M Disk Operating System Standard-TEXT PROCESSING BASIC—COBOL— FORTRAN available

EXPANDABLE-Add on Hard Disk System up to 28 Megabytes per drive

MODATA ARE LOOKING FOR DEALERS AND DISTRIBUTORS

Circle No. 175



#### £295+VAT NASCOM 2



20K addressable memory on board Interface for:

TV/Monitor/Teletype "Kansas" standard Buffering for standard 'NASBUS'

8K microsoft basic - Z80 c.p.u. Expanded 57 — key licon keyboard, provision for graphics ROM on board. We are now taking orders for delivery when supplies available later this year.

Nascom 1, Buffer Boards, Memory Boards, PSUs Keyboard Cases, Teleprinters in stock.
ELEY ELECTRONICS Tel: 871522
100/104 Beatrice Road, Leicester.

#### • Circle No. 176 mmmmm

COMPUTECH
for
APPLE and ITT 2020

Professional Business Software Pacages on Diskette, comprehensions, validity checks, interactive enquiry, self-balancing. From £29
168 Finchley Road,
London, NW3 6HP.
Tel. No: 01-794 0202.

Dealer enquiries welcome. Professional Business Software Packages on Diskette, comprehensive Manuals, validity checks, interactive enquiry, self-balancing. From £295.

#### Circle No. 177

**BLANK C-12 CASSETTES** Manufactured by Racal Zonal Ltd. Screwed shell, c/w library cases 5 for £3.00, 10 for £5.00, 50 for £22.50.

**TDK HEAD DEMAGNETISER** Simply, the best £11.50 COMPUTER PROGRAMS THAT WORK, book of 24 'Basic' programs £2.70. All prices include vat and postage.

DJM SERVICES 82 Hilden Park Rd., Hildenborough, Kent TN11

Circle No. 178

#### CRAFFESM

# PROFESSIONAL BUSINESS SYSTEM We can offer a complete Turnkey installation with everything including evaluation, system design, installation and installation systems.

evaluation, system design, installation and training.

Our range of systems handles payroll, accounts, inventory, invoicing, financial planning, plus any specialised applications you require.

Why not contact us Today?

#### GRAFFCOM

52 Shaftesbury Av., London W1 01-734 8862

#### Craffedm

• Circle No. 179

(continued from previous page)

the mnemonic opcodes for the M6800 assembler. They are equivalent to the reserved words of the Basic interpreter. Every machine code instruction will contain one of these opcodes, so for each assembly code program line - excluding comments and some assembler directives - this list must be searched by matching the target opcode against members of the

In a real assembler further data would be stored, with each of the mnemonics providing such information as the instruction class and some pointer into a further table containing the various hex values of the opcodes in all the modes.

The list is in alphabetical order. It should be noted, however, that this ordering bears little relation to the functional ordering, the one which affects the microprocessor chip directly. INX is no more related to JMP than it is to ADD, even though in the first case they are lexically adjacent and in the second they are widely-separated.

We take pot-luck when searching the list about how many matches must be tried between target and stored members of the list before one succeeds.

The Basic program from 1,000 to 1,110 demonstrates how such a search is coded. Subroutine 5,000 reads in the table. The target mnemonic is read-in from the keyboard and a FOR loop is entered to compare each member of the list to the target in turn.

When the target matches, the program jumps out of the loop, the current value of the FOR loop counter I is the position in the list which held the target value. This printed value is the same as the Basic DATA statement number.

Test Run 1 shows this program in operation. If we search for ABA, the first in the list, it is located very rapidly the first time round the loop. If we search for WAI, the last in the loop, it takes 72 iterations around the loop before a match is made. Intermediate targets, such as BVS, CBA and NOP are found after 23, 24 and 47 iterations respectively.

The time taken to locate any item is Test run I

1 FOR LINEAR SEARCH DEMONSTRATION 2 FOR BINARY SEARCH DEMONSTRATION 3 FOR AUGMENTED LINEAR SEARCH DEMO

TARGET? ABA ABA FOUND AFTER 1 ITERATIONS TRY AGAIN? YES TARGET? WAI TRY AGAIN? YES
TARGET? BVS BVS FOUND AFTER 23 ITERATIONS TRY AGAINT YES TARGET? CBA CBA FOUND AFTER 24 ITERATIONS TRY AGAIN? YES TARGET? NOP NOP FOUND AFTER 47 ITERATIONS TRY AJAIN? YES TARGET? AAA
AAA NOT F(UND AFTER 72 ITERATIONS
TRY AGAIN? YES TARGET? ZZZ
ZZZ NCT FOUND AFTER 72 ITERATIONS
TRY ASAIN? NO
STOP 1090
READY linearly almost proportional to the number of iterations required to find it. Timing the performance of this program when coded in SWTP 8K Basic shows that it takes about three seconds to find

The list of opcodes in Table 1 shows how the program can be speeded by taking advantage of the MC6800 structure. It transpires that about 10 percent of the instructions are used 90 percent of the time. Table 1 was produced by counting the number of times each opcode appeared in a large program. JSR and LDX are clear winners, followed closely by CMP, LDA, BEQ, BSR, STA, STX, BNE, JMP, BRA and TRS.

This shows that subroutine calls (JSR, BSR and RTS) are the most common operations followed by pointer manipulation (LDX and STX), then tests and branches (CMP, BEQ, BNE, JMP and BRA), with accumulator stores and loads being about equal (LDA and STA).

Then there are many instructions which are used occasionally, including the arithmetic ones. About one-third of the instructions were not used at all in this program.

This new ordering is probably not too far from the "average best" ordering, although counting with a wide range of programs might make the average search time slightly shorter. Moving the first few to the top, however, and leaving all the others alone would produce great savings in overall search time.

#### No special ordering

When there is no special ordering, the average search time for an item is approximately ½n, where there are n items in the list. Little can be said about special ordering cases as it depends on the effects the ordering will cause in the individual instance.

Special-case ordering is not limited to assembler design. A business system could sort its customer list according to how often an order is placed. A periodic shuffle would be required to update the lists. The disadvantage of this specialcase shuffling scheme is that it leaves the list in a very unhelpful order for any other task, such as printing a list of customers in alphabetical order. Nevertheless, it is a possibility not to be overlooked, particularly if a few entries make up the bulk of the search task.

A second technique is demonstrated by statements 2000 to 2180 in program 1 which exploits lexical ordering and reduces search time in the binary search. To find the target item a point is chosen halfway between the two ends of the list. A check is first made to see if the target matches the middle item in the list (st.2060); if it does, the target succeeds and the program exits, with the middle point value being printed as the result (st.2079).

#### Computabits

-	1	JSI.	43	37	STS	4
	2	LD).	43	28	AEA	
ı	-3	CEF	36	39	ADC	
i	4	LDA	30	40	BLE	
ı	5	BEL	28	41	BLS	
I	6	ESI.	26	42	CLC	
ì	7	STA	23	43	RTI	
ı	8	STX	22	44	SEC	
i	9	BNE	18	45	BGE	ı
ļ	10	JMP	18	46	BHI	ı
l	11	BRA	15	47	BIT	1
ı	12	RTS	13	48	BLT	ľ
١	13	CLR	11	49	BPL	ò
ļ	14	DEC	7	50	BVC	ı
l	15	PSH	7	51	BVS	ı
ı	16	PUL	7	52	CBA	i
Į	17	SUB	7	53	CLI	l
-	18	ADD	6	54	CLV	ı
ı	19	INX	6	55	DAA	ı
ı	20	TST	6	56	DES	l
i	21	AND	5	57	EON	ı
Į	22	DEX	5	58	INS	ı
-	23	ASL	4	59	NEG	l
į	24	ASK	4	60	CRA	ı
i	25	BCC	4	61	ROL	ı
į	26	BCS	4	62	ROR	ı
Į	27 .	INC	4	63	5 BA	ı
į	28	LSR	4	64	SEC	ı
į	29	TAB	4	65	SEI	ı
Į	30	COM	3	66	SEV	ì
Į	31	TSX	3	67	SWI	
l	32	BGT	2	68	TAP	ı
ı	33	BMI	2	69	TBA	
į	34	CPX	5	70	TPA	
ļ	35	LDS	2	71	TAS	J
1	36	NOP	2	72	WAI	ı
ł						

#### Table I

If the match fails, the list being searched will be divided into two, and one of the halves will be searched. If the target is less than the mid-point, the same process is repeated with the bottom of the list taken as the mid-point used on the previous occasion (st.2110).

If the target was lexically greater than the item at the mid-point, the top of the new sub-list is taken as the old mid-point (st.2130). The new sub-list is subjected to the same procedure until one of the mid-points generated equals the target.

If the top or bottom point becomes equal to with middle point without a match (st.2090), the whole list has been searched and no entry equal to the target exists, and an error message is printed (st.2150).

This algorithm obviously fails if the list is not in lexical order but the search time is guaranteed to be short. The overall search time is also kept down. Average search length will be close to log<sub>2</sub>N, where N, where N is the length of the table. In this example log<sub>2</sub>N is 6·16 for 72 entries.

#### Tested with targets

Compare this to the linear search average of 36. The situation is not so promising, as two comparisons between the target string and those in the list are made per trial (st.2060 and st.2100), whereas there was only one per iteration in the previous example, and there is more calculation to be performed, mainly caused by statement 2050, which calculates the new mid-point (variable M) by bisecting the top (T) and the bottom (B) of the list.

Trial Run 2 shows this algorithm in action. It takes about seven bisections to locate an entry — for instance RTS, ABA and WAI. In only one case, INC, the first

middle point matches the target. In two cases, of which BPL is one, only two bisections are required.

CLV is one of the four cases where three attempts are needed, eight with four tries (BVS) and so on. It is important to test both extremes to ensure that the algorithm locates them correctly. Both ABA, the first, and WAI, the last, present no problem and are located correctly in seven attempts.

It is also tested with targets which do not appear in the search list. PQR fails after seven attempts, as does AAA, which is before any of the entries. The worst case with the current program design is ZZZ which fails after eight attempts. Note that 123 is lexically before AAA because ASCII "1" is before ASCII "A". Similarly "[AA" comes after ZZZ because the opening square bracket is after "Z".

If data containing these characters is used it should be remembered that the digits come before colon, semi-colon, commercial at "(a" etc, and that they come before the capital letters. These in turn are before the square brackets and the lower-case letters. Space is the first ASCII "printing" character, so any string beginning with a space comes before all the rest.

The numbers printed-out in Run 2 show the mid-point of the sub-lists at each stage (st.2055). The first attempt is always 37, the next either 19 or 55, and the next 10, 28, 46 or 64 and so on. With the SWTP 8K Basic, the worst case search took about 1.5 seconds, including printing-out the intermediate mid-points on a high speed video terminal.

With tables of this length the gains over a linear table are marginal. When the table has 1,000 entries, the linear search average has risen to 500, but the binary search to somewhat less than 9.97.

Perhaps the least desirable aspect of an ordered list of this type is the difficulty of adding new items. Any new item must be added in the correct place or the search algorithm will fail. This means that all the items below the one being added must be shifted down one place to make room for the addition. So binary search is best for applications where the complete list is known from the start, or where few additions have to be made.

When additions must be made, they can all be done in a batch. While on the subject of alphabetical ordering, statements 3000-3220 show how the linear search can be speeded by starting it part of the way down the list.

If the first letter of the target is "S" there is no point in checking those entries begining "A" to "R", so we start at entry 55—SBA. Start at 40 if the target begins with "J", 24 if "C", one otherwise.

Run Three shows ABA still takes one iteration and BVS still takes 23, the next one in the list, CBA, now takes only one

(continued on next page)



#### MICROTEK COMPUTER SERVICES



Agents for North Star Horizon. Personalised software for small business applications. Stock control, budget control, client information, VAT and accounting packages.

50, Chislehurst Road, Orpington, Kent Tel 66-26803 evenings 0474-872630

• Circle No. 180

#### IF YOU NEED.

HIGH SPEED CASSETTE PROGRAMME DUPLICATION AND THE SUPPLY OF TOP QUALITY CASSETTES...

Why not ring us on 01-399 2476/7 and let us quote you for your next requirements.

MEDIATAPE LIMITED, 29a Tolworth Park Road, Surbiton, Surrey.

01-399 2476/7

Circle No. 181

#### SOUTHAMPTON Your Pet Dealer

FREE £50 software or accessories from large range of COMMODORE and PETSOFT.

8K and 16K versions in stock. Hire available from £20p.w. (returnable). Technical support and servicing.

#### SUPER-VISION

13 St. James Road, Shirley, Southampton. Telephone: : Southampton (0703) 774023.

#### • Circle No. 182

#### FOR SALE

Two complete systems PET 32K with Teletype printer and interface. Software for business and games—approx. 25 different programs.

Price for each complete package: £2,000.

Any interested parties, please contact:

JUSTWISE COMPUTER SYSTEMS LTD, 15 Berkeley Street, London W.1. Tel: 01-493 7875

Circle No. 183



#### **Computer Supplies**

PET		TANI	
4K	£460	4K	£462.00
8K	£550	4K, level II	£535.20
16K	£675	16K	£581.50
32K	£795	16K, level II	£655.00
Twin Discs	£795	Disc Drive	£415.75
Printer	£645	Roll Printer	£925.00
Cassette Deck	€ 55	Trac Printer	£1,045.00
Kim 1	€ 99.5	OZero Interface	£212.00
Dust Cover	£ 5.3	016K Interface	£331.50

RentaPet from £20 weekly. All prices show ex-VAT. Petsoft and Petact dealers. Tailor-made systems and software. Quotations for your business or educational needs from:

Radio Supplies Ltd 80 Gower Road, Sketty. Telephone: Swansea (0792) 24140.

Circle No. 184

# TOPMARK Computers

dedicated to

APPLE II



Simply the best!

Full details from Tom Piercy on Huntingdon (0480) 212563 or circle enquiry card.

Circle No. 185

## COMPFER LTD. OFFERS THE FOLLOWING SOUTHWEST TECHNICAL EQUIPMENT

CT64 Terminals (assembled) £315 CTVM Video Monitors to fit CT64 £140 MP68 Processors (assembled) £355 MF68 Mini Floppy Disc —

Twin Drive \$860
4K Memory Boards (assembled) \$80
8K Memory Board Kit \$120
AC-30 Cassette Interface \$100

All subject to VAT
For further information contact:
Preston Computer Centre,
6 Victoria Buildings,
Fishergate, Preston
Tel: 0772 57684

Circle No. 186

(continued from previous page)

TYPE - I FOR LINEAR SEARCH DEMONSTRATION FOR BINARY SEARCH DEMONSTRATION 3 FOR AUGMENTED LINEAR SEARCH DEMO TARGET? RTS 37 55 46 50 52 53 54 FOUND RTS AT 54 TRY AGAIN? YES TARGET? ABA
37 19 10 5 3 2 1 FOUND ABA AT 1
TRY AGAIN? YES TARGET? INC 37 FOUND INC AT 37 TRY AGAIN? YES TARGET? BPL 37 19 FOUND BPL AT 19 TRY AGAIN? YES TARGET? CLV 37 19 28 FOUND CLV AT 28 TRY AGAIN? YES TARGET? BVS 37 19 28 23 FOUND BVS AT 23 TRY AGAIN? YES TARGET? ROR 37 55 46 50 52 FOUND ROR AT 52 TRY AGAIN? YES TARGET? PSH 37 55 46 50 48 49 FOUND PSH AT 49 TRY AGAIN? YES TARSET? NOP 37 55 46 50 48 47 FOUND NOP AT 47 TRY AGAIN? YES TARGET? WAI 37 55 64 68 70 71 72 FOUND WAI AT 72 TRY AGAIN? YES TARGET? POR 37 55 46 50 48 49 48 ERROR - POR NOT FOUND TRY AGAIN? YES TARGET? AAA 37 19 10 5 3 2 1 ERROR - AAA NOT FOUND TRY AGAIN? YES TARGET? ZZZ 37 55 64 68 70 71 72 72 ERROR - ZZZ NOT FOUND TRY AGAIN? YES TARGET? 123 37 19 10 5 3 2 1 ERROR - 123 NOT FOUND TRY AJAIN? YES TARGET? CAA 37 55 64 68 70 71 72 72 ERROR - [AA NOT FOUND TRY AGAIN? NO STOP 2180 READY

Test run 2

try. WAI, our previous worst case, now takes only 18 iterations. Non-existent entries now take a variable time, the worst being AAA and the best ZZZ, because the search is mostly finished before it starts.

Clearly what is required is a technique for storing and retrieving information which is easy to extend by adding more entries; that allows quick access to the previously-stored information, and also uses minimum program and data storage space. There is a number of contenders for the title. One is the hash table technique and the second is linked lists, which will be left for another time. The hash table allows independent insertion and recovery.

In either case, the key string is subjected to a "hash-function", which should randomise the input completely. Program Two shows such a function. It takes a string as input and returns a number, which should be totally unrelated to the input — except, of course, that if the function is applied a second time it returns the SAME number, and

continues to return the same number every time the same key-string is entered. The listing after Program Two shows the effect on a number of data strings.

#### Hash function

Program Two works by translating each of the first five characters in the string into their decimal equivalent (A = 65, Z = ), retaining only the last digit (A = 5, Z = O) and forming a decimal number from the (NEXT = 78,69,88,84,32 = 89842). The two is added to the end because the strings are always padded up to five characters with spaces (32), and only the first five characters are used.

This number is then divided by a prime number and the remainder is extracted  $(89842/53 = 1695 \cdot 13207)$ . The remainder is then multiplied by the table length to give the position of the table entry, in this case 6 (0.13207\*50).

To add an item to the table, the hash function is applied to the key-string and an attempt is made to store both the input

#### Computabits

RUN - I FOR LINEAR SEARCH DEMONSTRATION TYPE 2 FOR BINARY SEARCH DEMONSTRATION 3 FER AUGMENTED LINEAR SEARCH DEMO TARGET? ABA ABA FOUND AFTER 1 ITERATIONS THY AGAIN? YES TARGET? WAI VAI FOUND AFTER 18 ITERATIONS TRY AGAIN? YES TARGET? BVS BVS FOUND AFTER 23 ITERATIONS TRY AGAIN? YES TARGET? CBA CBA FOUND AFTER 1 ITERATIONS TRY AGAIN? YES TARGET? NOP NCP FOUND AFTER 8 ITERATIONS TRY AGAIN? YES TARGET? AAA ERROR - AAA NOT FOUND AFTER 72 **ITERATIONS** TRY AJAIN? YES TARGET? ZZZ ERROR - ZZZ NET FOUND AFTER 18 ITERATIONS TRY AGAIN? NO STOP 3200 READY

string and the data to be associated with it in the Nth entry point, where N is the value returned from the hash function. The key string will be stored in the Nth entry of the key-table, and the data in the corresponding Nth entry of the data table.

Test run 3

If the Nth location in the two tables is empty, then it is stored. If something is already stored in that entry - the hash function cannot return a value for each key-string - then an attempt is made to store it in the next location N+1.

The listing from Program Two shows that both HASH (VALUE) and HASH (OCODE) return the value 42. If location N+1 is empty the data is stored there. If the end of the table is reached before a free space is found, it wraps round to the beginning of the table and continues from entry 1.

If M attempts are made to store the data, where M is the length of the table, the table is full and the size of the table must be increased. This is done most easily with a 're-hash'. Entries from the full table are extracted, fed through a different hash function and placed in a bigger table. Thence the new hash function is always used.

To locate an item already stored in the table, the input key is hashed, the search starts at the location pointed to by the returned value HASH(VALUE) and HASH(OCODE) both still equal 42. The search for either VALUE or OCODE would start at 42. Since VALUE was stored first, it would be located immediately.

When searching for OCODE, the first match at 42 would fail, because it contains VALUE, the next location; 43 is matched which succeeds, because OCODE has been stored there. If we search for a third item which hashes to 42, and the match with both VALUE and OCODE fails and location 44 contains a null string (no entry), we know that the third item was never stored.

#### Hash tables

Hash tables are ideal for search/store applications in which data is often being saved and then located. The two operations may be mixed and there is no need to build the table first. The technique is often used in compiler and assembler symbol tables.

Each time a label or variable is mentioned the table is searched. If the item is already there, its value is extracted from the data field and returned; if it has not been defined previously, it is added into the next free location.

The run after Program Two shows that the hash function is equally happy with peoples' names (perhaps for an address list), variable names (from a high level language program) such as SYM-BOLNAME and MODE, reserved words from the Basic language, and even assorted ASCII strings.

Since only the first five characters are significant, HEXOUT and HEXOUT1 both return two. AAAA, AAAB and AAAC, however, produce very different table entries. One disadvantage of the hash table is that a slight typing error in the key-string leads to a gross error in the table entry point. A second disadvantage is that the size of the table is fixed, and must be somewhat larger than the total number of entries expected.

Hash functions can also be somewhat tempermental and should be chosen with care. The one used in Program Two was by no means my first attempt. Clumping, where many entries all map on to a single

(continued on next page)



#### TAILORED SOFTWARE FOR **PETS**

SCIENTIFIC-TECHNICAL APPLICATIONS A SPECIALITY The harder the problem the better!

AZTEC BUSINESS SERVICES Burnham (06286) 55408

Trade enquiries welcome.

Circle No. 187 \*\*\*\*\*\*\*\*

#### **MICROSTAR 45 PLUS**

Multi-user, twin floppy disc system with Stock Control, Sales Ledger, Word Processing and Mailing List Program Packages. 64K RAM, 1.2 or 2.4M char disc storage extendable to 4.8M. Price from £4,950. Complete systems from £7,000.

PRODUCTIVITY UNLIMITED Telephone Gerrards Cross 83626 Telex 847777 DELRAY G attn. MANCON.

\*\*\*\*\*\*\*\*

#### NASCOM SOFTWARE

FOR EXPANDED SYSTEMS (8K upwards).

Level C Basic - Full Floating Point Arithmetic. Supplied on cassette £12.50 or In 4×2708 Eproms £42 00

Debug with Superstep - for machine code debugging £5.00.

Relocator - relocates and re-addresses machine code programs £4.00.

Code programs £4.00.

Octal Loader — handles true and split octal £3.00.

Superstartrek — runs using Level C Basic £4.50.

Superstartrek — runs using Nascom's 2K Basic €4 50

#### FOR STANDARD SYSTEMS

Level A Basic insert in place of your monitor Eproms. Supports ALL normal Tiny Basic commands. Supplied in 2×2708 Eproms £21.50.

ALL products are fully documented.

CCSOFT (Southfields) 83 Longfield Street, London SW18 Tel: 01-870 4891

Circle No. 189

Easy Manufacture or Assembly for YOU?

We specialise in building electronic subassemblies through to complete units to YOUR detailed specification with free issue or our bought out parts. "One offs", short, or long runs. For all enquiries contact:
George Nall,
Nallman Power Products,
Ia, Dakeyne Street,
Carlton Road,
Nottingham
Tel: (S.T.D. 0602) 584316

Circle No. 190



#### BRITISH MOTOROLA 6800 SYSTEMS

6800S: 16K Dynamic RAM, 1K Mikbug compatible monitor, room for 8K BASIC in ROM, VDU with u/l case and graphics. CUTS and Hi Speed tape interfaces. Single pcb with power supply components. Price of kit from £275

without kbd or £299 with keyboard.
Mini 6800 Mk 2 u/l case VDU with graphics option, 1K Monitor, 1K user word RAM, 1K VDU, RAM, CUTS. From £127-50 without keyboard,

£152:50 with full QWERTY keyboard.

NCU Board. This number cruncher using the MM57109 is supplied with our own Basic style program on tape (3K bytes) that will outperform any of the 8K Basics as a programmable calculator. Suitable for any 6800 system with Mikbug. Kit price £32. 8K RAM (2114) and 5 or 10K PROM board.

This pcb is bus compatible with the above systems and has all the buffering and decoding

that you need. PCB only. £13.

all prices without VAT and post
PLEASE SEND SAE FOR LEAFLETS

HEWART MICROELECTRONICS 95 BLAKELOW ROAD MACCLESFIELD, CHESHIRE

Circle No. 191

#### **PET NEWS**

Floppy disk system saddle mount twin-£950. Compact free twin-£916.

**Both units at last** 

Pet 2001/8 down in price to £550 + VAT

for news of the Pet printer, Pet floppy, Super Pet, EDV Pet, keyboard, software and dust-covers Why not send for free catalogue

Intex Datalogic Ltd, Eastcliffe Ind. Est., Eastcliffe Cleveland TB16 0PN Tel 0642-781193

Circle No. 192 

#### MAILING SERVICES

Computer held files, Selected outputs on labels, letters, envelopes. Sorted for Mailing Mailing Complete Rebate, Shots Assembled & Posted, Coupon Responses, Order Files, Media Analyses etc. NLDS, ROTHWELL, LINCOLN 0472-89346/7

mmmmm • Circle No. 193

#### TRS-80 USERS

Machine-code software for Level II. Self-relocating, any memory size. DLOAD £4 95. Dynamically loads subroutines from cassette. Also gives faster data loading. RENUM £ 5 95. Renumbers BASIC programs, relocating GOTO, GOSUB,

S.A.E. for list

Southern Software, PO Box 39, Eastleigh, Hants. SO5 5WQ.

(continued from previous page)

location, leaving the majority clear, can occur, and will increase search time dramatically.

This happened when I used both digits

of the decimal equivalent of the string and divided by a small prime number: SYMBOL = 8389776679 divided by 727 produced 11540270 · 5, with only a single digit remainder in each case, because this

#### Program 2

```
1000 REM HASH FUNCTIONS FOR STRINGS
1010 KEM HASH TABLE SIZE
1011
      S = 50
1020 REM A PRIME NUMBER
1021
      P=53
1030 INPUT "KEY STRING", 41
      QE = QE +
1040
      QE=LEFTE(QE,6)
1050
1060
      RE=""
1070 FER I=1TE5
1075
      T=ASC(MIDE(QE,1,1))/10
1080
      RE=RE+STRE(INT((T-INT(T))*10))
1085 NEXT I
1090
     R=VAL(RE)
1100
      H=R/P
      O=INT((H-INT(H))*S)
1110
1120 PRINT "HASH("; QE;") = "; O; "["; RE; ", "; H; "]"
1130 GOTO 1030
READY
# RUN
KEY STRING? AAAA
HASH(AAAA )= 7 [55552,1048.15094 ]
KEY STRING? AAAB
HASH(AAAB )= 16 [55562,1048.33962 ]
KEY STRING? AAAC
HASH(AAAC )= 26 (55572,1048.5283 ]
KEY STRING? ANDERSON
HASH(ANDERS) = 8 [58892,1111.16981 ]
KEY STRING? BACKUS
HASH(BACKUS) = 33 [65755,1240.66037 ]
KEY STRING? BROOKER
HASH(BROOKE) = 29 [62995,1188.5849 ]
KEY STRING? CHOMSKY
HASH(CHOMSK) = 42 [72973,1376.84905 1
KEY STRING? FLOYD
HASH(FLOYD )= 1 [06998,132.037735 ]
KEY STRING? HORWITZ
HASH(HERWIT) = 16 (29273,552.320754 )
KEY STRIN3? KNUTH
HASH(KNUTH )= 28 (58542,1104.56603 )
KEY STRING? NAUR
           )= 31 [85522,1613.62264]
HASH (NAUL
KEY STHING? ZAND
HASH(ZAND )= 49 [05882,110.981132 ]
KEY STRING? SYMBOLNAME
HASH(SYMBOL)= 17 [39769,750.35849 ]
KEY STRING? MODE
HASH(MODE )= 19 [79892,1507.39622 ]
KEY STRING? VALUE
HASH(VALUE )= 42 (65659,1238.84905 )
KEY STRING? OPCLASS
HASH (OPCLAS) = 27
                  [90765,1712.54716]
KEY STRING? OCODE
HASH (OCODE ) = 42 [97989, 1848.84905 ]
KEY STRING? HEXOUT
HASH(HEXOUT) = 2 [29895,564.056603 ]
KEY STRING? HEXOUTI
HASH(HEXOUT) = 2 (29895,564.056603 )
KEY STRING? READ
           )= 7 (29582,558.150943 )
HASHCREAD
KEY STRING? PRINT
HASH(PRINT )= 49 [02384,44.981132 ]
KEY STRING? RESTORE
HASH(RESTOR)= 37 [29349,553.754716 ]
KEY STRING? NEXT
HASH(NEXT )= 6 (89842,1695.;3207 )
KEY STRING? 1234
HASH(1234 )= 20 (90122,1700.41509 )
KEY STRING? 1024
            )= 23 [98022,1849.47169 ]
HASH(1024
KEY STRING? 1025
HASH(1025
           )= 33 [98032,1849.66037]
KEY STRING? #128
            )= 17 [56782,1071.35849 ]
HASH (#1%
KEY STRING? AAAA
HASH(AAAA )= 7 [55552,1048.15094 ]
KEY STRING?
READY
```

#### Computabits

was at the limit of the arithmetic accuracy in Basic.

When a larger prime was chosen to combat the clumping around multiples of five (894581), similar strings began to appear at the same locations. This would be undesirable for an address list.

It seems that choosing a prime just larger than the size of the table gives the best performance (prime P = 52, for a table of size S = 50). It might help when using this function to reverse the order of the characters as they are converted into digits if any trouble is encountered.

To give some idea of how much better

over linear and binary search the hash table can be, here are a few performance figures. When the table is only 10 percent full, the average search length is 1.053; at 50 percent full it rises to only 1.52 and at 90 percent full it is about 5.5. A completely full table is a pathological case and the search length increases to about

It should be noted, however, that these search lengths are essentially independent of the table size. So for problems involving continuous storage and retrieval of data, in a hurry, the hash table algorithm may be the best solution.

## Getting to grips with the Mk 14

We reviewed the Science of Cambridge Mk 14 kit in our May, 1979 issue. It is popular and inexpensive but it is not without its quirks, as owner and enthusiast Guy Inchbald reports.

IF YOU haven't built your Mk 14 yet, stop. Go and buy a load of IC sockets. You will need them. I you've built your machine but it doesn't work, check your soldering again; about 90 percent of faults are due to duff soldering. Most of the rest are because of wrongly-inserted components. On the Mk 14 all ICs should have the coding on top, the same way round as the keyboard; if you have that upside-down, Heaven help you.

If you've used sockets and your ICs are unlikely to have suffered a heat-death, the problem may be in the power supply. Have you checked the fuse?

Drawing current from a supply causes its voltage to drop, so a nominallysufficient supply may drop below the required 7V under load - especially if it has to cope with extra RAM, a cassette interface, and other add-ons. The ripple from mains power supplies also worsens under load, and can appear as keyboard bounce, though this is due usually to the, keyboard. The cure is a larger smoothing capacitor — C2 on the circuit board.

#### Over-heating

Over-heating of the on-board regulator IC 19 causes it to cut out. Switch off quickly and let in cool for a temporary respite. The problem may be excessive current drain; it's rated at 500 mA, so any peripherals should have their own regulator, though you should get away with the cassette interface.

Alternatively, it may be an overenthusiastic power supply, for which the cure is a heatsink - rule of thumb, if it's too hot to touch, it's too small - and/or a resistor between power supply and regulator. Should the instruction book leave you baffled, try a 4.70hm one rated at least at 1.5W. If necessary, add more of them nose-to-tail. A heatsink is a good idea in any case, since the cooler any component is the longer it will last.

If you use batteries, for example as a portable power source, it's still worth putting in C2. It provides a small reservoir of current in case of momentary power loss and also eliminates the risk of HF instability, which can affect regulation.

To round off the subject of hardware, what can one do about the keyboard? When keyed in entries start producing garbage on a previously well-behaved machine, the most likely culprit is the rubber sheet sticking to the PCB. Temporary relief is gained by turning over the sheet or making a paper spacer to aid the transparent one; and if you haven't yet started building your kit, don't peel the spacer from its backing. A new keyboard is really almost essential. A set of pushkeys will cost £5 but old pocket calculators provide an excellent alternative. The 16-way edge connector is fine for the job; figure 1 shows the keyboard connections, figure 2 the edge connector.

So much for the easy part. The newcomer to machine-code programming often finds negative numbers and complements a confusing business. Even the revised instructions supplied by Science of Cambridge leave something to be desired. Perversely, perhaps, I shall start with binary addition. By the way, Section 7 of the instruction book is incorrect the third rule of addition is  $1 \times 1 = 0$  with carry', just like adding 5+ in decimal.

When large numbers are added, they can overflow available storage and leave behind a number smaller than either original. Take this four-bit addition:

1010 + 1001 =(1)0011

(continued on next page)



SOFTPRINT announces the introduction of

#### THE LETTERCETTE NEWS

The first and only British Newstape for any PET (inc. 4K)

Send £1.80 (£1.50 refund on cassette!) for nearly 50K of information about this great idea. There is something for every type of PET user. So have a look, it can only cost

Set up an account for £5 and you will receive LETTERCETTE monthly.

Software wanted: High royalties.

Lettercette Text Editor. £1.50 to account holders. £4.50 to others.

Catalogue. File locator for multi-programme tapes. Same price.

Pigeon. If you have a grudge against traffic wardens then this is the game for you. £4.50.

Jokel. A selection of jokes (some are a little blue) running inside a joke. £2.50.

Send to: SOFTPRINT,

The Vicarage, Kimpton, Nr. Hitchin, Herts.

O Circle No. 195

#### **COMPUSTAT**

#### **Continuous Stationery** for the Micro Computer

All sizes of listing paper stocked. Specialists in the preparation of Printed continuous stationary



Design Service available Spacing Charts £1.00 C.W.O.

Commercial prices to all.

Phone or write for a quotation to Miss Berry.

> 01-520 6038 63 ORFORD ROAD LONDON, E.17.

> > Circle No. 196

#### **HUMBERSIDE** MICROPROCESSOR SERVICES

THE COMPLETE INDEPENDENT SERVICE

Application areas:

Business, process control, education,

Personal Computing
We can provide for you:-Consultancy, training, supply, maintenance and software to suit your individual requirements

Including

Commodore PET M6800 Compec 202 and full ancillary equipment. Microprocessor Services, 139 Beverley Road, Hull Humberside.

For further details ring (0482) 23146



### profemp

#### HELP YOUR MICRO

- Micro-computers and peripherals
- \* Feasibility studies
- \* Machine evaluation and selection
- \* Systems to your requirements
- \* Software packages
- \* Books

For our PROFessional COMPuter advice, service or products, write or phone:

Profcomp Ltd., 107 George Lane, London E18 1AN 01-989 8177

#### Circle No. 198

#### ANDREWS COMPUTING LTD

Programs for minimum Nascom-1

Fruit Machine Game (4 £4.00 -Submarine Chase Game (4 £4.00 -Game of Life (4 £4.00

-Minefield Game (« £4.50
Programs for extended Nascom-1
-Renumber Basic Program (« £8.00

All supplied fully documented with listings on B-Bug, T4 or Nasbug format cassette tape.

C20 cassettes (inc. library 5 (ii £2.40 to 2.40 to 2.4

Machine code, Assembler or Basic coding forms. £1.60 each pad (approx. 80 sheets) Add 35p for p&p, all prices include VAT.

Send SAE for détails: 21 Lime Tree Drive, Farndon, Chester

#### • Circle No. 199

#### **TRS-80 SOFTWARE**

All types of Software for the TRS-80. Imported and U.K. written! Business, games and general programs stocked for same day shipment. A few examples:-

Software eradication of keyboard bounce 4K-48K £5.95

Use Programmable File
Handling
Microchess
Cross Reference
Star Trek
Accounts Receivable
Inventory Management
Space Fighter

£14.95
£14.95
£19.95

Send SAE for full listing and addition to our mailing list.

A. J. HARDING 28 Collington Avenue, Bexhill-on-Sea, E. Sussex Tel: (0424) 220391

• Circle No. 200

(continued from previous page)

In decimal it would appear as 10+9=3, which is patently incorrect. 10-7=3 would be more like it:

- 0111

Computers cannot store plus and minus signs, only 0s and 1s; so storing negative numbers is a problem. If every negative number has a positive equivalent which gives the same result, this can be used instead.

The problem then is to convert the number into its equivalent. In the foregoing example, -0111 is equivalent to +1001. Either number can be converted into the other by changing its 0s for 1s, and vice versa, and adding 1s so 0111 first becomes 1000 which is called its complement or ones complement. Adding 1 gives 1001 which is called its twos complement. Similarly 1001 becomes 0110; and adding 1 gives 0111.

The SC/PM CAD (complement and add) instruction performs this task, with the extra 1 to make the twos complement coming from the CY/L (carry/link) bit of the status register. That is why it is usual to precede a CAD instruction by SCL (set CY/L).

Hex digits complement each other in pairs.

0 1 2 3 4 5 6 7

FEDCBA98

The complement of 1B is E4, its two complement is E5.

The various adding instructions affect the CY/L and OV (overflow) bits as follows:

ADD, ADI, ADE

Carry from most significant bit (MSB) of result sets CY/L, which is otherwise cleared. If sign of result differs from that of both numbers OV is set; otherwise it is cleared.

DAD, etc

Carry from most significant digit sets CY L. otherwise cleared. If sign differs from both numbers OV is set; otherwise it is cleared.

CAD, etc

Carry from MSB sets CY/L, otherwise cleared. If sign of result is same as EA but opposite to AC, CY/L is set; otherwise it is cleared.

Note that the most significant bit contains the sign, O for positive numbers and 1 for negative numbers

The momory reference and jump instructions of the SC/MP assume that address displacements are in twos complement form. All numbers with the MSB (bit 8) set to 1 are assumed to be negative. So bit 8 is used as a sign indicator, leaving only seven bits to give the actual size. Which is why maximum displacement is 127, or  $2^7 - 1$ , or Hex 7F (also written X.7F).

There are two more traps lurking for the unwary. In relative addressing, memory reference instructions count from the second byte of the instruction. So instruction C0E6 at location 0F30 means 'LD from 0F31-1A=0F17'.

But jump instructions increment the PC again after jumping, so displacements are calculated from the following instruction. Thus 90E6 at location OF30 means 'JMP to F32-1A=0F18'. Similarly with indexed addresing, memory reference instructions count from the indexed address and jump instructions from the next one.

Logic functions appear very strange to many of us. The computer compares the same bit from each of two numbers (in AC and EA) and sets that bit in the result according to a table of values called a truth table — they were invented by philosophers. Here are the tables for the SC/MP:

AC	EA	AND	OR	XOR
0	0	U	0	- 0
0	1	0	1	1
i i	0	0	1	1
1	1	1		()

For example, 11010011 0R 00011001 becomes 11011011 (X0R is short for exclusive-0R, the other two are self-explanatory). Logic functions do not affect CY/L or OV.

#### Be clear

When writing programs, it is essential to use clear and profuse annotations with suitable remarks for future reference. If you don't believe me, try unravelling the programs in the Science of Cambridge instruction book.

It is also worth drawing a neat flowchart of the finished program for the same reason; as a useful side-effect, it also impresses other people, such as job interviewers.

It's a good idea to leave plenty of odd gaps full of NOPs in a new program. The thing is unlikely to work first time and you will have to insert the odd extra instruction here and there. Having a gap handy saves re-locating the latter part of the program and re-calculating all those address displacements.

#### Debugging aid

Another aid to debugging is the use of XPPC 3 to stop your program in midflight and display the next byte. You can then forage around looking at registers and the like. Return to where you left off and hit GO, and the program continues.

Some of you may have tried the 'Message' program from the official guidebook, which I found a little agricultural. Here is a more comprehensive version: it allows text up to 128 characters to be entered forwards, and caters for spaces. No characters need repeating. In addition, any part of a larger text may be displayed.

To run, enter text address in 0F12 and 0F13 with length in oF14. If length is entered as 00, the program will substitute contents of the location immediately before the text, a useful feature if your memory is as bad as mine.

The eight segments of each display digit are coded as in figure 3: so the test code for A is 011111110, or 7E.

RUNNING					
RELOCAT	ABLE				
DATA					
0513		TAN			
0F12		TAH			
14		TL			
ENTRY		1 65			
	TERS ETC				
0F15	COFC		LD	T H	set P2 to text adr. (T O)
17	36		XPAH	2	
18	COFA		LD	TAL	
IA	32		XPAL	2	
IB	C40D		LDI	13	set Pl to diaplay adr.
ID IE	35 C400		LDI	U	
20	31		XPAL	1	
21	COF2		LD	ŤL	if TL=0, set to T-1
23	9CO4		JNZ	WST	
25	C8EC		ST	TL	
29	C4FF	WST	LDI	1	set window to adr(T-1)
2B	C83D		ST	WPOS	
MAIN LO	OP STARTS I	HERE	11.5	Macc	
0F2D	A83B	MOVE	ILD	WPOS	move window to right
2F	08		NOP SCL		test for window aver-
30 31	03 F8E2		CAD	TL	test for window overrun
33	9C04		JNZ	DSWET	
35	C400		LDI	0	reset window to adr(T 0
37	C831		ST	WPOS	
ENTER D	ELAY LOOP	FOR WINDO	W DISP		
OF39	C420	DSET	LDI	32	set delay count 1
3B	C82E		ST	CDI	
3D	C406	DLI	06	set delay count	2
3F	C82B		ST	DC2	
DISPLAY	WINDOW				
OF41	C408	DL2	LDI	08	set display seg to 1 over
43	C816		ST	DSEG	, , ,
45	Co23		LD	WPOS	set window seg
47	C810	000	ST	WSEG	.,
49	B810	SEG	DLD	DSEG	Next segs
4B	A80C		ILD	WSEG	
4D 4E	08 03		NOP SCL		test for sen overrun
4E 4F	F8C4		CAD	TL	test for seg overrun
51	9C04		JNZ	DISP	
53	C400		LDI	0	reset window seg
55	C802		ST	WAEG	
57	C2	DISP	LD	(2)	display segment
58	XX	WSEG			
59	C9		ST	(1)	
5A	XX	DSEG		D. C. D	
5B	COFE		LD	DSEG	all segs displayed?
5D	9CEA		JNZ	SEG	if not, loop back
	OOP COUNT	& RETURN	21.5	200	
OF5F	B80B		DLD	DC2	
61	9CDE		JNZ	DL2	
63	B806 9CD6		DLD JNZ	DCI DL1	
	LAY LOOP				
	TO MOVE W	INDOW			
OF67	90C4	1110011	JMP	MOVE	
			JMF	MOVE	
DATA VA OF69	ARIABLES				
I IP-P-U	WPOS .				
6A	DC1				

## **Problems** with Zombie

SEVERAL readers have had difficulty with the Zombie game in our June issue. Author Trevor Lusty comments:

"There is, so far as I know, no bug in Zombie but a number of people to whom I have spoken seem to have very poor random number generators. The values 17.95 and 18.5 were, as I stated, obtained by trial and error and may be changed to suit a different machine.

"I suggest that the value 17.95 should be reduced gradually in line 420 if the number of Zombies needs to be increased. The following statements should be added during trials so that there is no subscript error and so that the number of Zombies can be found without

having to print the board.

425 IF Z1 = 25 THEN 480 504 PRINT "ZOMBIES TOTAL"; Z1 506 STOP

Lines 504 and 506 may be removed when a suitable value has been found.

"I also enclose two small programs which give a quick check on random number generators. For a full explanation I suggest The Art of Computer Programming - Volume 2 by D.E. Knuth.

The second program produces a bar graph of the frequency distribution of each number generated by your machine's random number generator. On

(continued on next page)



supersoft
supersoft supersoft



28 Burwood Avenue Pinner

Circle No. 201

#### OHIO SUPERBOARD

Computer on a board, 8K basic in ROM keyboard, graphics, cassettes interface, 2K monitor, British TV interface, expand-

#### 4K RAM £275 8K RAM £315

Please send SAE for details C.T.S., 1 Higher Calderbrook Littleborough Lancs OL15 9NL Tel. Littleborough (0706) 79332 anytime

Circle No. 202 

Anita Electronic Services (London) Ltd.
are specialists in the repair and service of
Commodore Pets.
We offer a fast on-site service, or alternatively repairs can be carried-out at our
workshops should you wish to bring in

at very competitive prices. Trade inquir-

For further information tel, or write to:-

workshops sho your Pet.
Pet maintenan at very compet ies welcomed.
For further info Anita E John Meade Anita Electronic Services, Anita Electronic Services,

15 Clerkenwell Close, London ECI 01-253 2444

• We also specialise in the repair of all makes of office equipment.

Circle No. 203

#### DY SORCERE

32K Micro Computer

£859.00+ VAT

Dealer for

#### istol an South West

ELECTROPRINT (Mr. Tasker)

5 Kingsdown Parade • Bristol 6 • 292375

Circle No. 204



#### Buy your ITT 2020 from

Sword

and get £100 of software free Software available separately

We will also sell

your programs or systems

FOR DETAILS, CONTACT:

SWORD DATA SYSTEMS LTD., 47 LONDON ROAD,

REDHILL,

SURREY

Circle No. 205

DONE

#### MICRO ADS

are accepted from private readers only, pre-paid and in writing, 20p per word, minimum charge £2.

JADE S-100 MAINFRAME with 13-slot motherboard, heavy-duty power supply and cooling fan, unused, 2240. Telephone B. Jarvis, AYLESBURY (0296) 630364.

For sale: PR-40 Printer with Pet Interface, £240 ono. Telephone: Manchester 061-792 1257 (evenings).

MOTOROLA MEK 6800 D1 Evaluation Kit. Contains 6800, 6810s, 6820s, 6850 plus support ICs, sockets, 6800 Programming and Applications manuals, etc., all unused, £70. Telephone: B. Jarvis, AYLESBURY (0296) 630364.

VDU New Colsson, RS232/20mA, 15×80, Curson Pad, £350. Tel: 01-794 8419.

Cromemco 22-D. 32K+5 in. floppy. 16K extended Basic+macro assembler. Cost £2,530 accept £2,300. Also Hazeltine 1510 VDU. Cost £970 accept £880. All brand new, write to: P.C. Clarke, 32 Upper Mall, London W.6. 9TA.

TRS-80 Level II. 16K, nearly new, genuine reason for selling, £550. Telephone: (0708) 48786



New company wants Basic and machine language programmers for part-time or fixed-price work on micros

Send details initially to:
DKT Computer Services Ltd.
15 Grange Avenue
Kitt Green
Orrell
WN5 0DF
or ring Mr J. Michaels on
0942-216427

(continued from previous page)

average, each one should come up 2000/ 100 = 20 times. A vertical line at 20 repetitions should split the bars fairly evenly. To show how his program works, we reproduce the first 10 bars from Lusty's print-out. (the whole print-out goes down to 99.)

100 REM \*\*\*\* THIS PROGRAM PRINTS 20 RANDOM NUMBERS \*\*\*\*\* 110 FOR N = 1 TO 20 120 PRINT RND(0): 130 NEXT N 140 PRINT 150 END RUN 1325513 746588 718831 5-45087E-02 793349 347161 825523 839135 693399 496481 75892 982701 358503 481969 84723 .504948

79/06/05. 15.34.01.
PROGRAM RANDOM
00100 REM \*\*\*\*\* THIS PROGRAM GENERATES 2000 NUMBERS BETWEEN \*\*\*\*
00110 REM \*\*\*\*\* 0 AND 99, AND DRAWS A BAR GRAPH OF THE \*\*\*\*\*
00120 REM \*\*\*\*\* FREQUENCY DISTRIBUTION. \*\*\*\*\*
00130 DIM P100)
00140 FOR NI = 1 TO 100
00150 LET P(N!)=0
00160 NEXT N!
00170 FOR NI = 1 TO 2000
00180 LET R=INT (100\*RND (0))
00190 LET R = R + 1
00200 LET P(R)=P(R)+1
00210 NEXT N1
00220 FOR NI = 1 TO 100
00230 PRINT
00240 PRINT NI-1: TAB(4);
00250 FOR N2=1 TO P(N1)
00260 PRINT \*\*\*:
00270 NEXT N2
00280 NEXT N1
00290 PRINT
00300 END
READY.
RUN

79/06/05, 15.35.15, PROGRAM RANDOM

0	***************************************
1 11	***************************************
2	***************************************
3	***************************************
26	***************************************
2/3	***************************************
T	***************************************
Ŧ	***************************************
_	***************************************
de	***************************************
1	

Readers who still have problems can reach Lusty on 0952 583422.

#### Aladdin's Cave

Deep in the Surrey countryside is a warehouse full of obsolete computer peripherals. Telex and Potter disc drives. Teletypes and line printers. The owners are selling the machines for scrap and are willing in principle for them to go to private users. Because they do not want any long faces, the owners require that people who apply for the equipment show some evidence that they can make it work. There are no manuals or documentation, so if you don't understand it, don't ask.

Letters of application to *Practical Computing*, 31 Islington Green, London N1. The editor reserves the right not to forward letters which in his opinion do not give us evidence of sufficient competence.

Ш

# SENIOR MICRO SPECIALIST to £8300 MICRO SPECIALIST to £7200

Xionics is undertaking a number of micro-based developments for a major British company. Our client is planning the establishment of a microprocessor specialist team, to advise on and participate in the application of microprocessors to a variety of tasks. In particular, our client is planning the installation of an advanced multi-micro corporate systems architecture currently under development by Xionics

We have been retained to recruit two individuals who will form the initial nucleus of this team, as full-time employees of our client. The successful applicants will spend 3 months at Xionics' Central London premises, and will then work at our client's headquarters in Slough.

Applicants should have a degree or equivalent qualification, and should have practical experience of working with microprocessors. Either a strong background in conventional data processing, or an electronic engineering qualification is essential. Our client offers a wide range of ancillary benefits, including mortgage assistance after one year, appropriate relocation expenses, non-contributory pension, a BUPA scheme, non-contributory prolonged disability insurance, free life assurance, use of pool car for business, flexitime, and subsidised lunches.

This is a splendid opportunity for the right individuals to move into a position of considerable responsibility and influence within a well-known and forward-looking company.

Please send a summary of your personal details, qualifications, and experience to:

Xionics Limited, Dumbarton House, 68 Oxford Street, London, W.1.

# **Senior Programmers**

# Technical Support in Telecommunications and CAD

STC are heavily committed to the advanced uses of computer systems in telephony and data transmission in the products themselves, in manufaturing processes including computer aided design, in their own management information systems and inter-company communications.

Very few organisations can provide programming professionals with such a wide range of hardware, software, applications and firm development plans. It's an opportunity you may not want to miss.

#### Software Support Programmer

The company management information systems cover the U.K. and Europe with a Honeywell Dual 66/40 and current and planned additions of Honeywell Level 6, PDP, Data General and CMC Minis.

We need a minimum of 2 years' Honeywell mainframe experience preferably GMAP programming and some experience of software system evaluation is desirable.

You will form part of the Software Support Team supporting the 66/40 under GCOS providing a large timesharing and TDS network.

#### Engineering Support Programmer

STC utilise CAD on a wide range of electronic, electrical and mechanical projects.

You should be either an Electronic Engineer with experience of computer systems, or a Programmer with a background in scientific packages for engineering users. One to two years' experience is the expected minimum.

You will work in a small team of Engineers and Programmers providing support to users of large CAD packages and producing CAD/engineering systems for use under timesharing.

## On-line System Support Programmer

You must have 2 years' experience in programming in Algol — preferably on Data General RDOS systems — or RDOS experience in scientific programming.

The first task is to take part in a CAD related project on Data General equipment with a Technical Support Team, serving Engineering users and utilising several mini-computer systems on-line to the large Honeywell mainframe.

Subsequently you will retrain to support at least one other of these systems/applications. Areas — PDP11, RSX11/M, L6, GCOS6/TPS, Series 66GCOS/TDS, Data Communications S/W Development Engineering/CAD Support.

#### **Working Conditions**

These are senior programming positions, salaries will be negotiable, and will be adjusted on the basis of age, experience and expected contribution. The company has a wide range of benefits, including a pensions scheme, site medical, dental and optical services, relocation assistance etc. Location is on the edge of London/Herts. with excellent road and rail communications.

Please telephone for an application form or write with full details to Mr. R. Edmonds-Brown, Recruitment Department, Standard Telephones and Cables Limited, Oakleigh Road South, New Southgate, London N11 1HB. Tel: 01-368 1234. Ext. 2579.

STC Changing the face of communications worldwide

### For Hardware, Software, Peripherals, Consultancy and Competitive Prices (0276) 62506 (0272) 422061

CK commodore



#### Pet 2001 From £435

NEW PET 2001 with large keyboard.

PET 2001-16N (16K RAM and New Large Keyboard)	£630.00
	2750.00
	435.00
PET 2001-8 (Standard PET with 8K memory)	515.00
PET 2040 (Dual Drive mini-floppy 343K User Storage) £	745.00
	515.00
	605.00
	106.00
	186.00
	£45.00
	£50.00
	112.00

#### Sorceror

Now with the S100 Bus Expansion Interface and Dual Drive min-floppy Disk



	inc.
Authori	sed
Dealers	

Sorceror 16K RAM (inc.UHF Modulator)	£740.00
Sorceror 32K RAM (including UHF Modulator)	£840.00
Exidy Video Monitor (High Resolution)	£240.00
Exidy Dual Drive mini-floppy disk (630K Storage)	£1200,00
Exidy S100 Bus with Interface+Motherboard+PSU	£200.00
Exidy Mini-floppy Disk Drive (143K Storage)	£495,00
5: 1 5 :	

#### Disk Drives

Shugart Mini-floppy Disk Drive (including PSU)	£350,00
Micropolis Mini-floppy Disk Drive (incl. PSU)	£350.00
Percom FD200 Mini-floppy Disk Drive (including PSU)	£350,00
Pertec 10MB Top Load Hard Disk System	
(with controller+disk basic)	£6400.00

#### APPLE II/ITT 2020

Apple mini-floppy Disk Drive (116K Storage)	£425.00
ITT 2020 incl. PAL Modulator (16K RAM)	£895.00
RS 232C Serial Interface for ITT 2020 Motherboard	£110,00
Parallel Output Interface for ITT 2020 Bus	£95.00
Palsoft on ROM Board (extended Basic)	£110.00
RAM Upgrade (16-32K, 32-48K)	£110.00
ITT 2020 Authorised Dealers	

#### Advanced Systems

Altair, Equinox, Billings, Heath, Rair, Horizon. Installations to include hard disk, and multi tasking

P. O. A.

from £3.00

Peisofi COMPUSETTES Software GEMSOFT Lifeboat Associates (Authorised Dealerships, Send for Catalogues) PILOT (for TRS 80) text orientated language COMAC - Computerised Accounting for TRS 80 £50.00 STOCK CONTROL - (for TRS 80) incl. Inventory, £125.00

Purchase Orders and Invoicing CP/M for TRS 80 £95.00 CBASIC for TRS 80 & Sorceror £75.00 Estate/Employment Agency Systems, Fortran 80, Cobol 80, Pascal

Diskettes 51/4 (blank) boxed (min. order 10) each

C60 Cassettes (Min. order 10) each £0.40 £94.00 CBM KIM 1 Microcomputer System Computalker Speech Synthesis for S100 £350.00 Books - Large range of Microcomputer related books & magazines.

If you don't see it - ask if we have it.

T & V JOHNSON (MICROCOMPUTERS ETC) LTD. Member of the TV Johnson Group of Companies

165 London Road, Camberley, Surrey GU15 3JS 48 Gloucester Road, Bristol 7.

Branches at: Birmingham, Bristol, Edinburgh, Leeds, London, Louth, Newmarket, Nottingham, Oxford, Byfleet, Wokingham.



BS 80 4K Level 1 (Keyboard with 4K memory:

J	TRS 80, 4K Level 1 (Keyboard with 4K memory+	
1	VDU+Cassette drive+240v PSU)	£435.00
1	TRS 80, 4K Level II (as above but with Level II basic)	£535.00
١	TRS 80, 16K Level II (as above but with 16K memory)	£645.00
١	TRS 80, 4K Level I - Keyboard+240v PSU only	£350.00
1	TRS 80, Expansion Interface with 16K RAM	£325.00
I	TRS 80, Expansion Interface with 32K RAM	£435.00
ı	TVJ 232T Serial Interface for TRS 80	£45.00
1	TRS 80 Screen Printer (text+graphics) (110V)	£445.00
۱	Expandor Black Box Interface for TRS 80	£48.00
1	Expandor Black Box Power Supply for TRS 80	£49.50
1	Centronics Parallel Printer Interface for TRS 80	£45.00
١	TRS 80 Voice Synthesizer	£345.00
۱	TRS 80 Numeric Key Pad supplied & fitted	£89.00
١	New Radio Shack Micro Printer	£245.00
1	Radio Shack Phone Modem	£160.00
	NEWDOS Super-enhanced TRSDOS	£50.00
1	Level III Super-enhanced BASIC	£34.00
1	RSM Assemble/Monitor on Disk	£25.00
	MICROCHESS or SARGON CHESS Cassette/Disk	£14.00
	Disk Drives for TRS 80 - see Disk Drives	
	UHF Modulators (encased with leads for 625 lines)	£20.00
	RAM upgrade (4-16K, 16-32K, 32-48K)	
	Supplied and fitted at our premises	£110.00
	Upgrade to increase speed 1.78 MHZ to 2.66 MHZ	£13.00
	Switchable selection of Level I or Level II (ROMS required	£25.00
	Automatic volume control (AVC) for CLOAD	£25.00
	'Electric Pencil' text/word processing package (on cassette)	£65.00
	'Electric Pencil' text/word processing package (disk version)	£115.00
	'Electric Pencil' keyboard mod, to give lower	
	case with text/word processing package.	£28.00
	S100 Interface for TRS 80	£375.00
	'Library 100' – 100 progs for TRS 80 on cassette (Level II	£39.00

#### **Printers**

TELETYPE 43 KSR £875.00 Keyboard send/receive Serial printer for PET or TRS 80 (interfaces or friction feed extra)

Teletype 33 KSR Serial (110 Baud) Reconditioned £550.00 Expandor Black Box (80 column impact printer) £375.00 Centronics 779 parallel (friction feed) £790.00 Centronics 779 parallel printer (tractor feed) £890.00 Centronics 701 parallel printer, Bi-directional+ tractor fed £1375.00 £395.00 P. O. A.

Centronics micro printer (20, 40, 80 columns selectable) QUME or DIABLO daisy wheel serial printers

#### **Terminals**

Soroc IQ120 VDU/Keyboard - 80 char./24 lines £660.00 Cypher CUB VDU+separate keyboard £380,00

Ansaback 'Phonemate' Telephone Answering Machine, voice operated twin cassette £190.00

PRICES EXCLUDE VAT, FREIGHT & HANDLING, SEND OR PHONE FOR PRICE LIST & BROCHURES.

(All prices correct at time of compilation)

Directors: Dr. R. V. King, BA, MIEE.
S.G. Johnson, BSE. (Hons.)
T.S. Johnson, ABIBA, ACMB, FBSC, MBIM
A,S. Barton, ACII, ABIBA, CdipAF.





**22061** Eves. Telex 858893 Basingstoke (0256) 24787

+ Ansaback eves and w/ends.

and Farnham (0252) 721094 (+ansaback during office hours Hours of business 9.30-5.30 Mon-Fri. 9.30-1.00 Sat.

# Aw, cut it out!

Heath H8/H17 NEWS FLASH! Software modified CP/M with Manual Lifeboat Software Manual / Alone available available OHIO SCIENTIFIC C3 June 1 tified documents from source text files format Super BASIC — Sub-set of Xitan Disk BASIC with extensive 3 Software arithmetic and string features but without random access data file support. Available optionally with features to support VDB Manual 8 with DIGITAL RESEARCH Manual / Alone Xitan video output board £75/£20 CP/M\* FDOS — Diskette Operating System complete with Text Editor, Assembler, Debugger, File Manager and system utilities. Available for wide variety of disk systems including North Star, Helios II, Micropolis, ICOM (all systems) and Altair. Supports computers such as Sorcerer, Horizon, Sol System III, Versatile. Altair 8800, COMPAL-80, DYNABYTE DB8/2, and ICOM Attache. Specify desired configuration .... £109/£25 A3 package includes Z-TEL, TOP, ASM and Super BASIC £187/£40 ☐ A3+ package Includes Disk BASIC, Z-TEL, TOP, ASM, Z-BUG and LINKER £307/£40 MAC — 8080 Macro Assembler. Full Intel macro definitions. Pseudo Ops Include RPC, IRP, REPT, TITLE, PAGE, and MACLIB. Z-80 library included. Produces Intel absolute hex output plus symbols file for use by SID (see below) £75/£15 □ Super Sort I — Sort, merge, extract utility as absolute executable program or linkable module in Microsoft format. Sorts fixed or variable records with data in binary, BCD, Packed Decimal, EBCDIC, ASCII, floating, fixed point, exponential, field justified, etc. etc. Even variable number of fields per record! SID - 8080 symbolic debugger. Full trace, pass count and £188/£25 break-point program testing system with back-trace and histogram utilities. When used with MAC, provides full symbolic display of memory labels and equated values ..... £64/£15 ☐ Super Sort II — Above available as absolute program only £150/£25 **TEX** — Text-formatter to create paginated, page-numbered and justified copy from source text files, directable to disk or ☐ Super Sort III — As II without SELECT/EXCLUDE £112/£25 ■ Word Master Text Editor — In one mode has super-set of DESPOOL — Program to permit simultaneous printing of CP/M's ED commands including global searching and replac-ing, forward and backwards in file. In video mode, provides full screen editor for users with serial addressable-cursor terminal data from disk while user executes another program from the .. £38/£1 £112/£25 **MICROSOFT** □ Corresponder — Mail list system, supporting form letter generation with personalized greetings. Reference fields permit sorting and extraction by name, address fields or reference data using Super Sort, Requires CBASIC £72/£25 **Disk Extended BASIC** — New version, ANSI compatible with long variable names, WHILE/WEND, chaining, variable ☐ Disk Extended BASIC -Microsoft Prices are length file records £225/£25 discountedin □ FORTRAN-80 — ANSI '66 (except for COMPLEX) plus many extensions. Includes relocatable object complier, linking loader, library with manager. Also includes MACRO-80 (see **SOFTWARE SYSTEMS** CBASIC-2 Disk Extended BASIC — Non-interactive BASIC with pseudo-code compiler and runtime interpreter. Supports full file control, chaining, integer and extended precision variables etc. Version 1 users can receive Version 2 and new manual for \$45 with return of original diskette. Standard CP/M below) £300/£25 COBOL-80 — ANSI 74 Pseudo-compiler with relocatable object runtime package. Format same as FORTRAN-80 and MACRO-80 modules. Complete ISAM, interactive ACCEPT/ MACRO-80 modules. Com DISPLAY, COPY, EXTEND and TRS-80 CP/M versions available £68/£15 ■ MACRO-80 — 8080/Z80 Macro Assembler. Intel and Zilog STRUCTURED SYSTEMS GROUP mnemonics supported. Relocatable linkable output. Loader, Library Manager and Cross Reference List utilities included General Ledger — Interactive and flexible system providing proof and report outputs. Customization of COA created inter-£112/£15 Structured MACRO-80 plus FORTRAN subroutine library available. Library includes ABS, SIGN, EXP, DLOG, SQRT, DSQRT, ATAN, DATAN etc. etc. £165/£15 Systems prices are iscounted! ■ EDIT-80 — Very fast random access text editor for text with or without line numbers. Global and intra-line commands supported. File compare utility included £67/£15 Accounts Receivable — Open item system with output for internal aged reports and customer-oriented statement and bill-.. £67/£15 ing purposes. On-Line Enquiry permits information for Customer Service and Credit departments. Interface to General Ledger provided if both systems used. Requires CBASIC XITAN (software requires Z-80 CPU) Disk BASIC — Fast powerful interactive interpreter. PRI-VACY password security. Can dynamically open a large number of files simultaneously for random or sequential I/O £525/£20 Accounts Payable - Provides aged statements of ac-£119/£20 counts by vendor with check writing for selected invoices. Can be used alone or with General Ledger and/or with NAD. Re-Z-TEL — Text editing language. Expression evaluation iteration and conditional branching ability. Registers available for quires CBASIC £525/£20 text and commands. Macro command strings can be saved on ■ NAD Name and Address selection system — interactive mail list creation and maintenance program with output as full reports with reference data or restricted information for mail labels. Transfer system for extraction and transfer of selected records to create new files. Requires CBASIC £59/£20 £52/£20 disk for re-use ASM Macro Assembler — Mnemonics per Intel with Z-80 extensions. Macro capabilities with absolute Intel hex or relocatable linkable output modules £52/£20 QSORT — Fast sort/merge program for files with fixed record length, variable field length information. Up to five ascending or descending keys. Full back-up of input files created. Parameter file created, optionally with interactive program which requires CBASIC. Parameter file may be generated with CP/M assembler utility. ☐ LINKER — Link-edits and loads ASM modules ■ Z-BUG debugger — Trace, break-point tester. Supports decimal, octal and hex modes. Dissassembler to ASM mnemonic set. Emulation technique permits full tracing and break-point support through ROM £67/£20 bler utility CP M is a trade name of Digital Research

Software for most popular 8080/Z80 computer disk systems, including NORTH STAR, MICROPOLIS, ICOM, SD SYSTEMS, DYNABYTE DB8/2, HELIOS, ALTAIR, TRS-80, 8" IBM and OHIO SCIENTIFIC formats.

		Software /			Software / Manual
000000000000000000000000000000000000000		with / Manual `Manual / Alone	Π.	(HATOIT)	Manual / Alone
PAYROLL SY	PAYROLL SYSTEM — Maintains employee master file.		tiv de	/HATSIT? — Interactive data-base to retrieve information by om access used for fast resp	subject. Hashing and ran- onse. Requires CBASIC
taxes. Prints pay forms. Can gene with mail labels.	oll withholding for FICA, Fed vroll register, checks, quarterly erate ad hoc reports and emplo Requires CBASIC. Supplied MANAGEMENT SYSTE	reports and W-2 typee form letters in source code £454/£35	□ X B a te	YBASIC Interactive Process C ASIC features plus unique comma d shift, and to test and set bits anded and ROMable versions, atteger Disk or Integer ROMable	control BASIC — Full disk ands to handle bytes, rotate s. Available in Integer, Ex-
deposits of apairevenues, etc. flate rents, vaca vacancies, etc.	stem for receipts, disbursementment projects. Captures data for annual trend analysis. Dai incy notices, vacancies, incor Requires CBÁSIC. Supplled	a on vacancies, ly report shows ne lost through In source code.		xtended Disk or Extended ROMat SMAL/80 Structured Macro Asse ge of powerful general purpose MAL structured language compile inquage with IF-I HEN-ELSE, LO	embled Language — Pack- text macro processor and er. SMAL is an assembler
INVENTORY sources, sales, formation may b	SYSTEM — Captures stoc ages, turnover, markup, etc. be entered for reporting by sa	k levels, costs, Transaction in- lesman, type of	□ <b>S</b>	NĎ, BĚGIN-END constructs elector II — Data Base Process ngle Key data bases, Prints forn	sor to create and maintain natted, sorted reports with
sale, date of sale, etc. Reports available both fi and decision making. Requires CBASIC. Supplicode.		oplied in source	(s	umerical summaries. Available for tate which). Supplied in source co	de £146/£20
OTHER	ment Package — Consists		C Ve A	elector III — Multi (i.e., up to 24) omes with applications programs i entory. Payables, Receivables, C prointments, and Client/Patient. F	including Sales Activity, In- theck Register, Expenses, Requires CBASIC Supplied
line editor, with relocating asset	cilities; (2) Z80 ics, conditional	E	source code	£259/£20	
loader producing DDT or SID faci	cross reference table capabili g absolute Intel hex disk file fo lities. Standard CP/M and TR	or CP/M LOAD, S-80 CP/M ver-	to in tra	PM/374X Utility Package — create or re-name an IBM 3741 formation and edit the data set ansfer facilities between 3741 voles	volume, display directory contents. Provides full file lume data sets and CP/M
□ TEXTWRITER II — Text formatter to justify and paginate letters and other documents. Special features include insertion of text during execution from other disk files or console, permitting recipe documents to be created from linked fragments on other files. Ideal for contracts, manuals, etc £56/£5 □ DISINTEL — Disk based disassembler to Intel 8080 or TDL/ Xitan Z80 source code, listing and cross reference files. Intel or TDL/Xitan pseudo ops optional. Runs on 8080. Standard CP/M and TRS-80 CP/M versions available			□ FI	ippy Disk Kit — Template and e sided 51/4" diskettes for use of serves	instructions to modify sin- econd side in singled sided
			fo Cl B/	ASIC Comparison — A comprimence analysis of five 8080 d BASIC, BASIC-E, XYBASIC, MASIC, and Xitan's Disk BASIC. Iten continuate the state of the sta	isk BASIC languages — Microsoft Disk Extended nizes results of 21 diverent
Runs on Z80 onl available	As DISINTEL to Zilog/Mostek ly. Standard CP/M and TRS-80	CP/M versions£49/£10	Da TI ba cri sy sc m ing Ma	RS-80 FORTRAN PACKAG sed language and utility packa eators of Level II BASIC. the pastern with 32K RAM, one or more flware is supplied on diskettes an achine code FORTRAN Compiler, g Loader, Subroutine Library. Text acro assembler, loader and editor.  All software requires CP M req	Professional disk- ige written by Microsoft. ckage runs on a TRS-80 drives and TRSDOS. The d consists of a relocatable Macro Assembler. a Link- Editor £244
	Software		Price	except TRS-80 FORTRAN	
		manual alone		00	
		☐ manual alone		Disk systems and formats: North Star single or double density, IBM	
Cheque	□ Visa □ Access	p+p		single or 2D/256, Altair, Helios II, Micropolis	Lifeboat Associate
Account #	Exp. Date	+ VAT		Mod I or II, 5%" soft sector (Micro /COM/SD	THE
Signature		Total		Sales/Dynabyte), etc.  Add 50p (item Post/ Packing).	SOFTWARE
My computer configu	ration (specifying disk system):			Manual cost applicable	SUPER~
Name				against price of subsequent software pur	MARKET
Address				chase.  The sale of each pro-	
		Post Code		prietary software pack- age conveys a license	
EFFECTIVE JUN	NE 1979			for use on one system only.	7

# MICRO 44...

ANNOUNCES THEIR NEW RANGE OF

# **EXIDY SORCERER SOFTWARE**

—also customised programming and software consultancy and support on all micros.

Contact Andy Marshall at: Micro 44, 44 Arthurs Bridge Road, Woking, Surrey. or Phone: (04862) 66084.

Circle No. 207

#### **HEAVY DUTY PRINTER**

FOR

PET SWTP HORIZON APPLE
SORCERER CROMEMCO ETC
ANADEX D.P 8000

80 COL. FAST 112 CPS
BIDIRECTIONAL PRINTING.
VERY GOOD PRINT
QUALITY UPPER/LOWER CASE, £ SIGN.



READY TO GO £575+VAT FOR PETS, ALL ABOVE + INTERFACE £195
Also available:

COMPLETE BUSINESS SYSTEMS
DIABLO HYTERM 1620

£2700 £2000

Write or Phone for further details or demonstration

#### LONDON COMPUTER STORE

43 GRAFTON WAY
Off Tottenham Crt. Rd., London W.1
01-388 5721 OPEN 11-7 Mon-Fri 11-4 Sats.

• Circle No. 208

#### PAXTON COMPUTERS LTD

Computer Systems Specialists

**EQUINOX** 300

**NORTH STAR HORIZON** 

- Computer Systems Design
- Computer Systems Software

#### PAXTON COMPUTERS LTD

26 High Street, Great Paxton, Cambridgeshire

Tel. Huntingdon (0480) 213785.

BEDS · CAMBS · HERTS · NORTHANTS

• Circle No. 209

Buyers' Guide

THE BUYER'S GUIDE is a summary of low-cost computers available in this country. It appears each month; we add new computers and amend existing information as required to keep up-to-date. The cut-off point is taken as £5,000, because we feel that computer systems costing more than that for a minimum configuration cannot be summarised adequately in a brief tablem Systems are listed by manufacturer.

If a computer has been reviewed by Practical Computing, the date of the appropriate issue is indicated.

This month's Guide was compiled before the Budget VAT chances were announced.

MANUFACTURER	HARDWARE /SOFTWARE & APPLICATIONS /AVAILABILITY	PRICE
	Acorn. Single Eurocard-sized microcomputer with 6502 processor, IKB RAM, 16-way I/O. Max size: a second Eurocard adds hex keypad and CUTS cassette interface. Monitor and now. Basic and disc operating system in the future. "Highly cost-effective basis for a elopment system". Sold by post of from Microdigital (051-236 0707).	£70.20 inc VAT and postage for kit. £81 complete for assembled Acorn.
Assembler: games: business	Apple II. Min size: 16K memory; 8K ROM; keyboard; monitors; mini assembler; colour graphics; Pal card; RF modulator; games; paddles and speakers; 4 demo cassettes. Max nory; floppy discs and printers are now available. Two versions of Basic, PASCAL; packages. An American system regarded as suitable for any kind of applications. d. Personal Computers Ltd (01-283 3391) is the sole U.K. agent but has a distributor wed July, 1978.)	Around £1,000
	Attache. Min size: system with 10 slots, S100 bus, 8080 processor and 16KB housed in desk-top case with built-in keyboard. Max size: 64KB, parallel printer interface, two floppies, video screen. Disc Basic; business applications produced by Moncoland, the sole de Keen, GBH, Alba, and Lion.	From £1,737 without video or external storage. Full business system with screen, discs and printer about £5,000
BRUTECH ELECTRONICS	<b>BEM-CPUI:</b> Single-board processor with 6502 and no RAM. No applications software. Available from Data Precision Equipment (04862 67420). (Reviewed March, 1979.)	From £116
COMART	Microbox. Chasis with three to six PCB sockets for S100 boards, plus fan. Several S100 boards available. Aimed mainly at OEM industrial users and perhaps the serious hobbyist. It will take Cromemco, North Star and other processors. Available from Comart (0480 215005).	£255 for full package plus case
COMMODORE SYSTEMS DIVISION educational and small busines	Pet. Single unit containing screen, tape cassette and keyboard. Floppy disc, printer and full-size keyboard are options, as are external cassettes. Basic; games; business packages. The British subsidiary of Commodore Systems of the U.S. sells Pet for home, ss applications. About 80 distributors.	£460-£795 exc VAT
and Teletype; IK RAM; 2K RC import which gives Pet-type c	small calculator-type keyboard; LED six-digit display; built-in interfaces for audio-cassette DM (can add up to 64K). No software available, but it has three good manuals. An American apabilities with a maximum configuration. For the hobbyist but used mainly as an chip. Twelve to 15 dealers. (Reviewed October, 1978.)	£99.95
COMPELEC ELECTRONICS	Series 1. Z-80 processor 512MB floppy, 32KB, Centronics printer, VDU. Up to 4MB disc and 64KB. CP/M, Basic, Cobol, PASCAL, Fortran IV, Assembler, Business and word processing packages available. From Compelec (01-580 6296), which is also sole supplier of Altair systems.	Less than £5,000 for basic system
COMPUCOLOR  Extended disc Basic in ROM, in personal computer sales. A Shop and Transam. (Reviewe	Compucolor II. Packaged system including 13in. eight-colour display with alphanumerics and graphics, 72-key detachable keyboard, 8KB, and built-in mini-floppy. Max size: 32KB. graphics programs and games. The system now ranks fourth behind Pet, TRS-80 and Apple bacus (01-580 8841) is sole U.K. agent and is arranging distributors, including the Byte ad June, 1979.)	From £1,390
COMPUCORP	<b>610</b> : desk-top unit using Z-80 and incorporating screen, 150KB floppy, 48KB. Up to 60KB memory, four floppies, printers. Basic, Assembler, DOS, text editor, file manager; business packages. Nine dealers.	From £3,890
COMPUTER CENTRE	Mini kit: Z-80 CPU, CTC, USART, serial and parallel I/O, 16 bytes memory, Western Digital disc controller, SA400 5in. drive plus CP/M, cables and connectors.	Mini kit: £786.
or cost of media. Library inclu	RI 7100 8in. drive instead of 5in. drive. All (33) volumes of CP/M user group library available udes utilities, games. Basic compilers/interpreters and Algol compiler. Microsoft Basic, Computer Centre (02514 29607).	Maxi kit: £886.
COMPUTER	System I. Typical size: 40K memory; dual 8in. floppy discs, total storage capacity 1.2MB; Ricoh daisywheel printer. System 2. Typical size: 24K memory; dual minifloppy discs of 80K bytes each; Centronics 779 dot matrix printer; VDU.	System 1, £5,000 plus, System 2, around £3,000.
WORKSHOP		
System 3. 12K memory, cass etrieval package. The system	sette interface; 40-column dot matrix printer. Editors, Assemblers, Basic, games, information ins were designed and built in Peterborough and are suitable for educational and small the more serious hobbyist. Twenty-five dealers.	System 3, from £1,3 0
retrieval package. The system business users and perhaps to CROMEMCO  Z-80 monitor. For OEM and in-	ns were designed and built in Peterborough and are suitable for educational and small	
System 3. 12K memory, cass etrieval package. The system pusiness users and perhaps to CROMEMCO  Z-80 monitor. For OEM and in and Datron Interform are ager  Z-2. Min size: chassis, 30A po	single-card computer. 4MHz Z-80 CPU, S100 bus, IKB RAM, sockets for 8K ROM. 20mA/RS232 serial interface and parallel bi-directional interface. Basic in ROM and dustrial users; used with backplane for "full computer capability". Comart, MicroCentre ints, and have 12 distributors. (Reviewed February, 1979.)  ower supply, motherboard, Z-80 processor, 16KB memory. Max size: 512KB, 21 sockets, floppies. Basic, Fortran, Cobol, assemblers. For serious hobbyists, OEMs, educational	£1,30

#### SDS- 00



#### SDS-100 HIGHLIGHTS

- Up to 256K bytes of RAM
   2 Megabyte Disk Storage On Line (IBM 3740 Compatible)
- 12 in. Video Display (24 lines of 80 characters)
- 280 Central Processing Unit Full Upper and Lower Case Keyboard Numeric Key Pad and Cursor Controls
- Parallel Input and Output Ports for parallel I/O requirements Key Lock On/Off Switch
- Video Display features Blinking, Reverse, Underline and combinations
- RS-232 Serial Interface for on-line applications and serial printers Compatible with C-Basic, Disk Fortran, Cobol and CP/M DOS compatible software. (CP/M is a registered trademark of Digital

Research of Pacific Grove, California)

#### STANDARD FEATURES


- Mircoprocessor controller
   Serial RS-232C interface
- Parallel TTL level interface
- Full upper and lower case ASCII character set (96 characters)
- Full 81 in. wide paper Line length of 80 columns at 10 characters per
- Impact printing

- 7 x 7 dot matrix Ordinary paper—roll, fanfold, or sheet Serial baud rate to 1,200 bits per second Multiple line buffer of 256 characters
- Built-in self test mode
- Instantaneous print rate to 100 characters per
- Sustained throughput to 50 characters per
- Multiple copies without adjustment
- Re-inking ribbon mechanism
  Expected ribbon life of 10 million characters
- Front panel operator controls
- Attractive table top console

#### **DEALER ENQUIRIES INVITED**

#### OPTIONAL FEATURES

- Line lengths to 132 columns
- Instantaneous print rate to 165 characters per second
  Sustained throughput to 80 characters per
- Print densities of 8-3, 10, 12 and 16-5
- characters per inch
  Options program selectable by control codes
- Full CRT screen size multiline buffer (2,048 characters)
- Special set of graphic symbols Graphics dot plotting mode
- Form feed control
- Eight switch selectable form sizes
- Automatic page boundary skip
  Remote printer selection/deselection
- Automatic line feed on carriage return



AIRAMCO LTD

9 LONGFORD AVENUE.

**TELEX 779808** 

KILWINNING INDUSTRIAL ESTATE, IRVINE, AYRSHIRE.

**UNIT 2A** 

Circle No. 210

keyboards are fully TTL-compatible, providing the full 128 ASCII

character set, and requiring +5V - 12V Power Supply. Full technical data and circuit diagrams supplied.

Quantity discounts

## New Low-Cost ASCII Keyboards-Ex Stock Delivery.

KB756 56-keystations,

KB771 — Latest addition to the range — ideal for the VDU-builder 71 Keystations incorporating separate numeric/cursor control pad and installed in a custom-built steel enclosure with textured enamel finish. Case dimensions: 17 % " x 7 ½" x 3% " Total weight: 4Kg.



Price £95.00 (mail order total £108.00) 25-way D-Type connector for KB771 £4.25 (mail order total £5.13)

#### NEW KEYTOP/ **KEYSWITCH KITS — ASCII** CHARACTER SET BRAND **NEW SURPLUS**

Pack of 58 keytops and keyswitches comprising 49 "Qwerty" set TTY format + 9 Edit/Function keys. PRICE: £15.00 (mail order total £17.28)

#### **NEW SHUGART FLOPPY DISC DRIVES**

SA400 Minifloppy — 110KB capacity. 35 tracks, transfer rate 125Kbits/sec. AV access time, 550msec. Power requirements + 5VDC + 12VDC.

PRICE: £195.00

 $$A800\ Floppy=400\ KB\ capacity.\ 77\ tracks,\ transfer\ rate 250Kbits/sec.\ AV\ access time 260msec.\ Power\ requirements + 24DC + 5VDC - 5VDC.$ 

PRICE: £395.00

£49.50 £55.08 mounted on PCB KB756MF, as above, fitted with metal mounting frame for extra rigidity £55.00 £61.02 **Optional Extras:** KB15P Edge Connector £ 3.25 £ 4.05 **KB701 Plastic Enclosure** £12.50 £14.31 £28 62 KB702 Steel Enclosure £25.00 £ 8.00 £ 9.18 **KB710 Numeric Pad** KB2376 Spare ROM

£12.50 £14.04 Encoder DC-512 DC/DC £ 7.50 £ 8.64

SEALECTRO PATCH BOARDS

Programme boards for switching and interconnecting input/output circuits. 11 x 20 XY matrix. Interconnection is by means of shorting Skip and component holding pins (not included). Dimensions: 7 ½" x 5 ½" x 1". PRICE: £12.50 (mail order total £14.58)

#### Reconditioned EDITING VDU SAVE £100! Superb specification includes full

HAZELTINE H-2000A **NOW ONLY £395.00 HAZELTINE H-2000B** NOW ONLY £495.00

Teletype Compatible 12" Diagonal Screen TTY Format Keyboard 27 Lines of 74 characters

- Speeds up to 9600 baud.
- \$\frac{1}{2} \text{ Lines of \$\text{7 Cites of } \text{7 Cites of } \text{7 Cites of } \text{7 Dot Matrix} \text{\$\frac{1}{2} \text{ Switch-selectable Transmission}}

edit capability, direct cursor addressing, standard V.24 (RS232) interface, 90 days' warranty.

- ★ Switch-selectable Parity
   ★ Standard CCITT V.24
   Interface
- \* Direct Cursor Addressing
- Full Edit Capability
- Detachable Keyboard
  Printer Port
  90-day Warranty

We also specialise in: DEC minis — PDP8 and PDP11 processors, add-on memory, peripherals and spares.

Hard copy terminals — ASR33 and KSR 33 Teletypes, Data Dynamics 390, Texas Silent 700. Send for complete lists.

A copy of our conditions supplied on request.




49/53 Pancras Road London NW12QB Tel: 01-837 7781. Telex 298694

D Circle No. 211

(continued from page 103)

MANUFACTURER	HARDWARE /SOFTWARE & APPLICATIONS /AVAILABILITY	PRICE
interface. Max size: two add Fortan, Cobol, Basic, asser scientific/industrial/busines		£2,294 upwards
System Two /64. New cor System Two.	figuration featuring mini-diskette drives and 64K bytes memory. Software and application as	£3,050
processor. Max size: two ad programmer. Software as fo	KB, dual 256KB floppies, dual printer interface, 20mA/RS232 serial interface, Z-80 ditional discs, 12KB, seven terminals, multi-channel A/D and D/A interface, PROM or System Two. Described as appropriate for small to medium business, scientific and inicomputers at more than twice the price".	£3,444 to more than £10,800
System Three/64. New corconsole and printer interface	nfiguration featuring dual 8in. diskette drives; Z-80A processor; 64K of 4MHz memory; es. Macro Assembler, Fortran IV, Extended Basic, Cobol, Multi-user Basic.	£4,385
EQUINOX	Equinox 300. Min size: 48K memory; dual floppy discs giving 600K bytes of storage;	£5,000-£40,000
	16-bit Western Digital m.p.u. Max size: up to 256K memory; up to four 10MB hard discs. Assembler, Text Processor. All software bundled. The system is a multi-user, multi-tasking, to 12 users. Application software available for general commercial users. Sole distributors .739 2387).	plus
EXIDY	Sorcerer: based on Z-80. 16K and 32K; cartridge and cassette interfaces; 79-key	£760 for 16K, £859
with Micropolis floppy discs. EPROM pack for your own p and dealers. (Reviewed Mar	keyboard; 256-character set (128 graphics symbols), 12in. video monitor; expandable Basic, Assembler and Editor; games, word processor. Other pre-packaged programs plus programs on cartridges. There is no sole importer for U.K.; sold through various importers (ch. 1979.)	for 32K (excludes video monitor); £1,200 with floppy discs.
HEWART MICROELECTRONICS 6800 Cookbook Markets ar	Mini 6800 Mk II. IK monitor; IK user RAM, IK VDU RAM; CUTS. Upper- and lower-case VDU with graphic option. 128-byte scratchpad; decoder/buffer; power supply Basic in ROM; monitor command summary, SWTPC programs; Newbear 6800; Scelbi e small business, education and home user. Cash with order to Hewart. (0625) 22030.	From £127.50 plus VAT
6800S. 16K dynamic RAM.	IK Mikburg-compatible monitor; room for 8K Basic in ROM; upper- and lower-case graphics; ter and high-speed tape interfaces. "Mountains of software available." Test tape with CUTS test	From £275 plus VAT.
DIGITAL	DSC-2. Min size: 32KB, but 64K standard; Z-80; over IMB floppy dlsc on two single-sided 8in. drives; four programmable RS232 and one parallel interface. CP/M and Basic included in price. Extended Basic, Fortran, Cobol, text processing, Macro Assembler, Link	From £4,465.
	and CAP-CPP business software. Add-on rigid disc system (14 and 28MB) available soon. U.K. distributor; dealers being appointed.	
IMSAI which has larger disc capaci about £700 per package. Tw	VDP 40: 32K or 64K RAM memory; 9in. display screen, standard keyboard. Two 51/4in. floppy disc drives; serial I/O. Full software support, and packages available for the VDP 42, ty. Packages for VDP 80 could be converted for smaller systems. This would be from to main dealers in the country.	£4,507 for 32K model. £4,950 for VDP 42
	2020. Identical to Apple II. Min. size: 4K memory; 8K ROM; keyboard, monitor, colour graphics, mini assembler; Powell card; RF modulator, games, paddles and speaker; Max nd printers. Basic, Assembler, games, business packages. Generally suited to any type of lers, including Fairhurst Instruments.	From £827 for 4K and cassettes, to £1,114 for 32K plus floppy and printer. £3,003 for 48K version, two floppies and serial printer.
	Micros. Typical size: IK monitor; 47-key solid state keyboard; interfaces for video, cassette, printer and UHF TV; serial I/O, dual parallel I/O ports; 2K RAM; power supply. nd manufactured system. Claimed to be the cheapest data terminal – a system with an or £1,020. Prospective applications for small businesses, process controllers and hobbyists. tor (01-892 7044).	From £400, assembled.
payroll, accountancy type sy	Microstar. Single box with twin 8in. floppy discs, 64K RAM, three RS232 serial inputs, STARDOS operating system enables system to have three VDUs, plus a fourth job ord processing software available. Packages being developed include invoicing system, stem. Price includes a reporter generator language. Imported by a Data Efficiency puters, Microsolve is London agent; other distributors being arranged.	£4,950 machine and software.
	MSI 6800. Min size: 16K memory Act I terminal; cassette interface. Max size: three disc systems – minifloppy system with triple drives of 80 bytes each and 32K memory, large floppy system with up to four 312K-byte discs and 56K of memory mounted in a pedestal desk, or hard disc system with 10MB and 56K. Basic interpreter and compiler; editor; a small disc system. American-designed system being manufactured increasingly in the U.K. (SEED) (05433 4321) but a distributor network is being established.	Basic system: £1,100 (£815 as kit); Minidisc, £2,500; Large floppy disc £3,200, plus £1,400 for quad system; hard disc, £8,000-£12,000.
VASCOM MICROCOMPUTERS rersions of Basic, and 8K Mincrease the number. (Revie	Nascom I. Min size: CPU; 2K memory; parallel I/O; serial data interface; IK monitor in EPROM. Max size: CPU; 64K memory; up to 16 parallel I/O ports. Mostly games, but also a dedicated text editor system written by ICL Dataskil. Nascom is working on large crosoft Basic should be available soon. Eleven distributors in U.K. Nascom is negotiating to wed January, 1979.)	£165 exc. VAT.
NATIONAL MULTIPLEX	Pegasus. Min size: 48K; Z-80; double-density floppies (320KB); S100 bus; 12in. CRT; 58-key keyboard; two serial and one parallel interfaces; bi-directional printer. Options: 8in. drives; 1-2MB additional drives; digital recorder 9,600 baud. Assembler, Cobol, Fortran, siness package available as well as text editing and mailing list. All run under CP/M. Suitable	£2,700 exc. VAT.
	home users, London Computer Store (01-388 5721) sole supplier.	(continued on page 10'





WELCOME.

ON

BUTOR

STRI

NATIONAL

### **8K XTAL BASIC** FOR NASCOM I

1. Commands:- CALL CLEAR CLOAD CONT CSAVE READ ...DATA..RESTORE DEF..FN DIM EDIT END FOR..TO..STEP..NEXT GOSUB..RETURN GOTO IF..THEN INPUT LIST NAS NEW ON..GOTO ON..GOSUB OUT POKE PRINT REM RUN SPEED STOP WAIT SPC() TAB() POP PRINT 2. Variables...News...More much state in the limit of the control of the c

Variables:- Names must start with a letter, but can be up to any length. First two characters used to distinguish one variable from another. Strings of up to 255 characters, also Multi-Dim, Arrays and String Arrays. Numbers range from +/- 1E+/-38, with an

accuracy of six significant figures.

Functions:- ABS ASC ATN CHR\$ COS EXP INP INT LEFT\$ LEN
LOG MID\$ PEEK POS RND RIGHT\$ SGN SIN SIZE SIZE\$ SQR STR\$ TAN VAL.

Operators:-

Arithmetic: + - \*/\*\* ("To the Power of") Relational:

Arith-Logical: And Or Not

String: + (Concatenation)

5. Cassette commands:- CSAVE CLOAD for saving and loading programs. Also CSAVE@ CLOAD@ for saving and loading of

numerical arrays.

Special Commands: EDIT – Powerful line editor. CALL – Machine-code subroutine call. NAS – Return to 'NASBUG' under software control. OUT, INP & WAIT – for control of I/O ports.

Compatibility: – Tape routine provided for use with T2 Monitor. Fully compatible with T2, T4 & B-Bug Monitors.

Size: – Actually fits in 7K of Ram (1000H-2BFFH), But recommend

Size:- Actually fits in 7K of Ram (1000H-2BFFH), But reco >=16K Expansion Ram in your system. Availability:- On C12 cassette tape, with documentation.

10. Price £35.00 + VAT

PROGRAMS BEING WRITTEN IN XTAL BASIC PLEASE PHONE FOR DETAILS.

LUXOR

ABCBO

### APPLE

SW AGENTS

### COME AND SEE THE APPLE IT'S WORTH IT

APPLE SOFTWARE

AVAILABLE

MANY GAMES - FROM £5.00 TO £15.00 STOCK CONTROL £100.00 + VAT MAILING LIST £50.00 + VAT

NOW NOW NOW

TEXT EDITOR/LETTER WRITER

PRICE TO BE ANNOUNCED

COMPONENT STOCKISTS TO. (VERO STOCKISTS). 74 SERIES, 74 LS SERIES, CMOS, CAPACITORS, RESISTORS, BOXES, SEMICONDUCTORS, BOOKS, TOOLS, TRANSFORMERS, ETC. ETC. + "BEAR BAGS"

### **BOOKS**

**BEST SELLERS** + MANY MORE 6502 MANUAL £7.95 + 35p pp **Z80 MICRO HANDBOOK** £6.95 + 35p pp BASIC COMP GAMES £5.95 + 35p pp

**NASCOM SOFTWARE** 

AVAILABLE

MINIMUM SYSTEM GAMES TAPE £6.00 + VAT TINY BASIC GAMES TAPE £12.00 + VAT

NOW NOW

C12 TAPES & 51 in. DISKS STOCKED

SHOP OPEN 0930-1730 **EXCEPT** WED & SUN. **40 MAGDALENE ROAD** TORQUAY **DEVON** ENGLAND Tel: 0803 22699









Circle No. 212

# COMPLETE COMPUTER SYSTEMS (CCS)

### **PRESENT**

the A 80

Zilog Z80A microprocessor, the ABC

Professional keyboard of Swedish standard.

12" black-and-white TV screen, Displays capitals and small letters, digits, figures and diagrams. Room for 24 lines of 40 characters each.

Built-in graphic mode. Uses 64 different graphic symbols.

Program memory, 16 K BASIC of ROM, 16K bytes of RAM, 2K Monitor in ROM. IK Picture RAM,

True quality is just what you'd expect and get from Sweden. Designed by a manufacturer with nine years' experience in mini/microcomputers.

At last a machine that has licked all the problems of other machines in its class:

- 1. Excellent steady results on a 12" T.V. monitor.
- 2. Quality professional keyboard (Keytronics). Very neat appearance.
- A real digital-computer tape unit, No more fiddling with volume settings on audio-cassette decks.

ALL THIS .. PLUS 16K BASIC in ROM

We believe this is the biggest BASIC in ROM on the market. It has: 20 Commands/Operators that aren't in Tandy TM Level II; 25 not in Applesoft TM Basic; 27 not in PET TM Basic and 32 not in Exidy Standard TM Basic.

200 programs available in BASIC.

price £759.00 (provisionally)

Available from U.K. importers

CCS MICROSALES Tel 01-444 7739 22 WESTSIDE 68 FORTIS GREEN LONDON N2 9EN

and CCS MICROHIRE FREEPOST (soon at 7, The Arcade) HERTS SG6 4YA



V-24 jack for connecting to a telephone modem so that you can communicate with other computer systems via the public telephone network. 46/80 Bus for connecting peripherals such as floppy-disk units, printers, plotters, measuring instruments etc.

Cassette memory for storing programs and data. Fast winding in both direc-

(continued from page 105)

MANUFACTURER	HARDWARE /SOFTWARE & APPLICATIONS /AVAILABILITY	PRICE
NETRONICS RS232 I/O, and video outpuexpandable for more general	Etf II: single-board computer in kit form or assembled. RCA Cosmac 1802 processor, hex keyboard, 256 bytes RAM; options include up to 64KB, ASCII keyboard, cassette and it. Machine code or Tiny Basic. Promoted as a teaching system in minimal form, but all use. Sole U.K. distributor HL Audio (01-739 1582).	Basic kit £115·50 inc VAT, p&p, power supply. Assembled plus user manuals, £164·10. I/O board adds £40·95; Basic is £14·95.
NEWBEAR	7768. CPU board, 4K memory, cassette and VDU interfaces. Range of Basics and games, British-manufactured system for hobbyists. Expandable to 64K memory available only in kit form. From Newbear; also from Bearbag dealers, Microdigital, Microbits.	From £45.
Compiler, Fortran, Cobol, P.	Horizon. Min size: 16K memory; Z-80A processor, single minifloppy disc drive (180KB). Max size: 56K memory, four minifloppy disc drives (180KB), any acceptable S100 icludes random and sequential access), disc operating system and monitor. Options: Basic rilot, PASCAL and ISAM. The system is suitable for commercial, education and scientific ftware for general commercial users. Twenty distributors. (Reviewed April, 1979.)	£995 to £2,500.
OHIO SCIENTIFIC  Editor; American single-boo personal maths tutors, and 1979.)	Ohio Superboard II: Min size: 6502 processor, 8K Basic in ROM; 2K monitor in ROM; 4K RAM; Cassette I/F, full keyboard; 32 × 32 video I/F, 8K Basic in ROM; Assembler/ard system with in-board keyboard. Aimed at hobbyist/small business. Ohio makes games, business programs. This and other Ohio products have six U.K. distributors. (Reviewed June,	From £298.
Challenger C24P: similar t	o Superboard but with a $32 \times 64$ character set. Supplied as two separate boards with open ofessional portable'; similar to Superboard but packaged and ready to use. Aimed at small rch.	£620 to £1,595.
	o 4P but expandable to include two 8in. flopples, allowing use of Ohio software. Personal ss/commercial programs. Aimed at small business, education and research.	£825–£2,670.
RAM, 74MB hard disc, mult	2K RAM, dual 8in. floppies, triple processor architecture (6502A, Z-80, 6800). Max size: 768K tiple terminals, printers. Can run virtually all 6502, 6800, 8080 and Z-80 code. Runs Basic, S CP/M. Full business software packages available, including word processing and database mming available.	£3,425–£13,000.
PERTEC Fortran, Cobol. The hardwadistributor Compelec (01-5)	System 1300. Min size: 32K memory; dual minifloppy discs 71 bytes each, formatted; serial interfaces. Max size: 64K memory; four serial ports. Basic (single and multi-user), are for Compelec Altair systems is from Pertec but the software is Anglo-Dutch. Sole 80 6296).	£3,000–£5,500.
PROCESSOR TECHNOLOGY	Sol. 808-based S100 microcomputer packaged with cassette and video interfaces (including graphics), keyboard with numeric pad, and 16KB RAM. Basic, assembler, word processors. Floppy disc systems available. Several distributors including Comart (0480 215005), which can offer nationwide maintenance contracts. (Reviewed, July, 1979.)	From £1,750 (excluding monitor and cassette). Complete floppy disc systems with word processing about £5,000.
and agreements made with	Black Box. Min size: 32K memory dual minifloppy discs, 80K bytes each; two programmable serial I/O interfaces. Max size: 64K memory; elght serial interfaces; IMB disc); range of peripherals. Basic, Fortran IV; Cobol. Hardware distributors are being signed software houses to add software. A warranty and U.Kwide on-site maintenance is given. 6 4663) and systems houses.	From £2,300.
processor, C Basic, Fortran	380-Z. Min size: 4K memory; 380-Z processor, keyboard, Max size: 56K memory. Options: cassette, single or dual minifloppy discs, dual 8in. double-sided discs (IMB); serial interfaces; parallel interfaces; analogue interface; printer available. Basic r; interactive text editor: terminal mode software; data logging routines; CP/M, DOS, text I, Algol, Pilot, Cobol, CP/M users' club library. Sold principally to higher and secondary research, data processing and data logging. Available from Sintel and the manufacturer.	From £830–£3;500.
	0-Z system, 4K or 32K (identical in performance to the 380-Z). Interfaces, software as for	4KB version at £398; 32KB for £722.
RCA	Elf II: RCA 1802 micro with hex keypad and output to TV screen. Assembler and machine code programming; options include Tiny Basic. Available by mail order from HL Audio (01-739 1582).	From £99 · 85 In kit form; £164 · 10 including postage and VAT.
ROCKWELL	Aim-65: Kim-compatible with full keyboard and on-board printer. IK or 4K RAM. The 4K version is described as a development system rather than a personal computer. Assembler, editor. Basic. Available from Pelco and Microdigital. (Reviewed July, 1979.)	IK - £249 · 50. 4K - £315.
provided but a 100-page ma systems, music and miscell	MK14: SC/MP processor, 256 bytes user memory; 512-byte PROM with monitor program; hex keyboard and eight-digit, seven-segment display; interface circuitry; 5V regulator on board. To this can be added: ¼K RAM (£3·60); 16 l/O chip (£7·80); cassette te interface and replacement monitor (£7·95); PROM programmer (£9·95). No software anual includes a number which will fit into 256 bytes covering monitors, maths, electronics aneous. Based on American National Semiconductor chips. Science will soon have a VDU. on user programming. Mail order from manufacturer (0223 312919) and by selected dealers.	£39 · 95 basic.
assembler, E Basic, Editor s	SDS 100. Single unit containing 32K memory (expandable to 46K); up to 8K PROM; twin double-sided floppy disc drives of 500 bytes each, serial and parallel RS232 interfacing; sty; power supplies; SD monitor program; line printer available. CP/M, 8080 supplied with system; M Basic, Fortran, Cobol available for business use, industrial process additional hardware). All CP/M games and business packages. Sole supplier Airamco (0294)	From £3,750 (basic machine) plus £890 (printer); £4,500 combined (continued on next page

(continued from previous page)

MANUFACTURER	HARDWARE /SOFTWA	ARE & APPLICATIONS /AVAILABILITY	PRICE		
discs. Suitable for OEMs,	channel joystick dual cas 4-hour clock. Max size; 48K f mall business, education, lab	M; 4K ROM monitor; full keyboard plus function keypad; two- sette I/F; IIK EBasic on cassette; video; graphics; printer; S100 RAM; 8K ROM; black and white or colour graphics; mini-floppy poratory and scientific and home computing. Main distributor is puter Services (0903) 814523.	From £726		
audio cassette interface; t two external minifloppy dri code reader; TMS-1000 d assembler editor; re-locat	ro serial ports; programmable res; ROM bootstrap. Max size velopment system. EBasic in ble linker/loader; debugger. A	keypad; graphics; real-time clock; 70K minifloppy disc drive; e 110 to 9,600 baud; three S100 slots; power and interface for e: 70K byte minifloppies; black and white or colour graphics; bar terpreter; compiler EBasic; matrix Basic; Fortran; Cobol; Application software includes word and graphics processor; III business; industrial/research, education; software houses	From £3,450–£4,123 including desk and printer.		
minifloppies; up to four 11	Mb hard discs; range of \$100 es word and graphics process	or two 350K byte minifloppy drives. Max size: Four 350K 0 devices. As M222 plus Cobol-80, CAP-CPP BOS MicroCobol. sor; personal information processing system; games; CAP-CPP	From £3,775–£4,448		
SYNERTEK	software. American, mea	ypad with memory available in 4K blocks to 64K. Any Kim int to be the foundation system for very small business and from Newbear (0635 49223).	From £200		
hobbyist users. Available from Newbear (0635 49223).  TANDY CORP.  TRS-80.Min size: Level I 4K memory; video monitor; cassette; power supply. Max size: Level II 48K up to 350K on-line via floppy discs; line printer; tractor feed printer and quick printer; floppy disc system. Modern, telephone interface soon available. Basic; some business packages. Level I aimed at the hobbyist and education market and Level II at small business applications. Hundreds of dealers. (Reviewed November, 1978.)					
TRANSAM COMPONENTS	Power supply; cabinet. C	computer. Up to 65KB. Full graphics capability, 64 characters. communications interfaces. Tiny Basic or 2K Basic, IKB monitor vare on board. Available from manufacturer. (01-402 8137).	£286 kit with 5KB.		
management, off-line data	keyboard; built-in mini ca 16K PROM; 2K monitor s graphics; IEEE interface. Co processing and assembling c	IZK RAM, Z-80 processor, RS232 interface; 5in. built-in VDU; full issette; real-time clock. Software: Programmable keyboard in system; DOS; Extended Basic. Options: larger VDU; discs; 14K ompatible with all computers and peripherals. Applications: file capabilities. Suitable for OEMs and expert users. Available 2002, which will also manufacture it next year.	£1,480-£1,760		
VECTOR GRAPHIC		63K bytes, mini-discs are standard, Options: graphics. Monitor, packages from dealers. Several distributors.	<b>£2,3</b> 00		



Grafton Way, London W1P 5LA

Tel: 01-387-7388

## ★ 16-CHANNEL A-D CONVERTOR UNIT — 16 inputs, 8-bit resolution — input ranges 0-2 · 5v, 0-5v, 0-10v, single ended (customer

- specified)

  Conversion time 150µs

  BNC front panel connectors

  PRICE: £300

### \* X/Y PLOTTER INTERFACE

- 2 analog output channels 8-bit resolution

- Addressable relay for pen lift
   Output ranges 0-2 · 5v, 0-5v (customer specified)
   PRICE: £260

### \* 16-CHANNEL RELAY CLOSURE UNIT

- 16 individually addressable reed relays
   Front panel 4mm banana sockets
- LED indicates each relay's state
   Contacts rated 100v, 0.5A.
   PRICE: £350

### \* 8-CHANNEL D-A CONVERTOR

- 8 single-ended outputs, 8-bit resolution
   Output ranges 0-2-5v, 0-5v (customer specified)
   Front panel BNC connectors
   PRICE: £350

### **★8-CHANNEL DATA ACQUISITION UNIT**


- Interfaces to most digital instruments
   8 channels of 8 bits each
- Plus two handshake lines/channel - BCD or byte oriented data. - PRICE: £400

### INTRODUCE YOUR PET

### TO THE

### **OUTSIDE WORLD**

with our range of IEEE-488-compatible interface units. Boxed complete with power supply, leads, switch, fuse, indicators, & illustrative BASIC software supplied. Address selectable.



TERMS: All prices ex-vat. 5% discount for CWO or payment within 14 days of order. Cheques should be made payable to 3D Digital Design & Development. Orders should include £2.50 P&P per unit. All goods supplied under 90 days warranty. ALL UNITS EX-STOCK.

### CAMBRIDGE COMPUTER STORE

We can help you select the right system for your application. Here in Cambridge your choice won't be limited we'll demonstrate as comprehensive a range of microcomputers as you'll find anywhere in the U.K.

### TANDY TRS-80 **COMMODORE PET** APPLE II N-S HORIZON CROMEMCO SORCERER **SUPERBOARD** NASCOM-1

Where possible we deliver off-the-shelf. Our stock also includes a vast range of electronic components as well as computer books and magazines.

The store is open 6 days a week from 9-5.30 with demonstration systems always in operation. We offer a professional standard of advice and after-sales support and we're ready to discuss your application any time.

### CAMBRIDGE COMPUTER STORE

1 Emmanuel Street, Cambridge (0223) 68155

Circle No. 215

### MICRO COMPUTER CENTRE,

314 Upper Richmond Road West, East Sheen, S.W.14 876 6609.

Business Specialists/Authorised Dealers for

### PET

### Computers

Standard PET with integral cassette and calculator type keyboard. 8K bytes of memory £550.00 PET with 16K bytes of memory and large

keyboard. External cassette optional £695.00 PET with 32K bytes of memory and large keyboard. External cassette optional £795.00

### **Printers**

Whymark 201 - 20 columns complete with interface £400.00 Datac BD80 - 80 columns 1-way Interface £106.00 Teletype 43 – 132 columns – Upper and Lower Case Keyboard

£900.00 2-way Interface £186.00 **Memories** 

16K Memory Extension for 2001 – 8K 24K Memory Extension for 2001 – 8K £276.00 £337.00 Disc Drives


Compu/Think Twin Floppy Disc Drive - double £833.00 sided discs - 100K per side Pet Twin Floppy Disc Dual Drive including cable £815.00 Cassette Recorder

The above prices are exclusive of VAT. All the above items are IN STOCK at time of going to press.

We stock all PET accessories and handbooks PETSOFT and PETACT Programs.

Circle No. 216

# 5 ways to buy a computer in West London.



Now in West London you can buy the Pet, Apple and Nascom.

But that's not all.

Add to that the in-depth knowledge and wealth of expertise that only experienced computer professionals can provide, and working with you we'll deliver a system that's right for you.

Whether its software packages, tailored business systems or even games you're looking for, it's reassuring to know you can rely on us for maintenance, engineering support, and even finance.

So, if you're local to Ealing why not drop in for a demonstration?

And if you're not, we're conveniently accessible for the motorist, and bus, tube and rail travellers.

> Adda Computers, 17-19 The Broadway, Ealing, London W5. Telephone: 01-579 5845/6 Open 09.00-18.00 Monday to Friday 10.00-16.00 Saturdays

we add up to a great deal.



STOP PRESS!!!

THE SOFTWARE PROFESSIONALS HAVE NOW MOVED TO BIRMINGHAM

Professional quality packages available now for the TRS-80

Sales Ledger — From £100

(OPEN ITEM LEDGER/AGE ANALYSIS/INVOICES/VAT/DAY BOOKS & MORE)

Purchase Ledger — From £100

(OPEN LEDGER/AGE ANALYSIS/REMITTANCE ADVICES/VAT/DAY BOOKS & MORE)

Stock Control — From £150

(ISSUES/RECEIPTS/STOCK MOVEMENT REPORT/RE-ORDER LEVEL REPORT & MORE)

Invoicing — £75

Payroll — £200

(CATERS FOR WEEKLY, MONTHLY, CASUAL STAFF/BONUS PAYMENTS/YEAR END STATISTICS/PENSIONS, ETC)

Coming soon: order entry/nominal ledger. All the above packages are being made available on the PET and other micros. 12 month warranty on all packages — tailored systems to your requirements.

TRIDATA MICROS LTD., Smithfield House, Digbeth, Birmingham B5 6BS Tel: 021-622 1754 or (093 34) 53105.



Circle No. 218

# SEFIES I BUSINESS/SCIENTIFIC COMPUTER

- Fast 4MHz Z80 CPU.
- Selectable Disk Capacity
- 1 Kilobyte of 2708 EPROM
- 64 Kilobytes of 16K Dynamic RAM
- Floating Point Processor
- 2 Serial RS 232 Ports
- 2 Parallel Ports
- Programmable Real Time Clock

### SOFTWARE

- CP/M
- FORTRANIV
- BASIC
- COBOL
- PASCAL

£2,399

The SERIES I business/scientific computers are designed to meet the exacting needs of the small business and scientific lab markets. A Z80 ®\* disc-based microcomputer, the SERIES I is a single board computer with inherent high reliability and ease of maintenance.



Sole agents

14-15 BERNERS STREET, LONDON W1P 3DE

Telephone 01-636 1392 (4 lines)

### A PRACTICAL GLOSSARY

### Continuing the terminological gamut with M

### Machine code

A programming language which identifies and alters the contents of memory locations by instructions encoded in a form which relates directly to the internal operation of a computer — the binary notation, which makes machine code programs an arcade of 0s and 1s.

The binary code the computer uses is the lowest possible level of programming. All other computer languages have to be translated into machine code before programs written in them can be executed. Machine code is sometimes called machine language.

### Macro

Or macro instruction, or macroinstruction. One macro equals several instructions; it's a kind of shorthand by which the computer recognises the macro and generates several operating instructions for it.

Magnetic tape

A long strip of plastic, usually mylar or acetate, which is coated with a magnetisable oxide material.

Those spools you see whizzing round are normally 2,400ft. long and the tape is 0.5in. wide; some mainframe manufacturers opt for different widths; the length is not critical, so some tapes are 1,200ft. long, others top 3,600ft. More familiar to the personal computer world as cossettes, typically ½in. wide and easier to handle. They don't store as much information and data cannot be read from or written to them as quickly.

Data is stored on tape by magnetising an invisible row of spots across the tape. Depending on which possible spot positions you magnetise, the computer is able to pick up and translate a line of spots as a particular character.

Magnetic tape is cheap and well understood these days, not least because all manufacturers are used to making tape for audio recording. The tape is much the same, and ordinary audio cassettes can be used on personal computers. On the big reels, the data tape has to be made to a much finer specification to guarantee maximum discrimination and maximum strength, because those spools are pulled around somewhat enthusiastically.

The only real disadvantages are transfer speed and the serial access. With disc you have random access to information; you don't have to read everything on the disc to see that it's the information you seek. With tape you have to move the read/write head over the tape — or the tape past the head — until you find the

place you want.

That reduces speed, of course, and some applications become impossible — like interactive queries on files — because they would take too long.

Another problem can arise. How do you add information in the middle of a sequential stretch of records on tape? You can add it to the end but that way it is out of sequence. What you have to do is read the entire tape file into memory, insert your amendments — easy enough in the fast random-access world of semiconductor RAM — and then write it out to tape again as a new Master File.

Discs are fast enough to permit a degree of automation of this process in the disc operating system. Because they operate on non-sequential lines, the physical location on disc of the amendment is not necessarily relevant — it can somehow be linked or keyed to the right reference. That capacity varies from one operating system to another.

The problems with tape become heavy only when speed of access is the main criterion. So for the starter personal computer system, cassettes are a good, cheap, easy way to become acquainted with microcomputers. In any case, even if you have discs you will find that tape is a good, cheap easy way of providing back-up storage, called archiving — taking a copy regularly of your data just to forestall any disastrous disc crashes.

Map

A memory map is a diagram of memory showing which particular control routines take up which particular memory locations.

There are other kinds of map in computing but this one is most important. It allows what's called "memory-mapped I/O", which means you can address an I/O device by an address in memory. At that address the processor will find the start of a code routine which handles data transfers to and from the device. The technique is often easier and neater than addressing an I/O channel or port.

**Mapcon** 

Microprocessor Awareness Project Consultancy, a Government scheme to fund the development of many small consultancies. It tries to promote the spread of micros in industry by contributing some of the cost of consultants' feasibility evaluations.

### Mask

There are two relevant definitions, neither of which is particularly relevant. In the semiconductor chip manufacturing process, a mask is used to define the areas of the chip. In processing, a mask is part of a logical operation; it's a pre-set pattern of bits you can compare with another bit pattern.

### Master

The word is used freely as a prefix to mean either "control" or "most up-to-date". A master file is the most accurate, most current version; a master/slave system is one in which a particular system component (the slave) cannot function without control signals from another (the master).

Matrix

Mathematicians won't need this definition and non-mathematicians won't understand it. A matrix is a rectangular arrangement of numbers in rows and columns, organised in such a way that certain specific mathematical operations can be applied to them.

A matrix really is a bunch of numbers on which you can perform matrix arithmetic. Most Basics include MATrix statements; and if the manual for yours is not clear enough about what they are and why you'd use them, try David Lien's BASIC Handbook.

Matrix printer

A matrix is a grid of rows and columns. Well, translate that into a rectangular array of needles — say 63 of them, seven rows of nine. If you push a needle forward so that it thumps against a typewriter ribbon and bangs it on to white paper, you'll have a dot printed. By firing forward the right combination of needles you'll have a dot pattern which resembles an alphanumeric character.

The needles move backwards and forwards in "barrels" rather like those of a gun; but this impact printing is not the only use for dot matrix techniques. Put a heating element in the barrel and use heat-sensitive paper, and you have thermal printing, which causes a kind of scorched dot on the paper. The other popular matrix print method is electrostatic; firing a minute electrical charge at special paper changes the nature of its coating so that a dot is created there.

Mega

Ugly prefix meaning million. A megabit (abbreviated Mb) is one million bits.

Memory

We at Proctical Computing use "memory" to mean internal storage for data and programs. Other people call it "store", if they're British: or "core store" if they're British and outdated or "immediate access store", which is accurate but clumsy.

We don't use the term "memory" to refer to discs and tapes, although some do use the term to mean all possible media for storing things in a computer. What they call "main memory" is probably a strictly accurate description.

A fair definition used to cover the storage space which can be addressed directly by processor, but the newish upmarket "virtual memory" operating systems enable the processor to visualise all internal and external storage as one continuous block, so that's not really accurate any more.

Rather than take idealisitically pure definitions, let's go for a couple of pragmatic statements. Memory is RAM, ROM and derived abbreviations, or memory comprises printed circuit boards containing semi-conductor chips or lattices of ferrite cores; or memory is what sold as KB.

Micro

Unwitty but workable and chatty abbreviation for microprocessor or microcomputer.

Microcode

How the *instruction* set of a particular computer is implemented. Microcode statements convert the machine instructions into electronic activity.

Normally you don't see microcode at all. It's there — typically implemented in firmware — and as it happens it's what you're using when you use the instruction set, but you don't have to know anything about it.

Some of the classier and expensive micros, however, allow you to write your own microcode to create new instructions on your computer. If you have applications which frequently involve complicated references to an I/O channel you might create a new machine instruction or two to simplify that referencing. For this user-microcoding the vendor will give you a little software development package which includes a kind of assembler.

# U NO THE ELF BUT DO YOU KNOW OUR PRICES?

*Basic Computer Kit	£79.95
or wired and tested	£99.95
Cabinet & Flexiglass cover	£22.00
*Constructors/Users Manual	£4.00
4K Static Memory Board	£63.00
or wired and tested	£83.00
ELF II Expansion Power Board	£15.00
ELF II Tiny Basic Generator	£12.00
*R.F. Modulator	£3.00
Giant Board Kit	£32.00
Giant Board Kit wired and tested	£52.00
*Power Supply Transformer	£5.00
*Micro Processor/Computer Book	£4.00
Pro ASC 11 Keyboard Kit	£53.00
Pro ASC 11 wired and tested	£73.00
Pro ASC 11 Keyboard steel cabinet	£15.00
	£12.00
*SUGGESTED MINIMUM INITIAL ORDER	
	or wired and tested Cabinet & Flexiglass cover *Constructors/Users Manual 4K Static Memory Board or wired and tested ELF II Expansion Power Board ELF II Tiny Basic Generator *R.F. Modulator Giant Board Kit Giant Board Kit wired and tested *Power Supply Transformer *Micro Processor/Computer Book Pro ASC 11 Keyboard Kit Pro ASC 11 Wired and tested Pro ASC 11 Keyboard steel cabinet ELF Bug Monitor

Please tick items required, add 8% V.A.T. to total cost, enclose your cheque, print your name, address and telephone No. below and post complete to C.A.V.S. Ltd., 171 Chase Side, Enfield, Middlesex, EN2 0PH

Name	 		 Telephone	No
Address	 	.,	 	

Circle No. 220

# DE BOER

## ELECTRONIC PROJECT CONSTRUCTION KITS

We can supply kits for a large range of electronic construction projects. These include Audio, Games, Computers and Test Equipment. All our kits include circuit boards, components and full instructions.

Lab Power Supply £33.45 2.5 Amp, 5–20 Volts, short circuit protection.

Universal Digital Meter £17.75
Digital Replacement for pointer instruments.

‡ GHz Frequency Counter £104-50 Frequency counter with programable offset facility.

Function Generator £29.75

Sine, Square and Sawtooth outputs.

3½ Digit DVM £24 00

Display auto zero facility.

TV Scope £34·48
Converts your television to give an oscilloscope display.

For further information please send SAE. Please make cheques payable to de Boer Elektronika. All prices include VAT; please add 50p for P & P. ORDER FROM: de Boer Elektronika, 2 Lynn Road, Grimston, Kings Lynn, Norfolk, PE32 1AD. Telephone: 04856–553



### de boer elektronika

Kleine Berg 39-41 Eindhover Nederland, let 040-448229

Circle No. 222

# EGNINOX 300

A powerful multi-user multi-tasking multi-language

16-bit microcomputer time-sharing system

supporting

- BASIC
- LISP
- PASCAL
- · Floppy discs
- · Hard discs

including a powerful Text Formatter, Assembly Language Development System and disc-based Sort utilities.

Priced from under £5,000

Write or phone for further information.

### **EQUINOX COMPUTER SYSTEMS LTD**

"Kleeman House" 16 Anning Street. New Inn Yard. London EC2A 3HB. Tel: 01-739 2387/9. 01-729 4460.

Circle No. 221

# ENTERPRISES

### RECENT ADDITIONS TO OUR RANGE OF BOOKS

OF BOOKS

RA6800ML - An M6800 Relocatable Macro Assem-

bler by J. E. Hemenway £15.95

LINK 68 – An M6800 Linking Loader by Grappel and Hemenway £5.50

Calculating With BASIC by R. Guido £4.95

Users' Guide to North Star BASIC by R. R. Rogers

£10.00
Programming the 6502 by R. Zaks £7.95

SCELBAL High Level Language plus Supplements by Arnold & Wadsworth £20.00

PIMMS – A Database Management System £5.95

**Program Design** ed. by Liffick £4.25 **6800 Tracer** – An aid to 6800 Program debugging

£3.95

MONDEB – An advanced M6800 Monitor Debugger
by D. Peters £3.50

SUPER-WUMPUS – A game in 6800 Assembler code and BASIC, by J. Emmericks £4.25

HOW TO ORDER

Send cash with order to L. P. Enterprises, Room NB/PC, 313 Kingston Rd, Ilford, Essex IG1 1PJ. Credit card orders (not Diners Club) accepted by telephone. Tel. no. 01-553 1001. Payment must be in sterling and drawn against a British bank.





### **Advertisement Index**

	09 DAMS (Office Equipment) 04 Datron Interform	) 26 29	Keen Computers	2	Petalect Electronic Services	36
	8 Digital Design (3D) 10 Digitus	108	Linburg Electronics	68	Petsoft Protechnic	42 20
American Data Home and Office Computers  Betos Beyts Logic	Dyle House  Electronic Brokers Equinox Computer Systems  16, 34,	104	Lion Computer Systems L & J Computers London Computer Store Lotus Sound LP Enterprises LTT Electronics	102 11 112 10	Rair Timesharing Research Machines Rostronics Computer Centre	84 7 68
Boer De, Elektronika 27,1 Byte Shop	19		arraci omes		Sintrom Microshop	64
Бусс знор	Factor One Computers 6 Four on Four	102	McNaughton, P Marshalls		Small Systems Engineering Stack Computer Services	
Cambridge Computer			Microbits	, 0	Strathand	26
Camden Electronics CCS Microhire	Gemsoft GPW	22 47 32	Micro Centre Microcomputer Centre Micromedia (Systems)	74 109 14	Strutt Electrical & Mech- anical Engineering	104
Chiltern Microcomputers Christian Audio	Grama (Winter)	32	Micro Software Systems Microsolve Computer	6	Technalogics Transam	10
Chromasonic Electronics Citadel Products Comart	8 Happy Memories 5 HB Computers	6	Services Mine of Information		Tridata T & V Johnson (Micro-	110
Comp Computer Components 114, 1	Henry's Radio	14	North Hereford & South Shropshire		computers etc) 99,100 Video Software	0, 101 27
	10 20 IBM	58	District Council		Videotime Products Vlasak Electronics	8
Computer Centre Computer Workshop	73 Integrated Circuits 8 Unlimited	13	Padmede Paxton Computers	47 102	Alazak Electronics	20
Crofton Electronics	8 International Systems	82	Pelco (Electronics)	68		96-98
Crystal Electronics I	06 Isher-woods	17	Personal Computers	21	Shop Window 8	86-96

### JUST COMPARE OUR CASH AND CARRY PRICES!

### PET COSTS LESS AT COMP and it's a pedigree (RRP £550)

The No. 1 Personal Computer in the U.K. Affordable for the first time user and the professional check out the PET, the world's most popular personal computer.

8K - £499 16K - £590

32K with GREEN SCREEN - £690 Cassette recorder now in stock £55



### ADD A PRINTER TO YOUR PET

RS232C I/O CARD

Attach to any RS232 printer, modem, accoustic coupler to your PET. Easy to assemble. £89 in kit form. Add £20 for fully assembled and tested.

### PET TO S100 FOR MEMORY Convert the IEEE 488 bus to the well supported S100 bus. Comes complete.

Connectors and documentation included. Ready assembled and tested: Our price £89

### SOUND BOXES FOR PET

Fully assembled with documentation how to add sound effects to your programs. £14.90

### BEST GAME EVER! Petball — £5 for program This game will have you and your family in tears for hours! For full effect buy sound box too! Best seller in U.S.A

### **NASCOM IMMEDIATE EXPANSION S100 from COMP** -strongly recommended

The only available S100 motherboard kit (fully buffered) that plugs directly into your Nascom. Designed for the insertion of \$100 boards (e.g. Static RAM, EPROM and discs etc.).

S100 Motherboard/Buffer

(Complete kit + documentation)

£47.50 ) Buy both and Basic On

Suitable 8K Static RAM Memory \$125 £110 (fully assembled tested and guaranteed)

get 2K Tiny cassette FREE.

### **MODULATORS UHF Channel 36**

Standard 6 meg band width £2.25 High Quality 8 meg band width £4.90 EX-STOCK

### **UNIVERSAL POWER SUPPLY**

Suitable for Nascom I, Nascom II, Superboard and all computers requiring these specifications

+5V @ 3 amps + 12V @ 1 amp -5V @ 500 mills -12v @ 500 mills Easy to construct — complete with transformer. Our price £24.90

### TRANSFORMER

Primary 220V with 2 individual secondaries £5.90 8V -0 -8V @ 11/2 amps 16V -0 -16V @ 1/2 amp

### **HITACHI PRO MONITORS**

Superb definition 9" - £132 12" - £210

### THE TRS-80 (SPECIAL SCOOP) Low Priced, Ready to Go!

PLUGS INTO YOUR OWN TV



### Level-II with 4K RAM

Improved graphics, print formatting, and a faster cassette transfer rate are features of Levell-II Basic. £350 + VAT

### Level-II with 16K RAM

A combination of 16K RAM and the powerful Level-1! BASIC produces a system capable of handling most demands. £399 + VAT

- double length characters available at a single keystroke giving 32 chars x 16 lines. Super graphics a 2 x 3 cell arrangement. Masses of

Worlds most popular machine. Fully converted to English Television standard. Rock steady picture — exclusive to COMP.

**UK POWER SUPPLY SUPPLIED** 

KEY BOARD ONLY - Complete with UHF Modulator

### **RS232C I/O CARD for TRS80**

Connect your TRS80 to any RS232 printer. Assembled and tested £55

### SOUND BOXES FOR TRS80

Fully assembled with documentation how to add sound effects to your programs. £14.90

### ATTENTION ALL NERVOUS

TRS80's Cure the video shakes. Upgrade your video to English Standard. Simple modification. Only £7.50 including easy to follow instructions. Only 15 minutes of your time needed. You owe it to your eveslight. Fitted as standard to all our machines.

### **NEW! AT LAST 8K BASIC**

COMPLETE ON \$100 EPROM BOARD

### BEST GAME EVER!

Android Nim - for TRS80.

This game will have you and your family in tears for hours! For full effect buy sound box too! Best seller in U.S.A

### **TRS80 TO S100 BUS**

for memory expansion

### TV UHF MODULATOR FOR TRS80

Encased ready to use - £15

### **ELECTRIC PENCIL**

Text Wordprocessing package on cassette £59

Please add VAT to all prices - Delivery at cost, will be advised at time of purchase. Please make cheques and postal orders payable to COMP, or phone your order quoting BARCLAYCARD, ACCESS, DINERS CLUB or AMERICAN EXPRESS number.

OPEN - 10am to 7pm - Monday to Saturday CREDIT FACILITIES ARRANGED







ATAL

0-80n

EUROPES FASTEST SELLING ONE BOARD COMPUTER -





Character Set

**FUNCTIONS** ABS(X) LOG(X) SPC(I) ATN(X) PEEK(I) SQR(X) STRING FUNCTIONS
ASC(X\$) CHR\$S(I) ASC(X\$) RIGHT\$(X\$.I)

Compukit UK101 has

everything a one board 'superboard' should have

Uses ultra-powerful 6502 microprocessor. ★ Uses ultra-powerful bolz microprocessor.
 ★ 50Hz Frame refresh for steady clear picture (U.S.A. products with 60Hz frame refresh always results in jittery displays)
 ★ 48 chars by 16 lines — 1K memory mapped video system providing high speed access to screen display enabling animated games and graphs.
 ★ Extensive 256 character set which includes full upper and lower case alphagurerics. Greek symbols

\* Extensive 256 character set which includes full upper and lower case alphanumerics. Greek symbols for mathematical constants and numerous graphic characters enabling you to form almost any shape you desire anywhere on the screen.

\* 8K full Microsoft Basic in ROM compatible with PET. APPLE SORCERER hence taking the headache out of programming by using simple English statements. Much faster than currently available personal computers.

\* Professional 52 Key keyboard in 3 colours — software polled meaning that all debouncing and key decoding done in software.

### **FULL CONSTRUCTION DETAILS** IN P.E. AUG 1979 EDITION

Delivery date June 1979 at the 1979 MicroComputer Show Customer orders in strict rotation only.

COMMANDS CONT LIST STATEMENTS NEW NULL RUN CLEAR DATA DEF DIM
GOTO GOSUB IF..GOTO IF..THEN
NEXT ON..GOTO ON..GOSUB POKE
REM RESTORE RETURN STOP END FOR INPUT LET PRINT READ **EXPRESSIONS** 

OPERATORS ..+.\*/.\* NOT.AND.OR, ><.<\*>,>=<= RANGE 10<sup>-32</sup> to 10<sup>+32</sup>

VARIABLES
A.B.C. ....Z and two letter variables
The above can all be subscripted when used in an array. String variables use above names plus \$.e.g.A\$

INT(X) SIN(X) COS(X)

EXP(X) RND(X) TAN(X) FRE(X) SGN(X) USR(I) POS(I) TAB(I) LEN(X\$) MID\$(X\$.I,J) VAL(X\$) FRE(X\$) STR\$(X) LEFT\$(XS.I)

\* Video output and UHF Highgrade modulator (8Mz Bandwidth) which connects direct to the aerial socket of your T.V. Channel 36 UHF. \* Fully stabilised 5V power supply including trans-

former on board

former on board.

\* Standard KANSAS city tape interface providing high reliability program storage — use on any standard domestic tape or cassette recorder.

\* 4K user RAM expandable to 8K on board £49

AK user RAM expandable to on oil scale extra.

40 line expansion interface socket on board for attachment of extender card containing 24K RAM and disk controller. (Ohio Scientific compatible).

5502 machine code accessible through powerful 2K machine code monitor on board.

High quality thru plated P.C.B. with all I.C.'s mounted on sockets.

A tape of 10 programs on cassette — educational games, etc. will be supplied free of charge with each kit.

Simple Soldering due to clear and consise instructions compiled by Dr. A.A. Berk, BSc.PhD

NO EXTRAS NEEDED JUST HIT 'RETURN' AND GO.

Build, understand, and program your own computer for only a small outlay.

ONLY £219 + VAT

including RF Modulator & Power supply. Absolutely no extras.

Due to the new prices of TTL this price will be increased shortly. So order now to beat the price increases and the rush.

SPECIAL CHARACTERS

© Erases line being typed, then provides carriage return, line feed.

4 Erases last character typed.

CR Carriage Return — must be at the end of each line.

CR Carriage neum line.

Separates statements on a line.

CONTROL/C Execution or printing of a list is interrupted at the end of a line.

"BREAK IN LINE XXXX" is printed. Indicating line number of next statement to be executed or printed. CONTROL/O No outputs occur until return made to command mode. If an Input statement is encountered. either another CONTROL/O is typed. or an error occurs.

# 

### THE EXIDY SORCERER SORCERER **COMPUTER SYSTEM**

COMPUTER SYSTEM

The Sorcerer Computer is a completely assembled and tested computer system. Standard configuration includes 63-kev typewriter-style keyboard and 16-key numeric pad, 280 processor, dual cassette I/O with remote computer control at 300 and 1200 baud data rates, RS232 serial I/O for communications, parallel port for direct Centronics printer attachment, 4K ROM operating system, 8K ROM Microsoft BASIC in Rom PacTM, cartridge, composite video of 64 char/line 30 line/screen, 128 upper/lower case ASCII set and 128 user-defined graphic symbols, operation manual, BASIC programming manual and cassette/video cables, connection for 5-100 bus expansion. ion for S-100 bus expansion

NACTOR SECTION LOOK!

\*22K RAM on board
\*RS232 interface \*8K BASIC ROM
\*CUTS interface \*4K MONITOR
\*KANSAS CITY interface \*5100 BUS
\*User defined graphic symbols \*280 cg

\* Z80 cpu

16K 2860 2725 \* 32K 2950 2790 Credit facilities available

+ VAT

# THE ATARI video computer system

le is is

Years and

years of fun and

assured

SAVE £30

satisfaction are

Atari's Video Computer System now offers more than 1300 different game variations

and options in twenty great Game Program<sup>™</sup> cartridges!

Have fun while you sharpen your mental and physical coordination. You can play rousing, challenging, sophisticated video games, the games that made Atari famous.

You'll have thrill after thrill, whether you're in the thick of a dogfight, screeching around a racetrack, or dodging asteroids in an alien galaxy. With crisp bright color (on color TV) and incredible, true-to-life sound effects. With special circuits to protect your TV.

Cartridges now available

Basic Maths, Airsea Battle, Black Jack, Breakout, Surround, Spacewar, Video Olympics, Outlaw, Basketball,

£138.85

£13.90 each.

IBM GOLF BALL SELECTIVE Refurbished to new specifications PRINTER

RS232C serial interface. Comes complete on stand - floor mounting. Small and compact. Interfaces to Exidy Sorcerer,

TRS80 Apple and ITT 2020, Pet, Compukit and Nascom.

Complete your word processing system with a top quality printer for only £990.50.

All prices exclude VAT. Our VAT rate is 8%. We will pay any extra.

Please quote this number PC 100 when ordering



COMPUTER COMPONENTS 14 STATION ROAD, NEW BARNET, HERTFORDSHIRE CLOSE TO NEW BARNET BR STATION - MOORGATE LINE

TEL: 01-441 2922 (Sales)

01-449 6596

OPEN - 10am to 7pm - Monday to Saturday



VISIT OUR NEW SHOP AT 1 WALLCOT BUILDINGS, LONDON ROAD, BATH, AVON.

All Products Ex-Stock Please check availability

(Part of the Compshop Ltd. Group).

### The World's Most Powerful 8-bit Microcomputer



Two types of central processor are available for use in your system. The standard /09 has a maximum random access memory (RAM) capacity of fifty six thousand (56K) bytes. It can have as many as eight input/output (I/O) devices such as terminals, printers, etc, attached. This capacity is adequate for business systems requiring up to four terminals and two printers. If the application involves moving large amounts of data, or scientific and engineering calculations, our larger CPU should be used.

The S/09 CPU has a maximum RAM memory capacity of 384K bytes. It is normally supplied with 128K bytes of memory which can be expanded to 256K, or 384K by adding additional memory arrays. This CPU will support up to 161/O devices.

Both CPU's are designed around the Motorola MC6809 microprocessor. This is the most powerful eight-bit microprocessor available.

# Featuring the world's most powerful MPU—the Motorola MC-6809

The MC6809 has more addressing modes than any other 8-bit processor. It has powerful 16-bit instructions, and a highly efficient internal architecture with 16-bit data paths. It is easily the most powerful, most software efficient, and the fastest 8-bit general purpose microprocessor ever.

The greatest impact of the Motorola MC6809 undoubtedly will be software related. Ten powerful addressing modes with 24 indexing submodes, 16-bit instructions and the consistent instruction set stimulate the use of modern programming techniques, such as structured programming, position independent code, re-entrancy, recursion and multitasking.

C/09 CPU 56K £1,050 + VAT

CS/09 128K £2,100 + VAT

/09 board (will directly replace existing SWTPC processor board) £195 + VAT




- \* Software function controls
- ★ 56-key "Cherry" keyboard
- 12 key numeric or cursor control pad
- \* 128 control functions
- ★ Graphics capability
- User programmable character sets
- \* Software selectable Baud rates (50-38, 400)

£550 + VAT

Write or telephone for latest brochure including 16MB disc and new printer range.



Southwest Technical Products Co.



38 DOVER STREET · LONDON · WIX 3RB · Telephone: 01-491 7507 · Telex: 268913